



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
00-00/121 ^S	JOB CLOSE UP - AIRCRAFT - AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS REVIEWED AND COMPLIED WITH AS REQUIRED						Service	ATA:00
	MOS/MSC	19-Mar-25	A/R					
	HRS	477.4						
	AFL	520						
								PKG:5 ,1,2,3,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
00-00/122 ^S	JOB CLOSE UP - AIRCRAFT - CHAPTER 4 AND CHAPTER 5 - OVERHAUL AND REPLACEMENT SCHEDULE AND TIME LIMITED INSPECTION REQUIREMENTS DATA MODULES REVIEWED AND ANY ADDITIONAL REQUIREMENTS ARE COMPLIED WITH						Service	ATA:00
	MOS/MSC	19-Mar-25	A/R					
	HRS	477.4						
	AFL	520						
								PKG:5 ,1,2,3,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
00-00/481 ^S	JOB CLOSE UP - AIRCRAFT - CHECK FLIGHT MANUAL IS AT THE LATEST REVISION						Service	ATA:00
	MOS/MSC	19-Mar-25	A/R					
	HRS	477.4						
	AFL	520						
								PKG:5 ,1,2,3,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
EP21-230602	NO. 1 ENGINE - REVIEW PT6E-67XP LMM/EMM ISSUE 17						Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-231103	NO. 1 ENGINE - REVIEW PT6E-67XP EM ISSUE 18						Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
EP21-240620	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 20							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-240823	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 20 AUDIT							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-241203	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 21							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-241203-1	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 20							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-241216	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 22							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
EP21-241216-1	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 21							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
P12X‐221101	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER OWNER'S MANUAL NO. 147, REVISION 19							Service ATA:00
	MOS/MSC	25-Feb-23	-					REQUIREMENT CHANGE FORMS
	HRS	0						
P12X-230401	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER MANUAL 180 (30-61-80) - ICE PROTECTION SYSTEM MANUAL, REVISION 40, DATED 1 APRIL 2023							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-230501A	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL 180 (30-61-80), TEMPORARY REVISION NO. 012, DATED MAY 2023							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-230501B	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL 180 (30-61-80), TEMPORARY REVISION NO. 013, DATED MAY 2023							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
P12X-230701	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER OWNER'S MANUAL NO. 147, REVISION 20							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
P12X-230901	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL NO. 180, REVISION 41							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
PROC. REF: RCF P12XPROC. REF: RCF P12X									
P12X-230919	NO. 1 PROPELLER - REVIEW AUDIT SUMMARY CHANGE FORM FOR TOLERANCE UPDATE TO CORROSION INHIBITOR TASK.							Service	ATA:00
	MOS/MSC		-					AUDIT SUMMARY CHANGE FORM	
	HRS								
PROC. REF: RCF P12XPROC. REF: RCF P12X									
P12X-231201	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL, REVISION 42							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
PROC. REF: RCF P12XPROC. REF: RCF P12X									
P12X-231213	NO. 1 PROPELLER - REVIEW HARTZELL SL - PROPELLER - OVERHAUL PERIODS AND SERVICE LIFE LIMITS (SL) HC-SL-61-61Y, REV 15							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
PROC. REF: RCF P12XPROC. REF: RCF P12X									
P12X-240201	NO. 1 PROPELLER - REVIEW HARTZEL PROPELLER ICE PROTECTION SYSTEM MANUAL (MM) 180 REV 43							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
PROC. REF: RCF P12XPROC. REF: RCF P12X									
P12X-240501	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER INC. HC-E5A-31 PROPELLER OWNER'S MANUAL (POM) 147 REV 21							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
PROC. REF: RCF P12XPROC. REF: RCF P12X									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
P12X-240918	NO. 1 PROPELLER - REVIEW HC-E5A-31 HARTZELL SERVICE LETTER (SL) HC-SL-61-61Y REV 16							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
PROC. REF: RCF P12XPROC. REF: RCF P12X									
P12X-241001	NO. 1 PROPELLER - REVIEW HARTZEL PROPELLER ICE PROTECTION SYSTEM MANUAL (MM) 180 REV 44							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
PROC. REF: RCF P12XPROC. REF: RCF P12X									
P12X-241001B	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER INC. HC-E5A-31 PROPELLER OWNER'S MANUAL (POM) 147 REV 22							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
PROC. REF: RCF P12XPROC. REF: RCF P12X									
PC12A00310100	PRIMUS APEX SYSTEM BUILD 12 SOFTWARE							Component	ATA:00
PN:795.02.12.243	MOS/MSC	28-Feb-23	O/C		TSN 0				
SN:2243_V0	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A00310100-0010	SW,OPERATIONAL,APEX							Component	ATA:00
PN:9859912510	MOS/MSC	01-Dec-23	O/C		TSN 0				
SN:UNKNOWN	HRS	235.17			TSN 0				
	AFL	372			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A00310100-0030	APEX FMS PERFORMANCE DATABASE							Component	ATA:00
PN:9859912433	MOS/MSC	01-Dec-23	O/C		TSN 0				
SN:UNKNOWN	HRS	235.17			TSN 0				
	AFL	372			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
PC12A00310100-0040		ADAHRS CERTIFICATION FILE SOFTWARE					Component ATA:00		
PN:985.99.12.401	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:2243_V0	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A00310100-0050		LOADABLE DIAGNOSIC INTERFACE (LDI)					Component ATA:00		
PN:545.45.12.054	MOS/MSC	01-Dec-23	O/C	TSN 0					
SN:UNKNOWN	HRS	235.17		TSN 0					
	AFL	372		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A00310100-0060		SW TOUCH SCREEN CONTROLLER					Component ATA:00		
PN:985.99.12.075	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:2243_V0	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A00310100-0070		TOUCH SCREEN CONTROLLER SPLASH SCREEN, OEM					Component ATA:00		
PN:534.28.12.248	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:2243_V0	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A00310100-0080		EFD-750 CONFIG FILE					Component ATA:00		
PN:534.20.12.008	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:2243_V0	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A00310100-0100		PRIMUS APEX OPTION FILE, PC-12E					Component ATA:00		
PN:5347012133	MOS/MSC	01-Dec-23	O/C	TSN 0					
SN:UNKNOWN	HRS	235.17		TSN 0					
	AFL	372		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
PC12A00310100-0110		ECL DATABASE						Component	ATA:00
PN:531.40.12.036	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:2243_V0	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A00310100-0120		DEVICE,DATA LOADING,WIRELESS,SW						Component	ATA:00
PN:546.00.12.009	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:2243_V0	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A00310100-0130		LIGHTWEIGHT DATA RECORDER DEFINITION FILE FOR APEX BUILD 12 AND UP						Component	ATA:00
PN:531.30.12.043	MOS/MSC	01-Dec-23	O/C	TSN 0					
SN:UNKNOWN	HRS	235.17		TSN 0					
	AFL	372		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A00310147		PILOT GUIDE,APEX,PC-12						Component	ATA:00
PN:985.99.12.412	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:2243_V0	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
ATA 04 - LIMITATIONS									
04-CA/1		AIRCRAFT LIMIT OF VALIDITY (LOV)						Service	ATA:04
	MOS	28-Feb-23						LIFE LIMIT	
	HRS	0	50000		50000		49456.8		
	AFL	0	60000		60000		59449		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
04-CA/2		WING STRUCTURE LIMIT OF VALIDITY (LOV) (WITHOUT SYSTEMS AND CONTROL SYSTEM STRUCTURE SUCH AS FLAPS AND AILERONS)						Service	ATA:04
	MOS	28-Feb-23						LIFE LIMIT	
	HRS	0	35000		35000		34456.8		
	AFL	0	43000		43000		42449		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-40-01-03	600 FH INSPECTION							Package	ATA:05
	MOS	12-Feb-25							
	HRS	439.5	600 (+60/-60)		1039.5	1099.5	496.3 (+60)		
	AFL								
PROC. REF: AMM 12-C-05-40-01-03A-000B-APROC. REF: AMM 12-C-05-40-01-03A-000B-A									
05-40-01-04	600 FH OR 12 MONTHS INSPECTION							Package	ATA:05
	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
	HRS	477.4	600 (+60/-60)		1077.4	1137.4	534.2 (+60)		
	AFL	520							
PROC. REF: AMM 12-C-05-40-01-04A-000B-APROC. REF: AMM 12-C-05-40-01-04A-000B-A									
05-CA/25	NO. 1 ENGINE - TABLE 3 SCHEDULED MAINTENANCE CHECKS - 12 MONTHS OR 600 HOURS, WHICHEVER OCCURS FIRST							Package	ATA:05
	MOS	19-Mar-25	12 (+30d/-30d)		19-Mar-26	18-Apr-26	43 d (+30)		
	HRS	477.4	600 (+10%/-10%)		(1077.4) 1077.4	1137.4	534.2 (+60)		
	ENC	520							
PROC. REF: EM 05-20-00, LMM 05-20-00PROC. REF: EM 05-20-00, LMM 05-20-00									
05-40-01-05	1200 FH OR 12 MONTHS INSPECTION							Package	ATA:05
	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
	HRS	477.4	1200 (+60/-60)		1677.4	1737.4	1134.2 (+60)		
	AFL	520							
PROC. REF: AMM 12-C-05-40-01-05A-000B-APROC. REF: AMM 12-C-05-40-01-05A-000B-A									
05-CA/26	NO. 1 ENGINE - TABLE 4 SCHEDULED MAINTENANCE CHECKS - 600 HOURS							Package	ATA:05
	MOS	19-Mar-25							
	HRS	477.4	600 (+10%/-10%)		(1077.4) 1077.4	1137.4	534.2 (+60)		
	ENC	520							
PROC. REF: EM 05-20-00, LMM 05-20-00PROC. REF: EM 05-20-00, LMM 05-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-40-01-06	2400 FH OR 24 MONTHS INSPECTION							Package	ATA:05
	MOS	19-Mar-25	24 (+10%/-10%)		19-Mar-27	31-May-27	408 d (+73)		
	HRS	477.4	2400 (+10%/-10%)		2877.4	3117.4	2334.2 (+240)		
	AFL	520							
PROC. REF: AMM 12-C-05-40-01-06A-000B-APROC. REF: AMM 12-C-05-40-01-06A-000B-A									
05-20-00-00	JOB SET UP / CLOSE UP PACKAGE							Package	ATA:05
	MOS/MSC	19-Mar-25	A/R						
	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-C-05-20-00-00A-913A-APROC. REF: AMM 12-C-05-20-00-00A-913A-A									
05-50-16	UNSCHEDULED INSPECTION - CHECK AFTER A JET BLAST							Service	ATA:05
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-16-00A-282A-APROC. REF: AMM 12-B-05-50-16-00A-282A-A									
05-50/1	UNSCHEDULED INSPECTION - CHECK AFTER A HARD LANDING							Service	ATA:05
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-01-00A-282B-APROC. REF: AMM 12-B-05-50-01-00A-282B-A									
05-50/10	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM LANDING GEAR EXTENDED SPEED EXCEEDANCE							Service	ATA:05
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-10-00A-282A-APROC. REF: AMM 12-B-05-50-10-00A-282A-A									
05-50/11	UNSCHEDULED INSPECTION - CHECK AFTER TAIL DOWN DAMAGE INSPECTION							Service	ATA:05
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
PROC. REF: AMM 12-B-05-50-11-00A-282A-APROC. REF: AMM 12-B-05-50-11-00A-282A-A									
05-50/12	UNSCHEDULED INSPECTION - CHECK AFTER NOSE LANDING GEAR OVERTURN							Service	ATA:05
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-12-00A-282A-APROC. REF: AMM 12-B-05-50-12-00A-282A-A									
05-50/15	UNSCHEDULED INSPECTION - CHECK AFTER A FLIGHT THROUGH VOLCANIC ASH OR SMOKE							Service	ATA:05
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-15-00A-282A-APROC. REF: AMM 12-B-05-50-15-00A-282A-A									
05-50/18	UNSCHEDULED INSPECTION - ENGINE							Service	ATA:05
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF, AMM 12-B-05-50-00-00A-018A-APROC. REF: GENERIC NO REF, AMM 12-B-05-50-00-00A-018A-A									
05-50/2	UNSCHEDULED INSPECTION - CHECK AFTER FLIGHT IN SEVERE TURBULENCE OR AFTER SEVERE MANEUVERS							Service	ATA:05
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-02-00A-282A-APROC. REF: AMM 12-B-05-50-02-00A-282A-A									
05-50/3	UNSCHEDULED INSPECTION - CHECK AFTER OVERSPEED WITH FLAPS DOWN							Service	ATA:05
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-03-00A-282A-APROC. REF: AMM 12-B-05-50-03-00A-282A-A									
05-50/4	UNSCHEDULED INSPECTION - CHECK AFTER PROPELLER SUDDEN STOPPAGE							Service	ATA:05
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
PROC. REF: AMM 12-B-05-50-04-00A-282A-APROC. REF: AMM 12-B-05-50-04-00A-282A-A									
05-50/5	UNSCHEDULED INSPECTION - CHECK AFTER A LIGHTNING STRIKE							Service	ATA:05
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-05-00A-282A-APROC. REF: AMM 12-B-05-50-05-00A-282A-A									
05-50/6	UNSCHEDULED INSPECTION - CHECK AFTER ALIGNMENT AND SYMMETRY							Service	ATA:05
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-06-00A-282A-APROC. REF: AMM 12-B-05-50-06-00A-282A-A									
05-50/7	UNSCHEDULED INSPECTION - GEOMETRY INSPECTION - CHECK AFTER A FUSELAGE CARRY THROUGH FRAMES							Service	ATA:05
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-07-00A-282A-APROC. REF: AMM 12-B-05-50-07-00A-282A-A									
05-50/8	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM OPERATING SPEED EXCEEDANCE							Service	ATA:05
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-C-05-50-08-00A-282A-APROC. REF: AMM 12-C-05-50-08-00A-282A-A									
05-50/9	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM LANDING GEAR OPERATING SPEED EXCEEDANCE							Service	ATA:05
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-05-50-09-00A-282A-APROC. REF: AMM 12-B-05-50-09-00A-282A-A									
05-CA/1 ^U	AIRCRAFT REGISTRATION - FAR 47.40							Service	ATA:05
	MOS	17-Feb-23	84		17-Feb-30		1474 d		
	HRS	0							
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-CA/10	NO. 1 ENGINE - PROPELLER SUDDEN STOPPAGE OR STRIKE							Service	ATA:05
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-10, LMM 05-50-10PROC. REF: EM 05-50-10, LMM 05-50-10									
05-CA/11	NO. 1 ENGINE - PROPELLER LIGHTNING STRIKE							Service	ATA:05
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-11, LMM 05-50-11PROC. REF: EM 05-50-11, LMM 05-50-11									
05-CA/12	NO. 1 ENGINE - SHORT CIRCUIT OF PROPELLER ELECTRICAL LEADS							Service	ATA:05
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-12, LMM 05-50-12PROC. REF: EM 05-50-12, LMM 05-50-12									
05-CA/13	NO. 1 ENGINE - HEAVY/HARD LANDING							Service	ATA:05
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-13, LMM 05-50-13PROC. REF: EM 05-50-13, LMM 05-50-13									
05-CA/14	NO. 1 ENGINE - AIRCRAFT FLIGHT THROUGH A CLOUD OF VOLCANIC ASH							Service	ATA:05
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-14, LMM 05-50-14PROC. REF: EM 05-50-14, LMM 05-50-14									
05-CA/15	NO. 1 ENGINE - SUSTAINED RUNNING WITH HIGH OIL PRESSURE							Service	ATA:05
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
PROC. REF: EM 05-50-15, LMM 05-50-15PROC. REF: EM 05-50-15, LMM 05-50-15									
05-CA/16	NO. 1 ENGINE - LOSS OF OIL, NO OIL PRESSURE OR LOW OIL PRESSURE							Service	ATA:05
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-16, LMM 05-50-16PROC. REF: EM 05-50-16, LMM 05-50-16									
05-CA/17	NO. 1 ENGINE - HIGH OIL PRESSURE							Service	ATA:05
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-17, LMM 05-50-17PROC. REF: EM 05-50-17, LMM 05-50-17									
05-CA/18	NO. 1 ENGINE - CONTAMINATION BY FIRE EXTINGUISHING AGENTS							Service	ATA:05
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-18, LMM 05-50-18PROC. REF: EM 05-50-18, LMM 05-50-18									
05-CA/19	NO. 1 ENGINE - AUDIBLE RUBBING, BINDING OR SCRAPING							Service	ATA:05
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-19, LMM 05-50-19PROC. REF: EM 05-50-19, LMM 05-50-19									
05-CA/2	NO. 1 ENGINE - ENGINE OVERTORQUE							Service	ATA:05
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-02, LMM 05-50-02PROC. REF: EM 05-50-02, LMM 05-50-02									
05-CA/20	NO. 1 ENGINE - PROPELLER WINDMILLING AFTER IN - FLIGHT SHUTDOWN							Service	ATA:05
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
PROC. REF: EM 05-50-20, LMM 05-50-20PROC. REF: EM 05-50-20, LMM 05-50-20									
05-CA/21	NO. 1 ENGINE - CONTAMINATION OF OIL WITH NON - METALLIC FOREIGN MATERIAL							Service	ATA:05
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-21, LMM 05-50-21PROC. REF: EM 05-50-21, LMM 05-50-21									
05-CA/22	NO. 1 ENGINE - INGESTION OF UNAPPROVED ENGINE OIL BRANDS							Service	ATA:05
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-22, LMM 05-50-22PROC. REF: EM 05-50-22, LMM 05-50-22									
05-CA/23	NO. 1 ENGINE - UNUSUAL FUEL SYSTEM CONDITION							Service	ATA:05
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-23, LMM 05-50-23PROC. REF: EM 05-50-23, LMM 05-50-23									
05-CA/24	NO. 1 ENGINE - LOW OIL LEVEL							Service	ATA:05
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-24, LMM 05-20-00, LMM 05-50-24PROC. REF: EM 05-50-24, LMM 05-20-00, LMM 05-50-24									
05-CA/3	NO. 1 ENGINE - ENGINE OVERTEMPERATURE							Service	ATA:05
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-03, LMM 05-50-03PROC. REF: EM 05-50-03, LMM 05-50-03									
05-CA/30	NO. 1 ENGINE - ENGINE PERFORMANCE DETERIORATION							Service	ATA:05
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
PROC. REF: EM 05-50-01, LMM 05-50-01PROC. REF: EM 05-50-01, LMM 05-50-01									
05-CA/31	NO. 1 ENGINE - ENGINE STARTING FAULT OR AN ELECTRICAL GENERATION DEFECT ON STARTER-GENERATOR							Service	ATA:05
	MOS/MSC	21-Oct-22	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-25, LMM 05-50-25PROC. REF: EM 05-50-25, LMM 05-50-25									
05-CA/32	NO. 1 ENGINE - STATIC OIL LEAK BETWEEN OIL TANK AND AGB							Service	ATA:05
	MOS/MSC		A/R						
	HRS								
	ENC								
PROC. REF: EM 05-50-26PROC. REF: EM 05-50-26									
05-CA/4	NO. 1 ENGINE - ENGINE OVERSPEED							Service	ATA:05
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-04, LMM 05-50-04PROC. REF: EM 05-50-04, LMM 05-50-04									
05-CA/5	NO. 1 ENGINE - ENGINE IMMERSION IN WATER							Service	ATA:05
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-05, LMM 05-50-05PROC. REF: EM 05-50-05, LMM 05-50-05									
05-CA/6	NO. 1 ENGINE - DROPPED ENGINE OR COMPONENT DURING HANDLING							Service	ATA:05
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 05-50-06, LMM 05-50-06PROC. REF: EM 05-50-06, LMM 05-50-06									
05-CA/7	NO. 1 ENGINE - FOREIGN OBJECT DAMAGE (FOD)/HARD MATERIAL INGESTION							Service	ATA:05
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 05 - TIME LIMITS/MAINTENANCE CHECKS

PROC. REF: EM 05-50-07, LMM 05-50-07PROC. REF: EM 05-50-07, LMM 05-50-07

05-CA/8	NO. 1 ENGINE - BIRD STRIKE/SOFT MATERIAL INGESTION						Service	ATA:05
	MOS/MSC	25-Feb-23	A/R					
	HRS	0						
	ENC	0						

PROC. REF: EM 05-50-08, LMM 05-50-08PROC. REF: EM 05-50-08, LMM 05-50-08

05-CA/9	NO. 1 ENGINE - CHIP DETECTOR CIRCUIT COMPLETION AND/OR UNWANTED MATERIAL IN OIL FILTER						Service	ATA:05
	MOS/MSC	25-Feb-23	A/R					
	HRS	0						
	ENC	0						

PROC. REF: EM 05-50-09, LMM 05-50-09PROC. REF: EM 05-50-09, LMM 05-50-09

ATA 06 - DIMENSIONS AND AREAS

06-00/218 ^S	ACCESS PANELS 11AL, 11AR, 11BL, 11BR, 12AL, 12AR, 12AZ, 12AB, 12BB, 12BL, 12BR, 12BZ, 12CL, 12CR, 12CZ, 12DL, 12DR, 12DZ, 12EL, 12ER, 12EZ, 12FL, 12FR, 12FZ, 12HZ, 21GZ, 21JZ, 21PZ, 21QZ, 31AB, 31AL, 32AB, 32AL, 32BL, 32BT, 32CL, 32CT, 32DL, 33ET, 41AT, 42AT, 42AB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB - OPEN / REMOVE AS NECESSARY TO DO THE INSPECTION. EXAMINE AND MAKE SURE THAT THE ACCESS PANEL DRAIN HOLES ARE CLEAR						Service	ATA:06
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	1200 (+60/-60)					
	AFL	520						

PKG:3

PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A

06-00/219 ^S	JOB SET UP - ACCESS PANELS: 11AL, 11AR, 11BL, 11BR, 12AL, 12AR, 12AZ, 12AB, 12BB, 12BL, 12BR, 12BZ, 12CL, 12CR, 12CZ, 12DL, 12DR, 12DZ, 12EL, 12ER, 12EZ, 12FL, 12FR, 12FZ, 12HZ, 21GZ, 21JZ, 21PZ, 21QZ, 31AB, 31AL, 32AB, 32AL, 32BL, 32BT, 32CL, 32CT, 32DL, 33ET, 41AT, 42AT, 42AB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB - CLOSE OR INSTALL AS NECESSARY TO CLOSE UP THE INSPECTION						Service	ATA:06
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	1200 (+60/-60)					
	AFL	520						

PKG:3

PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/518 ^S	ACCES PANEL: 21QZ - REMOVE AND EXAMINE							Service	ATA:06
	MOS	12-Feb-25							
	HRS	439.5	600 (+60/-60)						
	AFL								
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:1	
06-00/519 ^S	ACCES PANEL: 21QZ - INSTALL							Service	ATA:06
	MOS	12-Feb-25							
	HRS	439.5	600 (+60/-60)						
	AFL								
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:1	
06-00/520 ^S	REMOVE AND EXAMINE FUSELAGE ACCESS PANEL 21PZ,21QZ							Service	ATA:06
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+60/-60)						
	AFL	520							
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2	
06-00/521 ^S	INSTALL FUSELAGE ACCESS PANEL 21PZ,21QZ							Service	ATA:06
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+60/-60)						
	AFL	520							
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2	
06-00/522 ^S	ACCES PANEL: 11AL, 11AZ, 11BL, 11CL, 12AL, 12EL, 12ERT, 12EZ, 21JZ, 22AZ, 32AB, 32CT, 33ET, 51AB, 51BB, 51DB, 61AB, 61BB, 61DB - OPEN OR REMOVE. EXAMINE AND MAKE SURE THE ACCESS PANEL DRAIN HOLES ARE CLEAR							Service	ATA:06
	MOS	19-Mar-25	24 (+10%/-10%)						
	HRS	477.4	2400 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:4	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/523 ^S	ACCES PANEL: 11AL, 11AZ, 11BL, 11CL, 12AL, 12EL, 12ERT, 12EZ, 21JZ, 22AZ, 32AB, 32CT, 33ET, 51AB, 51BB, 51DB, 61AB, 61BB, 61DB - CLOSE OR INSTALL							Service ATA:06
	MOS	19-Mar-25	24 (+10%/-10%)					
	HRS	477.4	2400 (+10%/-10%)					
	AFL	520						
								PKG:4
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								
06-00/576 ^S	ACCESS PANELS,EMPENNAGE: 31AB, 31AL, 32AB, 32AL, 32BL, 32BT, 32CL, 32CT, 32DL, 32DR, 33DT, 33ET, 34DT, - OPEN OR REMOVE. EXAMINE.							Service ATA:06
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	1200 (+60/-60)					
	AFL	520						
								PKG:3
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								
06-00/577 ^S	ACCESS PANELS,EMPENNAGE: 31AB, 31AL, 32AB, 32AL, 32BL, 32BT, 32CL, 32CT, 32DL, 32DR, 33DT, 33ET, 34DT, - CLOSE OR INSTALL.							Service ATA:06
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	1200 (+60/-60)					
	AFL	520						
								PKG:3
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								
06-00/578 ^S	ACCESS PANELS, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 51MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB,62NB, 62OB, 62PB, 62RB, 62SB, 62TB - REMOVE AND EXAMINE							Service ATA:06
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	1200 (+60/-60)					
	AFL	520						
								PKG:3
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								
06-00/579 ^S	ACCESS PANELS, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 51MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB,62NB, 62OB, 62PB, 62RB, 62SB, 62TB - INSTALL							Service ATA:06
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	1200 (+60/-60)					
	AFL	520						
								PKG:3
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/580 ^S	ACCESS PANELS, EMPENNAGE: 31AB, 32AB - OPEN OR REMOVE. EXAMINE							Service	ATA:06
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+60/-60)						
	AFL	520							
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2	
06-00/581 ^S	ACCESS PANELS, EMPENNAGE: 31AB, 32AB - CLOSE OR INSTALL							Service	ATA:06
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+60/-60)						
	AFL	520							
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2	
06-00/582 ^S	ACCESS PANELS, EMPENNAGE: 41AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+60/-60)						
	AFL	520							
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2	
06-00/583 ^S	ACCESS PANELS, EMPENNAGE: 41AT, 42AB - INSTALL							Service	ATA:06
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+60/-60)						
	AFL	520							
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2	
06-00/584 ^S	ACCESS PANELS, EMPENNAGE: 51JB, 51LB, 51MB, 51NB, 52OB, 53QB, 52TB, 61JB, 61LB, 61MB, 61NB, 62OB, 62QB, 62TB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+60/-60)						
	AFL	520							
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/585 ^S	ACCESS PANELS, EMPENNAGE: 51JB, 51LB, 51MB, 51NB, 52OB, 53QB, 52TB, 61JB, 61LB, 61MB, 61NB, 62OB, 62QB, 62TB - INSTALL							Service	ATA:06
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+60/-60)						
	AFL	520							
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2	
06-00/586 ^S	ACCESS PANELS, EMPENNAGE: 32AB, 32CT, 33ET - REMOVE AND EXAMINE							Service	ATA:06
	MOS	19-Mar-25	24 (+10%/-10%)						
	HRS	477.4	2400 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:4	
06-00/587 ^S	ACCESS PANELS, EMPENNAGE: 32AB, 32CT, 33ET - INSTALL							Service	ATA:06
	MOS	19-Mar-25	24 (+6m/-10%)						
	HRS	477.4	2400 (+500/-10%)						
	AFL	520							
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:4	
06-00/588 ^S	ACCESS PANELS, EMPENNAGE: 51AB, 51BB, 51DB,, 61AB, 61BB, 61DB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	19-Mar-25	24 (+10%/-10%)						
	HRS	477.4	2400 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:4	
06-00/589 ^S	ACCESS PANELS, EMPENNAGE: 51AB, 51BB, 51DB,, 61AB, 61BB, 61DB - INSTALL							Service	ATA:06
	MOS	19-Mar-25	24 (+10%/-10%)						
	HRS	477.4	2400 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:4	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 07 - LIFTING AND SHORING									
07-10/160 ^S	JOB CLOSE UP - AIRCRAFT - LOWER TO THE GROUND, REMOVE JACKS AND DISCONNECT THE AIRCRAFT FROM GROUND AS NECESSARY TO CLOSE UP THE INSPECTION							Service	ATA:07
	MOS/MSC	19-Mar-25	A/R						
	HRS	477.4							
	AFL	520							
								PKG:5 ,1,2,3,4	
PROC. REF: AMM 12-B-07-10-00-00A-901A-APROC. REF: AMM 12-B-07-10-00-00A-901A-A									
07-10/161 ^S	JOB SET UP - AIRCRAFT - LIFT ON JACKS AND CONNECT THE AIRCRAFT TO GROUND AS NECESSARY TO DO THE INSPECTION							Service	ATA:07
	MOS/MSC	19-Mar-25	A/R						
	HRS	477.4							
	AFL	520							
								PKG:5 ,1,2,3,4	
PROC. REF: AMM 12-B-07-10-00-00A-901A-APROC. REF: AMM 12-B-07-10-00-00A-901A-A									
ATA 08 - LEVELING AND WEIGHING									
08-CA/1	WEIGH AIRCRAFT							Service	ATA:08
	MOS	28-Feb-23	48		28-Feb-27		389 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-08-10-00-00A-901A-APROC. REF: AMM 12-B-08-10-00-00A-901A-A									
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV									
10-10/517 ^S	EXTERNAL PROTECTIVE COVERS (MSN 2001 AND UP) - EXAMINE. REPLACE IF THE APPLICABLE COVER: - IS DAMAGED OR TORN - DOES NOT INSTALL CORRECTLY - IS MISSING ANY PARTS.							Service	ATA:10
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
								PKG:2	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
10-10/901	STORING - COMPLY WITH PART 1 OF THE PROCEDURE FOR AIRCRAFT BEING STORED UP TO 7 DAYS							Service	ATA:10
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV									
10-10/902	STORING - COMPLY WITH PART 2 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 7 DAYS AND UP TO 28 DAYS							Service	ATA:10
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A									
10-10/903	STORING - COMPLY WITH PART 3 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 28 DAYS AND UP TO 90 DAYS							Service	ATA:10
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A									
10-10/904	STORING - COMPLY WITH PART 4 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 90 DAYS							Service	ATA:10
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A									
10-30/901	RETURN TO SERVICE - COMPLY WITH PART 1 OF THE PROCEDURE FOR AIRCRAFT BEING STORED UP TO 7 DAYS							Service	ATA:10
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-C-10-30-00-00A-901A-APROC. REF: AMM 12-C-10-30-00-00A-901A-A									
10-30/902	RETURN TO SERVICE - COMPLY WITH PART 2 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 7 DAYS AND UP TO 28 DAYS							Service	ATA:10
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-C-10-30-00-00A-901A-APROC. REF: AMM 12-C-10-30-00-00A-901A-A									
10-30/903	RETURN TO SERVICE - COMPLY WITH PART 3 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 28 DAYS AND UP TO 90 DAYS							Service	ATA:10
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-C-10-30-00-00A-901A-APROC. REF: AMM 12-C-10-30-00-00A-901A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV									
10-30/904	RETURN TO SERVICE - COMPLY WITH PART 4 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 90 DAYS							Service	ATA:10
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-C-10-30-00-00A-901A-APROC. REF: AMM 12-C-10-30-00-00A-901A-A									

ATA 11 - PLACARDS AND MARKINGS									
11-00/220 ^S	PLACARDS AND MARKINGS - EXAMINE AND ATTACH NEW PLACARDS IF NECESSARY							Service	ATA:11
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PKG:3									
PROC. REF: AMM 12-B-11-00-00-00A-040A-A, AMM 12-B-11-00-00-00A-901A-A, AMM 12-B-11-20-00-00A-901A-A, AMM 12-B-11-30-00-00A-040A-APROC. REF: AMM 12-B-11-00-00-00A-040A-A, AMM 12-B-11-00-00-00A-901A-A, AMM 12-B-11-20-00-00A-901A-A, AMM 12-B-11-30-00-00A-040A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
12-20/124 ^S	JOB SET UP - AIRCRAFT - WASH THE EXTERIOR, INCLUDING THE LANDING GEAR AND FLAP COMPARTMENTS AS REQUIRED TO DO THE INSPECTION							Service	ATA:12
	MOS/MSC	19-Mar-25	A/R						
	HRS	477.4							
	AFL	520							
								PKG:5 ,1,2,3,4	
PROC. REF: AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-01-01A-902A-APROC. REF: AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-01-01A-902A-A									
12-20/125 ^S	JOB SET UP - WINDSHIELDS AND WINDOWS - CLEAN							Service	ATA:12
	MOS/MSC	19-Mar-25	A/R						
	HRS	477.4							
	AFL	520							
								PKG:5 ,1,2,3,4	
PROC. REF: AMM 12-B-12-20-02-00A-902A-APROC. REF: AMM 12-B-12-20-02-00A-902A-A									
12-20/126 ^S	JOB SET UP - COCKPIT AND CABIN - CLEAN							Service	ATA:12
	MOS/MSC	19-Mar-25	A/R						
	HRS	477.4							
	AFL	520							
								PKG:5 ,1,2,3,4	
PROC. REF: AMM 12-B-12-20-03-00A-902A-APROC. REF: AMM 12-B-12-20-03-00A-902A-A									
12-CA/1	AIRCRAFT WASH							Service	ATA:12
	MOS/MSC	18-Aug-23	A/R						
	HRS	155.9							
	AFL	220							
PROC. REF: AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-02-00A-902A-A, AMM 12-B-12-20-03-00A-902A-APROC. REF: AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-02-00A-902A-A, AMM 12-B-12-20-03-00A-902A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 20 - STANDARD PRACTICES - AIRFRAME									
00-00/45	AIRCRAFT EXTERNAL CORROSION PROTECTIVE INSPECTION							Service	ATA:20
	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-B-20-40-00-00A-901A-APROC. REF: AMM 12-B-20-40-00-00A-901A-A									
00-00/45	AIRCRAFT INTERNAL CORROSION PROTECTIVE INSPECTION							Service	ATA:20
	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-B-20-40-00-00A-901A-APROC. REF: AMM 12-B-20-40-00-00A-901A-A									
20-CA/1	FUSELAGE BELLY DRAIN HOLE INSPECTION							Service	ATA:20
	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
	HRS	477.4	1200 (+10%/-10%)		1677.4	1797.4	1134.2 (+120)		
	AFL	520							
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A									
ATA 21 - AIR CONDITIONING									
21-20/221 ^S	ECS AND BLEED AIR DUCTS, PIPELINES, EQUIPMENT AND ASSOCIATED CLAMPS IN THE ENGINE COMPARTMENT - EXAMINE							Service	ATA:21
	MOS	19-Mar-25	24 (+10%/-10%)						
	HRS	477.4	2400 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
21-20/317	ECS EMERGENCY SHUT-OFF SYSTEM CHECK							Service	ATA:21
	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
	HRS	477.4	3000 (+10%/-10%)		3477.4	3777.4	2934.2 (+300)		
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-30/314 ^S	CABIN PRESSURIZATION POSITIVE PRESSURE RELIEF VALVE - CHECK FOR CONTAMINATION OF THE VALVE POPPET AND POPPET SEAT. IF CONTAMINATION IF FOUND REMOVE AND CLEAN							Service	ATA:21
	MOS	19-Mar-25	24 (+10%/-10%)						
	HRS	477.4	2400 (+10%/-10%)						
	AFL	520							
PKG:4									
PROC. REF: AMM 12-B-21-30-02-00A-250A-APROC. REF: AMM 12-B-21-30-02-00A-250A-A									
21-30/463	CABIN PRESSURIZATION DUMP CONTROL - OPERATIONAL TEST							Service	ATA:21
	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
	HRS	477.4	600		1077.4		534.2		
	AFL	520							
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A									
21-30/464	CABIN PRESSURIZATION MANUAL CONTROL - OPERATIONAL TEST							Service	ATA:21
	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
	HRS	477.4	600		1077.4		534.2		
	AFL	520							
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A									
21-30/465	CABIN PRESSURIZATION POSITIVE PRESSURE RELIEF VALVE - FUNCTIONAL TEST							Service	ATA:21
	MOS	28-Feb-23	48		28-Feb-27		389 d		
	HRS	0	4800		4800		4256.8		
	AFL	0							
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A									
21-30/467	CABIN PRESSURIZATION NEGATIVE PRESSURE RELIEF VALVE - EXAMINE							Service	ATA:21
	MOS	28-Feb-23	48 (+10%/-10%)		28-Feb-27	24-Jul-27	389 d (+146)		
	HRS	0	4800 (+10%/-10%)		4800	5280	4256.8 (+480)		
	AFL	0							
PROC. REF: AMM 12-B-21-30-05-00A-310A-APROC. REF: AMM 12-B-21-30-05-00A-310A-A									
21-30/468	CABIN PRESSURIZATION ALTITUDE LIMITING FUNCTION - FUNCTIONAL TEST							Service	ATA:21
	MOS	28-Feb-23	48		28-Feb-27		389 d		
	HRS	0	4800		4800		4256.8		
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A									
21-30/469	CABIN PRESSURIZATION HIGH CABIN ALTITUDE WARNING - FUNCTIONAL TEST							Service	ATA:21
	MOS	28-Feb-23	48		28-Feb-27		389 d		
	HRS	0	4800		4800		4256.8		
	AFL	0							
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A									
21-40/128 ^S	FLIGHT COMPARTMENT FOOT HEATER (IF INSTALLED) THERMAL PROTECTION SWITCH - OPERATIONAL TEST							Service	ATA:21
	MOS	28-Feb-23	12 (+10%/-10%)						
	HRS	0	1200 (+10%/-10%)						
	AFL	0							
PROC. REF: AMM 12-B-21-43-00-00A-903A-APROC. REF: AMM 12-B-21-43-00-00A-903A-A									
21-40/330 ^S	CABIN AUXILIARY HEATER THERMAL PROTECTION SWITCH - OPERATIONAL TEST							Service	ATA:21
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-21-40-01-00A-903B-APROC. REF: AMM 12-B-21-40-01-00A-903B-A									
21-40/331 ^S	UNDERFLOOR HEATER THERMAL PROTECTION SWITCH - FUNCTIONAL TEST							Service	ATA:21
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-21-40-01-00A-903B-APROC. REF: AMM 12-B-21-40-01-00A-903B-A									
21-40/50 ^S	WATER SEPARATOR CONDENSER - CLEAN							Service	ATA:21
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-21-40-03-00A-250A-APROC. REF: AMM 12-B-21-40-03-00A-250A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-40/51		OVERTEMPERATURE SWITCH - FUNCTIONAL TEST						Service	ATA:21
PN:973.81.32.216	MOS	28-Feb-23	60 (+6m/-6m)		29-Feb-28	31-Aug-28	755 d (+184)		
SN:1916	HRS	0	4800 (+10%/-10%)		4800	5280	4256.8 (+480)		
	AFL	0							
PROC. REF: AMM 12-B-21-40-06-00A-903A-APROC. REF: AMM 12-B-21-40-06-00A-903A-A									
21-40/52		DUCT OVERTEMPERATURE SWITCH - FUNCTIONAL TEST						Service	ATA:21
PN:973.81.32.214	MOS	28-Feb-23	60 (+6m/-6m)		29-Feb-28	31-Aug-28	755 d (+184)		
SN:1737	HRS	0	4800 (+10%/-10%)		4800	5280	4256.8 (+480)		
	AFL	0							
PROC. REF: AMM 12-B-21-60-05-00A-903A-APROC. REF: AMM 12-B-21-60-05-00A-903A-A									
21-40/55 ^S		COLD AIR UNIT - ADD OIL						Service	ATA:21
	MOS	12-Feb-25							
	HRS	439.5	600 (+10%/-10%)						
	AFL								
PROC. REF: AMM 12-B-21-40-02-00A-902A-APROC. REF: AMM 12-B-21-40-02-00A-902A-A									
21-40/56 ^S		HEAT EXCHANGER MATRIX - INSPECTION/CHECK						Service	ATA:21
	MOS	12-Feb-25							
	HRS	439.5	600 (+10%/-10%)						
	AFL								
PROC. REF: AMM 12-B-21-40-02-00A-313A-APROC. REF: AMM 12-B-21-40-02-00A-313A-A									
21-50/499 ^S		VAPOR CYCLE COMPRESSOR CONDENSER MODULE - INSPECTION/CHECK						Service	ATA:21
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-C-21-50-01-00A-313A-APROC. REF: AMM 12-C-21-50-01-00A-313A-A									

PKG:1

PKG:1

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
PC12A21200100		FIREWALL SHUT-OFF VALVE, S901						Component	ATA:21
PN:963.30.11.005	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:1482	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-21-20-01-00A-920A-APROC. REF: AMM 12-B-21-20-01-00A-920A-A									
PC12A21200200		DUAL FLAPPER CHECK VALVE, 2.5 IN						Component	ATA:21
PN:963.30.11.106	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:4232B	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-21-30-05-00A-920A-APROC. REF: AMM 12-B-21-30-05-00A-920A-A									
PC12A21300100		CABIN PRESSURIZATION CONTROL UNIT, A176						Component	ATA:21
PN:959.90.91.147	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:65000052-00692	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-21-30-01-00A-920B-APROC. REF: AMM 12-B-21-30-01-00A-920B-A									
PC12A21300200		SAFETY VALVE						Component	ATA:21
PN:959.90.91.132	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:31-F1127	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-21-30-02-00A-920A-APROC. REF: AMM 12-B-21-30-02-00A-920A-A									
PC12A21300300		OUTFLOW VALVE, B154						Component	ATA:21
PN:959.90.91.125	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:65053598-00687	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-21-30-03-00A-920B-APROC. REF: AMM 12-B-21-30-03-00A-920B-A									
PC12A21300410		NEGATIVE PRESSURE RELIEF VALVE, LH						Component	ATA:21
PN:963.30.11.106	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:4231B	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-21-30-05-00A-920A-APROC. REF: AMM 12-B-21-30-05-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21300420 NEGATIVE PRESSURE RELIEF VALVE, RH								Component ATA:21
PN:963.30.11.106	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:4252B	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-30-05-00A-920A-APROC. REF: AMM 12-B-21-30-05-00A-920A-A								
PC12A21400100 HP SHUT-OFF VALVE, L046								Component ATA:21
PN:959.90.20.131	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:2645	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-04-00A-920A-APROC. REF: AMM 12-B-21-40-04-00A-920A-A								
PC12A21400200 PRIMARY SHUT-OFF VALVE, L086								Component ATA:21
PN:959.90.20.138	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:2640	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-05-00A-920A-APROC. REF: AMM 12-B-21-40-05-00A-920A-A								
PC12A21400300 WATER INJECTOR								Component ATA:21
PN:959.90.20.141	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:2625	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A21400400 DUAL FLAPPER CHECK VALVE, 1.5 IN								Component ATA:21
PN:963.30.11.105	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:2189B	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-30-05-00A-920A-APROC. REF: AMM 12-B-21-30-05-00A-920A-A								
PC12A21400500 OVERPRESSURE SWITCH, S084								Component ATA:21
PN:973.81.15.105	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:2201	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-07-00A-920A-APROC. REF: AMM 12-B-21-40-07-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21400600 HIGH-PRESSURE SWITCH, S020								Component ATA:21
PN:973.81.15.106	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:2192	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-08-00A-920A-APROC. REF: AMM 12-B-21-40-08-00A-920A-A								
PC12A21400710 UNDERFLOOR HEATER, FR 21/22, HR210								Component ATA:21
PN:969.67.81.507	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:611584	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-01-00A-920A-APROC. REF: AMM 12-B-21-40-01-00A-920A-A								
PC12A21400720 CABIN HEATER, FR 29/30, HR291								Component ATA:21
PN:969.67.81.507	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:611578	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-15-00A-920A-APROC. REF: AMM 12-B-21-40-15-00A-920A-A								
PC12A21400810 UNDERFLOOR HEATER RELAY, FR 21, K210								Component ATA:21
PN:974.09.26.111	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:2331	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A21400820 CABIN HEATER RELAY, FR 29, K293								Component ATA:21
PN:974.09.26.111	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:2504	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A21400900 REFRIGERATION PACK								Component ATA:21
PN:959.90.20.111	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:2677	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-02-00A-920A-APROC. REF: AMM 12-B-21-40-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21401000 OVERTEMPERATURE SWITCH, BLEED AIR, S044								Component ATA:21
PN:973.81.32.216	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:1916	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-06-00A-920A-APROC. REF: AMM 12-B-21-40-06-00A-920A-A								
PC12A21500100 COMPRESSOR								Component ATA:21
PN:959.90.22.163	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:00379	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-21-50-01-00A-920A-APROC. REF: AMM 12-C-21-50-01-00A-920A-A								
PC12A21500200 CONDENSER MODULE								Component ATA:21
PN:959.90.22.168	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:00351	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-21-50-05-00A-920A-APROC. REF: AMM 12-C-21-50-05-00A-920A-A								
PC12A21500300 CONDENSER FAN								Component ATA:21
PN:959.90.22.146	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:00366	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-21-50-04-00A-920A-APROC. REF: AMM 12-C-21-50-04-00A-920A-A								
PC12A21500400 EVAPORATOR ASSEMBLY, LH								Component ATA:21
PN:959.90.22.150	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:00354	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-21-50-02-00A-920A-APROC. REF: AMM 12-C-21-50-02-00A-920A-A								
PC12A21500500 EVAPORATOR ASSEMBLY, RH								Component ATA:21
PN:959.90.22.158	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:00366	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-21-50-02-00A-920A-APROC. REF: AMM 12-C-21-50-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21600100 INTEGRATED ECS CONTROLLER, A181								Component ATA:21
PN:959.90.20.102	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:1244	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-01-00A-920A-APROC. REF: AMM 12-B-21-60-01-00A-920A-A								
PC12A21600200 TEMPERATURE CONTROL VALVE								Component ATA:21
PN:959.90.20.137	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:2654	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-02-00A-920A-APROC. REF: AMM 12-B-21-60-02-00A-920A-A								
PC12A21600300 FLOW CONTROL VALVE ACTUATOR, B155								Component ATA:21
PN:959.90.20.161	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:000619	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-03-00A-920A-APROC. REF: AMM 12-B-21-60-03-00A-920A-A								
PC12A21600400 OVER TEMPERATURE SWITCH, ENGINE BAY, S082								Component ATA:21
PN:973.81.32.214	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:1737	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-06-00A-920A-APROC. REF: AMM 12-B-21-40-06-00A-920A-A								
PC12A21600510 DUCT TEMPERATURE SENSOR, ENGINE BAY. Z099								Component ATA:21
PN:959.90.20.121	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:6862	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								
PC12A21600520 DUCT TEMPERATURE SENSOR, COCKPIT, Z131								Component ATA:21
PN:959.90.20.121	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:6881	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21600530 DUCT TEMPERATURE SENSOR, UNDERFLOOR, Z211								Component ATA:21
PN:959.90.20.121	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:6879	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								
PC12A21600540 DUCT TEMPERATURE SENSOR, CABIN, Z332								Component ATA:21
PN:959.90.20.121	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:6894	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								
ATA 22 - AUTO FLIGHT								
22-10/233 ^S PITCH, ROLL, AND YAW ACTUATORS AND CAPSTAN CONTROL CABLES - EXAMINE								Service ATA:22
	MOS	19-Mar-25	24 (+10%/-10%)					
	HRS	477.4	2400 (+10%/-10%)					
	AFL	520						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
22-10/60 ^S SERVO MOUNT (PITCH, ROLL AND YAW) - REMOVE FOR CLUTCH CHECK								Service ATA:22
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	1200 (+10%/-10%)					
	AFL	520						
PROC. REF: AMM 12-C-22-10-00-00A-313A-APROC. REF: AMM 12-C-22-10-00-00A-313A-A								
22-20/518 ^S ANGLE OF ATTACK (AOA) TRANSMITTERS (MSN 2001 AND UP) -EXAMINE								Service ATA:22
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	600 (+10%/-10%)					
	AFL	520						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

PKG:4

PKG:3

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
22-20/519 ^S STICK PUSHER SYSTEM (MSN 2001 AND UP) - CHECK Service ATA:22								
	MOS	12-Feb-25						
	HRS	439.5	600 (+10%/-10%)					
	AFL							
PROC. REF: AMM 12-C-22-20-00-00A-903A-APROC. REF: AMM 12-C-22-20-00-00A-903A-A								
PKG:1								
22-20/565 ^S STICK PUSHER SYSTEM (MSN 2001 AND UP) - FUNCTIONAL TEST Service ATA:22								
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	1200 (+10%/-10%)					
	AFL	520						
PROC. REF: AMM 12-C-22-20-00-00A-903A-APROC. REF: AMM 12-C-22-20-00-00A-903A-A								
PKG:3								
PC12A22100110 SERVO ACTUATOR, ROLL, A233 Component ATA:22								
PN:985.99.12.275	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:KSA2700-4798	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-10-03-00A-920A-APROC. REF: AMM 12-B-22-10-03-00A-920A-A								
PC12A22100120 SERVO ACTUATOR, YAW, A389 Component ATA:22								
PN:985.99.12.275	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:KSA2700-4801	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-10-04-00A-920A-APROC. REF: AMM 12-B-22-10-04-00A-920A-A								
PC12A22100130 SERVO ACTUATOR, PITCH Component ATA:22								
PN:985.99.12.275	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:KSA2700-4806	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-10-02-00A-920A-APROC. REF: AMM 12-B-22-10-02-00A-920A-A								
PC12A22100210 SERVO MOUNT, ROLL Component ATA:22								
PN:985.99.12.133	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:KSM375-B4669	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
PC12A22100220		SERVO MOUNT, YAW					Component	ATA:22	
PN:985.99.12.133	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:KSM375-B4728	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A22100230		SERVO MOUNT, PITCH					Component	ATA:22	
PN:985.99.12.133	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:KSM375-B4729	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A22100300		FLIGHT CONTROL PANEL, A127					Component	ATA:22	
PN:985.99.12.258	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:KMC9200A-1542	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-22-10-05-00A-920A-APROC. REF: AMM 12-B-22-10-05-00A-920A-A									
PC12A22200100		STICK PUSHER COMPUTER, A171					Component	ATA:22	
PN:975.44.23.106	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:145545	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-22-20-01-00A-920A-APROC. REF: AMM 12-C-22-20-01-00A-920A-A									
PC12A22200200		ANGLE OF ATTACK (AOA) TRANSMITTER, LH, HR579					Component	ATA:22	
PN:975.44.21.423	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:2403	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-22-20-02-00A-920A-APROC. REF: AMM 12-B-22-20-02-00A-920A-A									
PC12A22200300		ANGLE OF ATTACK (AOA) TRANSMITTER, RH, HR679					Component	ATA:22	
PN:975.44.21.424	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:2314	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-22-20-02-00A-920A-APROC. REF: AMM 12-B-22-20-02-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
PC12A22200400		STICK SHAKER ACTUATOR, A113					Component		ATA:22
PN:978.61.11.143	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:2260	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-22-20-03-00A-920A-APROC. REF: AMM 12-B-22-20-03-00A-920A-A									
PC12A22200500		STICK PUSHER SERVO, A210					Component		ATA:22
PN:978.61.11.103	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:81585	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-22-20-04-00A-920A-APROC. REF: AMM 12-B-22-20-04-00A-920A-A									
PC12A22200600		STICK PUSHER CAPSTAN					Component		ATA:22
PN:978.61.11.124	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:81480	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-22-20-06-00A-920A-APROC. REF: AMM 12-B-22-20-06-00A-920A-A									
ATA 23 - COMMUNICATIONS									
23-10/322 ^S	AUDIO CONTROL PANEL EMERGENCY SWITCH - OPERATIONAL TEST						Service		ATA:23
	MOS	19-Mar-25	24 (+10%/-10%)						
	HRS	477.4	2400 (+10%/-10%)						
	AFL	520							
PKG:4									
PROC. REF: AMM 12-B-23-50-00-00A-903A-APROC. REF: AMM 12-B-23-50-00-00A-903A-A									
23-10/323 ^S	EMERGENCY FREQUENCY COMM TUNING SWITCH - OPERATIONAL TEST						Service		ATA:23
	MOS	19-Mar-25	24 (+10%/-10%)						
	HRS	477.4	2400 (+10%/-10%)						
	AFL	520							
PKG:4									
PROC. REF: AMM 12-B-23-12-00-00A-903A-APROC. REF: AMM 12-B-23-12-00-00A-903A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PC12A23120110 MULTI MODE DIGITAL RADIO, MMDR 1, A115								Component ATA:23
PN:985.99.12.464	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:7294	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-12-01-00A-920A-APROC. REF: AMM 12-B-23-12-01-00A-920A-A								
PC12A23120120 MULTI MODE DIGITAL RADIO, MMDR 2, A114								Component ATA:23
PN:985.99.12.464	MOS/MSC	15-Nov-23	O/C	TSR 2				
SN:7200	HRS	233.2		TSN 751.25, TSR 0				
	AFL	370		TSN 363, TSR 0				
PROC. REF: AMM 12-B-23-12-01-00A-920A-APROC. REF: AMM 12-B-23-12-01-00A-920A-A								
PC12A23120210 VHF 1 ANTENNA, LOWER, E289								Component ATA:23
PN:984.81.10.203	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:310-37936	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-12-02-00A-920A-APROC. REF: AMM 12-B-23-12-02-00A-920A-A								
PC12A23120220 VHF 2 ANTENNA, UPPER, E319								Component ATA:23
PN:984.81.10.203	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:310-37942	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-12-03-00A-920A-APROC. REF: AMM 12-B-23-12-03-00A-920A-A								
PC12A23120240 UHF ANTENNA								Component ATA:23
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23120245 UHF KFS 599A FREQUENCY SELECTOR								Component ATA:23
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PC12A23160200 SATCOM ANTENNA, IRIDIUM, FR 27/28, E272 Component ATA:23								
PN:984.81.10.210	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:430-17569	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-16-01-00A-920A-APROC. REF: AMM 12-B-23-16-01-00A-920A-A								
PC12A23160575 SKY CONNECT CONTROL HEAD Component ATA:23								
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23170160 NEXTFI WIFI BOOSTER Component ATA:23								
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23401100 ENTERTAINMENT SYSTEM Component ATA:23								
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23500110 AUDIO CONTROL PANEL, PILOT, A125 Component ATA:23								
PN:985.99.12.067	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:E29A0741	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-50-01-00A-920A-APROC. REF: AMM 12-B-23-50-01-00A-920A-A								
PC12A23500120 AUDIO CONTROL PANEL, CO-PILOT, A126 Component ATA:23								
PN:985.99.12.067	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:E29A0732	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-50-01-00A-920A-APROC. REF: AMM 12-B-23-50-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PC12A23500144 NO. 5 BOSE HEADSET JACK Component ATA:23								
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23500145 NO. 6 BOSE HEADSET JACK Component ATA:23								
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23500160 PA SYSTEM AURAL MESSAGE GENERATOR Component ATA:23								
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23500165 PA SYSTEM SPEAKER AMPLIFIER Component ATA:23								
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23500170 TDFM 9000 MULTIBAND TRANSCEIVER RADIO Component ATA:23								
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23500175 TDFM-9000 TRANSCEIVER Component ATA:23								
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
PC12A23500180		SHOTOVER DIGITAL VIDEO RECORDER					Component	ATA:23	
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A23500185		GENEVA AUDIO CONTROL PANEL					Component	ATA:23	
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A23500190		UPPER TACTICAL 15.6" WIDESCREEN DISPLAY					Component	ATA:23	
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A23500195		LOWER TACTICAL 15.6" WIDESCREEN DISPLAY					Component	ATA:23	
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A23500200		LED LIGHTING POWER SUPPLY					Component	ATA:23	
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
ATA 24 - ELECTRICAL POWER									
24-30/311	GENERATOR CONTROL UNITS, GCU 1 AND GCU 2 - FUNCTIONAL TEST OVER AND UNDER-VOLTAGE TRIP PROTECTION (CMR)						Service	ATA:24	
	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
	HRS	477.4	3000		3477.4		2934.2		
	AFL	520							
PROC. REF: AMM 12-C-71-00-00-00A-903D-APROC. REF: AMM 12-C-71-00-00-00A-903D-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-30/312 ^S EXTERNAL POWER CONTROLLER - OVER/UNDER VOLTAGE TRIP PROTECTION OPERATIONAL TEST								
	MOS	19-Mar-25	24 (+10%/-10%)					Service ATA:24
	HRS	477.4	2400 (+10%/-10%)					
	AFL	520						
PROC. REF: AMM 12-B-24-40-00-00A-903A-APROC. REF: AMM 12-B-24-40-00-00A-903A-A								
24-30/313 ^S DC ELECTRICAL SYSTEM - FUNCTIONAL TEST								
	MOS	19-Mar-25	12 (+10%/-10%)					Service ATA:24
	HRS	477.4	1200 (+10%/-10%)					
	AFL	520						
PROC. REF: AMM 12-C-71-00-00-00A-903D-APROC. REF: AMM 12-C-71-00-00-00A-903D-A								
24-30/473 GENERATOR 1 (P/N 978.91.23.407) - BRUSH CHECK								
PN:978.91.23.407	MOS	19-Mar-25						Service ATA:24
SN:P2711	HRS	477.4	600 (+10%/-10%)		1077.4	1137.4	534.2 (+60)	
	AFL	520						
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A								
24-30/474 STARTER/GENERATOR 2 (P/N 978.91.23.407) - BRUSH CHECK								
PN:978.91.23.407	MOS	19-Mar-25						Service ATA:24
SN:P2713	HRS	477.4	600 (+10%/-10%)		1077.4	1137.4	534.2 (+60)	
	AFL	520						
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A								
24-30/492 OVERHAUL GENERATOR 1 (P/N 978.91.23.407)								
PN:978.91.23.407	MOS	19-Mar-25						Service ATA:24
SN:P2711	HRS	477.4	1200 (+10%/-10%)		1677.4	1797.4	1134.2 (+120)	OVERHAUL
	AFL	520						
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24-30/493	OVERHAUL STARTER/GENERATOR 2 (P/N 978.91.23.407)							Service	ATA:24
PN:978.91.23.407	MOS	19-Mar-25						OVERHAUL	
SN:P2713	HRS	477.4	1200 (+10%/-10%)		1677.4	1797.4	1134.2 (+120)		
	AFL	520							
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A									
24-30/520	NO. 1 NI-CAD BATTERY(MSN 2001 AND UP) - REMOVE AND SERVICE							Service	ATA:24
PN:976.17.31.302	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
SN:12302100	HRS	477.4	600 (+10%/-10%)		1077.4	1137.4	534.2 (+60)		
	AFL	520							
PROC. REF: AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-APROC. REF: AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-A									
24-30/520	NO. 2 NI-CAD BATTERY (MSN 2001 AND UP) - REMOVE AND SERVICE							Service	ATA:24
PN:976.17.31.302	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
SN:12302098	HRS	477.4	600 (+10%/-10%)		1077.4	1137.4	534.2 (+60)		
	AFL	520							
PROC. REF: AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-APROC. REF: AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-A									
24-40/229 ^S	EXTERNAL POWER UNIT (EPU) RECEPTACLE - EXAMINE							Service	ATA:24
	MOS	19-Mar-25	24 (+10%/-10%)						
	HRS	477.4	2400 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
24-50/509	EMERGENCY POWER SUPPLY - REMOVE / CAPACITY TEST							Service	ATA:24
PN:985.83.14.953	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
SN:84606	HRS	477.4							
	AFL	520							
Installation Date: : 19-Mar-25									
PROC. REF: AMM 12-B-24-52-51-00A-920A-APROC. REF: AMM 12-B-24-52-51-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-60/133 ^S COCKPIT CIRCUIT BREAKER PANELS AND SWITCH PANELS - EXAMINE								
	MOS	19-Mar-25	24 (+10%/-10%)					Service ATA:24
	HRS	477.4	2400 (+10%/-10%)					
	AFL	520						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A24300110 NO. 1 BATTERY								
PN:976.17.31.302	MOS/MSC	19-Mar-25	O/C					Component ATA:24
SN:12302100	HRS	477.4						
	AFL	520						
PROC. REF: AMM 12-B-24-30-07-00A-920A-A, AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-APROC. REF: AMM 12-B-24-30-07-00A-920A-A, AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-A								
PC12A24300120 NO. 2 BATTERY								
PN:976.17.31.302	MOS/MSC	19-Mar-25	O/C					Component ATA:24
SN:12302098	HRS	477.4						
	AFL	520						
PROC. REF: AMM 12-B-24-30-07-00A-920A-A, AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-APROC. REF: AMM 12-B-24-30-07-00A-920A-A, AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-A								
PC12A24300210 GENERATOR 1								
PN:978.91.23.407	MOS/MSC	19-Mar-25	H/T	TSO 3				Component ATA:24
SN:P2711	HRS	477.4		TSN 2073.12, TSO 0				
	AFL	520		TSN 2093, TSO 0				
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A								
PC12A24300220 STARTER/GENERATOR 2								
PN:978.91.23.407	MOS/MSC	19-Mar-25	H/T	TSO 3				Component ATA:24
SN:P2713	HRS	477.4		TSN 2073.12, TSO 0				
	AFL	520		TSN 2093, TSO 0				
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A								
PC12A24300310 VOLTAGE REGULATOR 1 (GCU 1)								
PN:988.21.14.111	MOS/MSC	28-Feb-23	O/C	TSN 0				Component ATA:24
SN:P5799	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-05-00A-920A-APROC. REF: AMM 12-B-24-30-05-00A-920A-A								

PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PC12A24300320 VOLTAGE REGULATOR 2 (GCU 2) Component ATA:24								
PN:988.21.14.111	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:P5830	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-06-00A-920A-APROC. REF: AMM 12-B-24-30-06-00A-920A-A								
PC12A24300410 CURRENT SENSOR, GENERATOR 1, LH, MT001 Component ATA:24								
PN:975.50.85.111	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:N8532	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								
PC12A24300420 CURRENT SENSOR, GENERATOR 2, RH, MT002 Component ATA:24								
PN:975.50.85.111	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:N8689	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								
PC12A24300510 GENERATOR 1 CONTACTOR, LH, K001 Component ATA:24								
PN:974.03.38.113	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:2397	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								
PC12A24300520 GENERATOR 2 CONTACTOR, RH, K002 Component ATA:24								
PN:974.03.38.113	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:2377	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								
PC12A24400100 BATTERY AND EXTERNAL POWER JUNCTION BOX, A381 Component ATA:24								
PN:974.03.38.154	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:1546	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-40-01-00A-920A-APROC. REF: AMM 12-B-24-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PC12A24520100 POWER JUNCTION BOX, LH, A121								Component ATA:24
PN:974.03.38.144	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:1485	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-52-10-00A-920A-APROC. REF: AMM 12-B-24-52-10-00A-920A-A								
PC12A24520200 POWER JUNCTION BOX, RH, A122								Component ATA:24
PN:974.03.38.145	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:1353	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-52-20-00A-920A-APROC. REF: AMM 12-B-24-52-20-00A-920A-A								
PC12A24520300 EMERGENCY POWER SUPPLY, A183								Component ATA:24
PN:985.83.14.953	MOS/MSC	19-Mar-25	O/C	TSN 25				
SN:84606	HRS	477.4		TSN 477.4				
	AFL	520		TSN 520				
PROC. REF: AMM 12-B-24-52-51-00A-920A-APROC. REF: AMM 12-B-24-52-51-00A-920A-A								
PC12A24520400 RELAY PANEL, FR 16-17								Component ATA:24
PN:974.20.04.262	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:0532	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-24-52-30-00A-920A-APROC. REF: AMM 12-C-24-52-30-00A-920A-A								
PC12A24600100 STATIC INVERTER, A310								Component ATA:24
PN:975.02.15.107	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:9647	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-60-01-00A-920A-APROC. REF: AMM 12-B-24-60-01-00A-920A-A								
ATA 25 - EQUIPMENT/FURNISHINGS								
25-10/521 ^S	CREW SEAT BELTS (MSN 2001 AND UP) - EXAMINE							Service ATA:25
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	600 (+10%/-10%)					
	AFL	520						

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
25-10/522 ^S	CREW SEATS (MSN 2001 AND UP) - EXAMINE AS FAR AS POSSIBLE WITH SEATS INSTALLED						Service	ATA:25	
	MOS	12-Feb-25							
	HRS	439.5	600 (+10%/-10%)						
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
25-10/566 ^S	CREW SEATS (MSN 2001 AND UP) - REMOVE AS NECESSARY TO DO THE INSPECTION						Service	ATA:25	
	MOS/MSC	19-Mar-25	A/R						
	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A									
25-10/567 ^S	CREW SEAT (MSN 2001 AND UP) - INSTALL AS NECESSARY TO CLOSE THE INSPECTION						Service	ATA:25	
	MOS/MSC	19-Mar-25	A/R						
	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A									
25-10/568 ^S	CREW SEATS (MSN 2001 AND UP) - REMOVE CUSHIONS, COVERS AND SHELLS (REFER CMM) AND EXAMINE SEAT. INSTALL CUSHIONS, COVERS AND SHELLS						Service	ATA:25	
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A									
25-20/511 ^S	PASSENGER SEATS (MSN 2001 AND UP) - EXAMINE AS FAR AS POSSIBLE WITH SEATS INSTALLED. MOVE THE RECLINE MECHANISM AND SWIVEL FUNCTION (EXECUTIVE SEAT ONLY) THROUGH ITS FULL MOTION AND CHECK FOR CORRECT OPERATION.						Service	ATA:25	
	MOS	12-Feb-25							
	HRS	439.5	600 (+10%/-10%)						
	AFL								
PROC. REF: CMM CONDITION CHECKS, CMM 25-70-76PROC. REF: CMM CONDITION CHECKS, CMM 25-70-76									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-20/512 ^S	PASSENGER SEATS (MSN 2001 AND UP) - EXAMINE, IF NECESSARY, REFER TO THE APPLICABLE CMM:CMM 25-70-76 FOR EXECUTIVE SEATSCMM 2044-CMM026 FOR STANDARD SEATS FOR EXECUTIVE SEATS ONLY, WITH THE SEAT CUSHION REMOVED, CHECK THE HYDROLOCK REAR ATTACHMENT BOLT FOR SECURITY OF ATTACHMENT							Service	ATA:25
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: CMM CONDITION CHECKS, CMM 25-70-76PROC. REF: CMM CONDITION CHECKS, CMM 25-70-76								PKG:3	
25-20/523 ^S	PASSENGER SEAT BELTS AND EXTENSIONS (MSN 2001 AND UP) - EXAMINE							Service	ATA:25
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2	
25-20/569 ^S	PASSENGER SEATS (MSN 2001 AND UP) - REMOVE AS NECESSARY TO DO THE INSPECTION							Service	ATA:25
	MOS/MSC	19-Mar-25	A/R						
	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								PKG:5 ,1,2,3,4	
25-20/570 ^S	PASSENGER SEATS (MSN 2001 AND UP) - INSTALL AS NECESSARY TO CLOSE THE INSPECTION							Service	ATA:25
	MOS/MSC	19-Mar-25	A/R						
	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								PKG:5 ,1,2,3,4	
25-60/232 ^S	ELT INSTALLATION - EXAMINE							Service	ATA:25
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-60/483	PERFORM PERIODIC INSPECTIONS ON ELT, KANNAD 406 AF (WITH AND WITHOUT NAVIGATION INTERFACE UNIT) AND KANNAD INTEGRA 406 AF							Service	ATA:25
PN:985.13.80.882	MOS/MSC	19-Mar-25	A/R						
SN:TM0000264768	HRS	477.4							
	AFL	520							
PROC. REF: SIL PERIODIC INSPECTIONPROC. REF: SIL PERIODIC INSPECTION									
<hr/>									
25-60/524 ^S	ELT (MSN 2001 AND UP) - OPERATIONAL TEST							Service	ATA:25
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-25-63-00-00A-903B-APROC. REF: AMM 12-B-25-63-00-00A-903B-A									
<hr/>									
25-62/642	EXAMINE COPILOT LIFE VEST							Service	ATA:25
PN:904.92.17.915	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
SN:L5162128	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A									
<hr/>									
25-62/642	EXAMINE NO. 1 LIFE VEST							Service	ATA:25
PN:904.92.17.913	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
SN:L5259426	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A									
<hr/>									
25-62/642	EXAMINE NO. 2 LIFE VEST							Service	ATA:25
PN:904.92.17.913	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
SN:L5259422	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A									
<hr/>									
25-62/642	EXAMINE NO. 3 LIFE VEST							Service	ATA:25
PN:904.92.17.913	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
SN:L5259423	HRS	477.4							
	AFL	520							

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A									
25-62/642	EXAMINE NO. 4 LIFE VEST							Service	ATA:25
PN:904.92.17.913	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
SN:L5259421	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A									
25-62/642	EXAMINE NO. 5 LIFE VEST							Service	ATA:25
PN:904.92.17.913	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
SN:L5259428	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A									
25-62/642	EXAMINE NO. 6 LIFE VEST							Service	ATA:25
PN:904.92.17.913	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
SN:L5259427	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A									
25-62/642	EXAMINE NO. 7 LIFE VEST							Service	ATA:25
PN:904.92.17.913	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
SN:L5442429	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A									
25-62/642	EXAMINE NO. 8 LIFE VEST							Service	ATA:25
PN:904.92.17.913	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
SN:L5442428	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-62/642		EXAMINE PILOT LIFE VEST						Service	ATA:25
PN:904.92.17.915	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
SN:L5162117	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A									
25-62/643		REPLACE COPILOT LIFE VEST						Service	ATA:25
PN:904.92.17.915	MOS	01-Dec-20	120		01-Dec-30		1761 d	REPLACE	
SN:L5162128	HRS								
	AFL								
Manufacture Date:: 01-Dec-20									
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A									
25-62/643		REPLACE NO. 1 LIFE VEST						Service	ATA:25
PN:904.92.17.913	MOS	01-Jun-21	120		01-Jun-31		1943 d	REPLACE	
SN:L5259426	HRS								
	AFL								
Manufacture Date:: 01-Jun-21									
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A									
25-62/643		REPLACE NO. 2 LIFE VEST						Service	ATA:25
PN:904.92.17.913	MOS	01-Jun-21	120		01-Jun-31		1943 d	REPLACE	
SN:L5259422	HRS								
	AFL								
Manufacture Date:: 01-Jun-21									
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A									
25-62/643		REPLACE NO. 3 LIFE VEST						Service	ATA:25
PN:904.92.17.913	MOS	01-Jun-21	120		01-Jun-31		1943 d	REPLACE	
SN:L5259423	HRS								
	AFL								
Manufacture Date:: 01-Jun-21									
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62/643 REPLACE NO. 4 LIFE VEST								
PN:904.92.17.913	MOS	01-Jun-21	120		01-Jun-31		1943 d	REPLACE
SN:L5259421	HRS							
	AFL							
Manufacture Date:: 01-Jun-21								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643 REPLACE NO. 5 LIFE VEST								
PN:904.92.17.913	MOS	01-Jun-21	120		01-Jun-31		1943 d	REPLACE
SN:L5259428	HRS							
	AFL							
Manufacture Date:: 01-Jun-21								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643 REPLACE NO. 6 LIFE VEST								
PN:904.92.17.913	MOS	01-Jun-21	120		01-Jun-31		1943 d	REPLACE
SN:L5259427	HRS							
	AFL							
Manufacture Date:: 01-Jun-21								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643 REPLACE NO. 7 LIFE VEST								
PN:904.92.17.913	MOS	31-Mar-22	120		31-Mar-32		2247 d	REPLACE
SN:L5442429	HRS							
	AFL							
Manufacture Date:: 31-Mar-22								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643 REPLACE NO. 8 LIFE VEST								
PN:904.92.17.913	MOS	31-Mar-22	120		31-Mar-32		2247 d	REPLACE
SN:L5442428	HRS							
	AFL							
Manufacture Date:: 31-Mar-22								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62/643 REPLACE PILOT LIFE VEST Service ATA:25								
PN:904.92.17.915	MOS	01-Dec-20	120		01-Dec-30		1761 d	REPLACE
SN:L5162117	HRS							
	AFL							
Manufacture Date:: 01-Dec-20								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-63/23 DISCARD ELT BATTERY Service ATA:25								
PN:985.13.80.882	MOS/MSC		DUE		30-Apr-29 (M)		1181 d	DISCARD
SN:TM0000264768	HRS							
	AFL							
PROC. REF: AMM 12-B-25-63-00-00A-920B-APROC. REF: AMM 12-B-25-63-00-00A-920B-A								
25-63/434 DISCARD KANNAD ELT NAV INTERFACE UNIT SERIAL MEMORY MODULE (IF KANNAD NAV INTERFACE INSTALLED) Service ATA:25								
PN:985.13.80.881	MOS	25-Feb-23	120 (+6m/-6m)		25-Feb-33	25-Aug-33	2578 d (+181)	DISCARD
SN:TM0000265124	HRS	0	16000 (+500/-500)		16000	16500	15456.8 (+500)	
	AFL							
PROC. REF: AMM 12-B-25-63-03-00A-920B-APROC. REF: AMM 12-B-25-63-03-00A-920B-A								
25-CA/51 REPLACE / RECERTIFY FIRST AID KIT Service ATA:25								
PN:909.31.11.209	MOS/MSC	19-Mar-25	DUE		01-Feb-26 (M)		OVD	REPLACE
SN:221100144-95634	HRS	477.4						
	AFL	520						
Expiry Date: : 01-Feb-26								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-CA/71 RENEW NOAA 406 MHZ ELT REGISTRATION Service ATA:25								
	MOS/MSC	18-Jan-23	DUE		18-Jan-26 (M)		OVD	
	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A25100110 PILOT SEAT Component ATA:25								
PN:959.30.01.455	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:104691	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A								
PC12A25100120 CO-PILOT SEAT Component ATA:25								
PN:959.30.01.456	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:104684	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A								
PC12A25220100 NO. 1 PASSENGER SEAT Component ATA:25								
PN:959.30.00.083	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:69055	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220200 NO. 2 PASSENGER SEAT Component ATA:25								
PN:959.30.00.115	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:69056	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220300 NO. 3 PASSENGER SEAT Component ATA:25								
PN:959.30.00.079	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:69057	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220400 NO. 4 PASSENGER SEAT Component ATA:25								
PN:959.30.00.111	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:69058	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220500 NO. 5 PASSENGER SEAT Component ATA:25								
PN:959.30.00.080	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:69060	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220600 NO. 6 PASSENGER SEAT								Component ATA:25
PN:959.30.00.111	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:69059	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220700 NO. 7 PASSENGER SEAT								Component ATA:25
PN:959.30.01.447	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:MC1205695	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220800 NO. 8 PASSENGER SEAT								Component ATA:25
PN:959.30.01.448	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:MC1205696	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25630100 EMERGENCY LOCATOR TRANSMITTER (ELT)								Component ATA:25
PN:985.13.80.882	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:TM0000264768	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-63-00-00A-920B-APROC. REF: AMM 12-B-25-63-00-00A-920B-A								
PC12A25630110 ANTENNE, EXTERNAL								Component ATA:25
PN:985.13.80.847	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:132785-5407	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A25630200 INTEGRA ENAV UNIT, A380								Component ATA:25
PN:985.13.80.881	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:TM0000265124	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 12-B-25-63-03-00A-920B-APROC. REF: AMM 12-B-25-63-03-00A-920B-A								
PC12A25630300 EMERGENCY LOCATOR TRANSMITTER (ELT) REMOTE CONTROL PANEL, A151A1 Component ATA:25								
PN:985.13.80.817	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:TM0000239798	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA010 FIRST AID KIT Component ATA:25								
PN:909.31.11.209	MOS/MSC	19-Mar-25	H/T	TSN 25				
SN:221100144-95634	HRS	477.4		TSN 477.4				
	AFL	520		TSN 520				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA110 PILOT LIFE VEST Component ATA:25								
PN:904.92.17.915	MOS/MSC	19-May-23	H/T	TSN 17				
SN:L5162117	HRS	88.6		TSN 0				
	AFL	128		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA120 COPILOT LIFE VEST Component ATA:25								
PN:904.92.17.915	MOS/MSC	19-May-23	H/T	TSN 17				
SN:L5162128	HRS	88.6		TSN 0				
	AFL	128		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA210 NO. 1 LIFE VEST Component ATA:25								
PN:904.92.17.913	MOS/MSC	19-May-23	H/T	TSN 23				
SN:L5259426	HRS	88.6		TSN 0				
	AFL	128		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA220 NO. 2 LIFE VEST Component ATA:25								
PN:904.92.17.913	MOS/MSC	19-May-23	H/T	TSN 23				
SN:L5259422	HRS	88.6		TSN 0				
	AFL	128		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA230 NO. 3 LIFE VEST								Component ATA:25
PN:904.92.17.913	MOS/MSC	19-May-23	H/T	TSN 23				
SN:L5259423	HRS	88.6		TSN 0				
	AFL	128		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA240 NO. 4 LIFE VEST								Component ATA:25
PN:904.92.17.913	MOS/MSC	19-May-23	H/T	TSN 23				
SN:L5259421	HRS	88.6		TSN 0				
	AFL	128		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA250 NO. 5 LIFE VEST								Component ATA:25
PN:904.92.17.913	MOS/MSC	19-May-23	H/T	TSN 23				
SN:L5259428	HRS	88.6		TSN 0				
	AFL	128		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA260 NO. 6 LIFE VEST								Component ATA:25
PN:904.92.17.913	MOS/MSC	19-May-23	H/T	TSN 23				
SN:L5259427	HRS	88.6		TSN 0				
	AFL	128		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA270 NO. 7 LIFE VEST								Component ATA:25
PN:904.92.17.913	MOS/MSC	17-Feb-23	H/T	TSN 0				
SN:L5442429	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA280 NO. 8 LIFE VEST								Component ATA:25
PN:904.92.17.913	MOS/MSC	17-Feb-23	H/T	TSN 0				
SN:L5442428	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA010 ECONNECT USB PORT Component ATA:25								
PN:106401-00	MOS/MSC	17-Feb-23	O/C	TSN 0				
SN:1511222	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA110 ECONNECT HIGH CAPACITY DRIVE ROUTER Component ATA:25								
PN:CWR-451-2000-02	MOS/MSC	17-Feb-23	O/C	TSN 0				
SN:EQ201-02-00543	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA120 ECONNECT LOW CAPACITY DRIVE ROUTER Component ATA:25								
PN:CWR-451-2000-01	MOS/MSC	17-Feb-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA210 ECONNECT NO. 1 ANTENNA Component ATA:25								
PN:5W-2.40-2.50P-XTB-4	MOS/MSC	17-Feb-23	O/C	TSN 0				
SN:860254	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA220 ECONNECT NO. 2 ANTENNA Component ATA:25								
PN:5W-2.40-2.50P-XTB-4	MOS/MSC	17-Feb-23	O/C	TSN 0				
SN:860260	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA230 ECONNECT NO. 3 ANTENNA Component ATA:25								
PN:5W-2.40-2.50P-XTB-4	MOS/MSC	17-Feb-23	O/C	TSN 0				
SN:860288	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
<hr/>								
PC12A257CA240 ECONNECT NO. 4 ANTENNA								Component ATA:25
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
<hr/>								
PC12A257CA250 ECONNECT NO. 5 ANTENNA								Component ATA:25
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
<hr/>								
PC12A257CA260 IFE SEND SOLUTIONS ROUTER								Component ATA:25
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
<hr/>								
PC12A257CA310 ECONNECT WIRING HARNESS								Component ATA:25
PN:2E-1301-22-0000	MOS/MSC	17-Feb-23	O/C	TSN 0				
SN:231430-1-5	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-20/2		LIFE LIMIT - COCKPIT FIRE EXTINGUISHER (EXCEPT MODEL P3APP003010D)						Service	ATA:26
PN:959.08.06.219	MOS	30-Sep-22	120		30-Sep-32		2430 d	LIFE LIMIT	
SN:125457	HRS								
	AFL								
Manufacture Date:: 30-Sep-22									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
26-20/24		COCKPIT FIRE EXTINGUISHER (EXCEPT MODEL P3APP003010D) - CONTENTS CHECK						Service	ATA:26
PN:959.08.06.219	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
SN:125457	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-B-26-20-00-01A-289A-APROC. REF: AMM 12-B-26-20-00-01A-289A-A									
PC12A26100100		FIRE/OVERHEAT DETECTOR, A043						Component	ATA:26
PN:975.12.10.012	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:218839	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A26200100		COCKPIT FIRE EXTINGUISHER						Component	ATA:26
PN:959.08.06.219	MOS/MSC	17-Feb-23	H/T	TSN 0					
SN:125457	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-26-20-01-00A-920A-APROC. REF: AMM 12-B-26-20-01-00A-920A-A									
ATA 27 - FLIGHT CONTROLS									
27-00/402		SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - BONDING LEADS TO ALL FLIGHT CONTROL SURFACES - EXAMINE						Service	ATA:27
	MOS	28-Feb-23							
	HRS	0	T:32500 (+500/-500)		32500	33000	31956.8 (+500)		
	AFL	0	T:42000 (+500/-500)		42000	42500	41449 (+500)		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-00/525 ^S	AILERON, ELEVATOR AND RUDDER CONTROLS (MSN 2001 AND UP) - OPERATE, MAKE SURE FULL AND FREE TRAVEL							Service	ATA:27
	MOS	12-Feb-25							
	HRS	439.5	600 (+10%/-10%)						
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-00/71	FLIGHT CONTROL CABLES INCLUDING AUTO PILOT AND STICK PUSHER CABLES - INSPECTION/CHECK							Service	ATA:27
	MOS	28-Feb-23	60 (+6m/-6m)		29-Feb-28	31-Aug-28	755 d (+184)		
	HRS	0	4800 (+10%/-10%)		4800	5280	4256.8 (+480)		
	AFL	0							
PROC. REF: AMM 12-B-27-00-00-00A-313A-APROC. REF: AMM 12-B-27-00-00-00A-313A-A									
27-10/234 ^S	AILERON LH AND RH RODS AND LEVERS - EXAMINE. SPRAY PTFE TEFLON SPRAY OKS 571 (OR EQUIVALENT) AROUND THE AILERON PUSHROD GUIDE ROLLER SLEEVES AT ALL THREE LOCATIONS IN EACH WING							Service	ATA:27
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-10/235 ^S	AILERON ELECTRICAL BONDING STRAPS - EXAMINE							Service	ATA:27
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-10/236 ^S	AILERON CONTROLS - EXAMINE THE CONTROL CABLES AND PULLEYS AS FAR AS POSSIBLE. MOVE THE MECHANISM SO THAT YOU CAN SEE ALL PARTS OF THE CABLES AND MAKE SURE THE SAFETY CLIPS ARE FULLY ENGAGED IN THE TURN-BUCKLES							Service	ATA:27
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-27-10-00-00A-313A-APROC. REF: AMM 12-B-27-10-00-00A-313A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-10/237 ^S AILERON CABLE TENSION - CHECK Service ATA:27								
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	1200 (+10%/-10%)					
	AFL	520						
PROC. REF: AMM 12-B-27-10-00-00A-903A-APROC. REF: AMM 12-B-27-10-00-00A-903A-A								
27-10/238 ^S AILERONS - FUNCTIONAL TEST Service ATA:27								
	MOS	19-Mar-25	24 (+10%/-10%)					
	HRS	477.4	2400 (+10%/-10%)					
	AFL	520						
PROC. REF: AMM 12-B-27-10-00-00A-903A-APROC. REF: AMM 12-B-27-10-00-00A-903A-A								
27-10/394 SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON CONTROL SYSTEM - EXAMINE (CPCP) Service ATA:27								
	MOS	28-Feb-23						
	HRS	0	T:32500		32500		31956.8	
	AFL	0	T:42000		42000		41449	
PROC. REF: AMM 12-B-27-10-00-00A-310A-APROC. REF: AMM 12-B-27-10-00-00A-310A-A								
27-10/395 SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON CABLE SEGMENT - EDDY CURRENT INSPECTION Service ATA:27								
	MOS	28-Feb-23						
	HRS	0	T:32500		32500		31956.8	
	AFL	0	T:42000		42000		41449	
PROC. REF: AMM 12-B-27-10-09-00A-353A-APROC. REF: AMM 12-B-27-10-09-00A-353A-A								
27-10/396 SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON CONTROL RODS - EDDY CURRENT INSPECTION Service ATA:27								
	MOS	28-Feb-23						
	HRS	0	T:32500		32500		31956.8	
	AFL	0	T:42000		42000		41449	
PROC. REF: AMM 12-B-27-00-01-00A-353A-APROC. REF: AMM 12-B-27-00-01-00A-353A-A								
27-10/397 SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON CONTROL RODS - MAGNETIC PARTICLE INSPECTION Service ATA:27								
	MOS	28-Feb-23						
	HRS	0	T:32500		32500		31956.8	
	AFL	0	T:42000		42000		41449	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
PROC. REF: AMM 12-B-27-00-01-00A-352A-APROC. REF: AMM 12-B-27-00-01-00A-352A-A									
27-10/398	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON BELLCRANKS - EDDY CURRENT AND MAGNETIC PARTICLE INSPECTIONS							Service	ATA:27
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-27-10-08-00A-352B-A, AMM 12-B-27-10-08-00A-353A-A, AMM 12-B-27-10-08-00A-353B-APROC. REF: AMM 12-B-27-10-08-00A-352B-A, AMM 12-B-27-10-08-00A-353A-A, AMM 12-B-27-10-08-00A-353B-A									
27-10/400	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON HINGE POINTS - EDDY CURRENT INSPECTION							Service	ATA:27
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-57-60-06-00A-353A-APROC. REF: AMM 12-B-57-60-06-00A-353A-A									
27-10/444	LIFE LIMIT - FLIGHT CONTROL CABLES, AILERON							Service	ATA:27
	MOS	28-Feb-23						LIFE LIMIT	
	HRS	0	20000		20000		19456.8		
	AFL	0	27000		27000		26449		
PROC. REF: AMM 12-B-27-10-01-00A-920A-APROC. REF: AMM 12-B-27-10-01-00A-920A-A									
27-10/445	LIFE LIMIT - AUTOPILOT CONTROL CABLE, AILERON							Service	ATA:27
	MOS	28-Feb-23						LIFE LIMIT	
	HRS	0	20000		20000		19456.8		
	AFL	0	27000		27000		26449		
PROC. REF: AMM 12-B-27-10-02-00A-920A-APROC. REF: AMM 12-B-27-10-02-00A-920A-A									
27-10/470 ^S	AILERON CONTROL SYSTEM BEARINGS - LUBRICATE							Service	ATA:27
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-27-10-00-00A-901A-APROC. REF: AMM 12-B-27-10-00-00A-901A-A									

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-10/526 ^S	AILERON LH AND RH (MSN 2001 AND UP) - EXAMINE AND LUBRICATE THE TRIM HINGES WITH MINIMUM QUANTITY OF CPC (P10-001)							Service	ATA:27
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-27-10-00-00A-310A-APROC. REF: AMM 12-B-27-10-00-00A-310A-A									
PKG:2									
27-15/239 ^S	AILERON TRIM - FUNCTIONAL TEST							Service	ATA:27
	MOS	19-Mar-25	24 (+10%/-10%)						
	HRS	477.4	2400 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-27-15-00-00A-903A-APROC. REF: AMM 12-B-27-15-00-00A-903A-A									
PKG:4									
27-20/240 ^S	RUDDER STATIC DISCHARGERS - EXAMINE							Service	ATA:27
	MOS	19-Mar-25	24 (+10%/-10%)						
	HRS	477.4	2400 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:4									
27-20/241 ^S	RUDDER CONTROLS - INSPECTION / CHECK							Service	ATA:27
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-27-20-00-00A-313A-APROC. REF: AMM 12-B-27-20-00-00A-313A-A									
PKG:3									
27-20/243 ^S	RUDDER CABLE TENSION - CHECK							Service	ATA:27
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A									
PKG:3									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-20/244 ^S	RUDDER - FUNCTIONAL TEST							Service	ATA:27
	MOS	19-Mar-25	24 (+10%/-10%)						
	HRS	477.4	2400 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A									
PKG:4									
27-20/245 ^S	RUDDER TRIM - FUNCTIONAL TEST							Service	ATA:27
	MOS	19-Mar-25	24 (+10%/-10%)						
	HRS	477.4	2400 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-27-25-00-00A-903A-APROC. REF: AMM 12-B-27-25-00-00A-903A-A									
PKG:4									
27-20/246 ^S	EXAMINE RUDDER ELECTRICAL BONDING STRAPS							Service	ATA:27
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:3									
27-20/374	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RUDDER CONTROL SYSTEM - EXAMINE (CPCP)							Service	ATA:27
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-27-20-00-00A-310A-APROC. REF: AMM 12-B-27-20-00-00A-310A-A									
27-20/376	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RUDDER CABLE QUADRANT SHEAR SPIGOT - EXAMINE (CPCP)							Service	ATA:27
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-27-20-05-00A-310A-APROC. REF: AMM 12-B-27-20-05-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-20/430	RUDDER CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT DONE THE 1200 FH OR 12 MONTHS INSPECTION PACKAGE							Service	ATA:27
	MOS/MSC	22-Mar-24	-						
	HRS	291							
	AFL	404							
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A									
27-20/431	RUDDER CONTROL CABLES TENSION - CHECK AFTER REPLACEMENT OF ANY RUDDER CONTROL SYSTEM CABLES (AUTOPILOT AND/OR RUDDER)							Service	ATA:27
	MOS/MSC	22-Mar-24	-						
	HRS	291							
	AFL	404							
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A									
27-20/446	LIFE LIMIT - FLIGHT CONTROL CABLES, RUDDER							Service	ATA:27
	MOS	28-Feb-23					LIFE LIMIT		
	HRS	0	20000		20000		19456.8		
	AFL	0	27000		27000		26449		
PROC. REF: AMM 12-B-27-20-01-00A-920A-APROC. REF: AMM 12-B-27-20-01-00A-920A-A									
27-20/447	LIFE LIMIT - AUTOPILOT CONTROL CABLES, RUDDER							Service	ATA:27
	MOS	28-Feb-23					LIFE LIMIT		
	HRS	0	20000		20000		19456.8		
	AFL	0	27000		27000		26449		
PROC. REF: AMM 12-B-27-20-02-00A-920A-APROC. REF: AMM 12-B-27-20-02-00A-920A-A									
27-20/527 ^S	RUDDER (MSN 2001 AND UP) - INSPECTION/CHECK							Service	ATA:27
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-55-40-00-00A-313A-APROC. REF: AMM 12-B-55-40-00-00A-313A-A									

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-20/575 REPLACE RUDDER BELLCRANK Service ATA:27								
PN:PN	MOS	28-Feb-23						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000		20000		19456.8	
	AFL	0	27000		27000		26449	
PROC. REF: AMM 12-B-27-20-04-00A-920A-APROC. REF: AMM 12-B-27-20-04-00A-920A-A								
27-30/247^S ELEVATOR ELECTRICAL BONDING STRAPS - EXAMINE Service ATA:27								
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	1200 (+10%/-10%)					
	AFL	520						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-30/248^S ELEVATOR STATIC DISCHARGERS - EXAMINE Service ATA:27								
	MOS	19-Mar-25	24 (+10%/-10%)					
	HRS	477.4	2400 (+10%/-10%)					
	AFL	520						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-30/249^S ELEVATOR CONTROLS - INSPECTION / CHECK Service ATA:27								
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	1200 (+10%/-10%)					
	AFL	520						
PROC. REF: AMM 12-B-27-30-00-00A-313A-APROC. REF: AMM 12-B-27-30-00-00A-313A-A								
27-30/250^S ELEVATOR CABLE TENSION - CHECK Service ATA:27								
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	1200 (+10%/-10%)					
	AFL	520						
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-30/251 ^S	ELEVATOR - FUNCTIONAL TEST							Service	ATA:27
	MOS	19-Mar-25	24 (+10%/-10%)						
	HRS	477.4	2400 (+10%/-10%)						
	AFL	520							
PKG:4									
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A									
27-30/333	ELEVATOR CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT DONE THE 1200 FH OR 12 MONTHS INSPECTION PACKAGE							Service	ATA:27
	MOS/MSC	22-Mar-24	-						
	HRS	291							
	AFL	404							
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A									
27-30/334	ELEVATOR CONTROL CABLES TENSION - CHECK AFTER REPLACEMENT OF ANY ELEVATOR CONTROL SYSTEM CABLES (AUTOPILOT, STICK PUSHER AND ELEVATOR)							Service	ATA:27
	MOS/MSC	28-Feb-23	-						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A									
27-30/363	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR - CONTROL SYSTEM - EXAMINE (CPCP)							Service	ATA:27
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-27-30-00-00A-310A-APROC. REF: AMM 12-B-27-30-00-00A-310A-A									
27-30/364	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR CONTROL RODS - EDDY CURRENT INSPECTION							Service	ATA:27
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-27-00-01-00A-353A-APROC. REF: AMM 12-B-27-00-01-00A-353A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-30/365	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR CONTROL RODS - MAGNETIC PARTICLE INSPECTION							Service	ATA:27
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-27-00-01-00A-352A-APROC. REF: AMM 12-B-27-00-01-00A-352A-A									
27-30/366	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR CONTROL LEVER - EDDY CURRENT INSPECTION							Service	ATA:27
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-27-30-05-00A-353A-APROC. REF: AMM 12-B-27-30-05-00A-353A-A									
27-30/448	LIFE LIMIT - FLIGHT CONTROL CABLES, ELEVATOR							Service	ATA:27
	MOS	28-Feb-23						LIFE LIMIT	
	HRS	0	20000		20000		19456.8		
	AFL	0	27000		27000		26449		
PROC. REF: AMM 12-B-27-30-01-00A-920A-APROC. REF: AMM 12-B-27-30-01-00A-920A-A									
27-30/449	LIFE LIMIT - AUTOPILOT CONTROL CABLES, ELEVATOR							Service	ATA:27
	MOS	28-Feb-23						LIFE LIMIT	
	HRS	0	20000		20000		19456.8		
	AFL	0	27000		27000		26449		
PROC. REF: AMM 12-B-27-30-02-00A-920A-APROC. REF: AMM 12-B-27-30-02-00A-920A-A									
27-30/450	LIFE LIMIT - STICK PUSHER CABLES							Service	ATA:27
	MOS	28-Feb-23						LIFE LIMIT	
	HRS	0	20000		20000		19456.8		
	AFL	0	27000		27000		26449		
PROC. REF: AMM 12-B-22-20-06-00A-920A-APROC. REF: AMM 12-B-22-20-06-00A-920A-A									
27-30/514 ^S	ELEVATOR STOPS - EXAMINE. IF FOUND MISSING, LOOSE OR DAMAGED, INSTALL A NEW OR REPAIR THE STOPS							Service	ATA:27
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-55-20-01-00A-904B-APROC. REF: AMM 12-B-55-20-01-00A-904B-A								
27-30/528 ^S ELEVATORS (MSN 2001 AND UP) - EXAMINE Service ATA:27								
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	600 (+10%/-10%)					
	AFL	520						
PKG:2								
PROC. REF: AMM 12-B-55-20-00-00A-310A-APROC. REF: AMM 12-B-55-20-00-00A-310A-A								
27-40/1 HORIZONTAL STABILIZER TRIM - FUNCTIONAL TEST OF TRIM RUNAWAY AURAL WARNING SYSTEM (CMR) Service ATA:27								
	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)	
	HRS	477.4	3000		3477.4		2934.2	
	AFL	520						
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								
27-40/252 ^S PITCH TRIM ACTUATOR AND ATTACHMENTS - INSPECTION/CHECK Service ATA:27								
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	1200 (+10%/-10%)					
	AFL	520						
PKG:3								
PROC. REF: AMM 12-B-27-40-01-00A-313A-APROC. REF: AMM 12-B-27-40-01-00A-313A-A								
27-40/3 LIFE LIMIT - PITCH TRIM ACTUATOR Service ATA:27								
PN:978.73.14.203	MOS	28-Feb-23						LIFE LIMIT
SN:3161	HRS	0	20000		20000		19456.8	
	AFL	0	27000		27000		26449	
PROC. REF: AMM 12-B-27-40-01-00A-920A-APROC. REF: AMM 12-B-27-40-01-00A-920A-A								
27-40/307 LIFE LIMIT - PITCH TRIM ACTUATOR ATTACHMENT PARTS, FAIL-SAFE PLATES AND THEIR ATTACHMENT PARTS (IPD 12-20-00-07) Service ATA:27								
PN:978.73.14.203	MOS	28-Feb-23						LIFE LIMIT
SN:3161	HRS	0	10000		10000		9456.8	
	AFL	0						
PROC. REF: AMM 12-B-27-40-02-00A-920A-APROC. REF: AMM 12-B-27-40-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-40/508 PITCH TRIM ACTUATOR - OVERHAUL Service ATA:27								
PN:978.73.14.203	MOS	25-Feb-23	60		25-Feb-28		751 d	OVERHAUL
SN:3161	HRS	0	5000		5000		4456.8	
	AFL							
PROC. REF: AMM 12-B-27-40-01-00A-920A-APROC. REF: AMM 12-B-27-40-01-00A-920A-A								
27-40/529^S HORIZONTAL STABILIZER TRIM (MSN 2001 AND UP) - OPERATIONAL TEST OF TRIM INTERRUPT AND ALTERNATE TRIM SWITCHES Service ATA:27								
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	600 (+10%/-10%)					
	AFL	520						
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								
27-40/530^S HORIZONTAL STABILIZER TRIM (MSN 2001 AND UP) - OPERATIONAL TEST OF TRIM SYSTEM Service ATA:27								
	MOS	12-Feb-25						
	HRS	439.5	600 (+10%/-10%)					
	AFL							
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								
27-40/571^S HORIZONTAL STABILIZER TRIM (MSN 2001 AND UP) - FUNCTIONAL TEST OF TRIM SYSTEM Service ATA:27								
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	1200 (+10%/-10%)					
	AFL	520						
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								
27-50/143^S JOB SET UP - FLAPS - LOWER TO 40 DEGREES AS NECESSARY TO DO THE INSPECTION Service ATA:27								
	MOS/MSC	19-Mar-25	A/R					
	HRS	477.4						
	AFL	520						
PROC. REF: AMM 12-B-27-51-00-00A-310A-APROC. REF: AMM 12-B-27-51-00-00A-310A-A								

PKG:2

PKG:1

PKG:3

PKG:5 ,1,2,3,4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/253 ^S	FLAPS ELECTRICAL BONDING STRAPS - EXAMINE							Service	ATA:27
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PKG:3									
PROC. REF: AMM 12-B-27-30-00-00A-313A-APROC. REF: AMM 12-B-27-30-00-00A-313A-A									
27-50/254 ^S	FLAP MOTOR, ACTUATORS AND FLEXIBLE DRIVE SHAFTS - EXAMINE							Service	ATA:27
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PKG:3									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-50/255 ^S	FLAPS - FUNCTIONAL TEST AND ASYMMETRY MONITOR TEST							Service	ATA:27
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PKG:3									
PROC. REF: AMM 12-B-27-50-00-00A-903A-APROC. REF: AMM 12-B-27-50-00-00A-903A-A									
27-50/28	OVERHAUL FLAP POWER DRIVE UNIT							Service	ATA:27
PN:978.73.20.003	MOS	28-Feb-23						OVERHAUL	
SN:2062	HRS	0	10000 (+500/-500)		10000	10500	9456.8 (+500)		
	AFL	0	13500 (+500/-500)		13500	14000	12949 (+500)		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-50/386	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP MECHANISM - EXAMINE (CPCP)							Service	ATA:27
	MOS	28-Feb-23							
	HRS	0	T:30000		30000		29456.8		
	AFL	0	T:39000		39000		38449		
PROC. REF: AMM 12-B-27-51-00-00A-310A-APROC. REF: AMM 12-B-27-51-00-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/387	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP DRIVE ARM (NOT REMOVED) - EDDY CURRENT INSPECTION							Service	ATA:27
	MOS	28-Feb-23							
	HRS	0	T:25000		25000		24456.8		
	AFL	0	T:30000		30000		29449		
PROC. REF: AMM 12-B-27-51-00-00A-353A-APROC. REF: AMM 12-B-27-51-00-00A-353A-A									
27-50/388	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP DRIVE ARM (REMOVED) - EDDY CURRENT INSPECTION							Service	ATA:27
	MOS	28-Feb-23							
	HRS	0	T:30000		30000		29456.8		
	AFL	0	T:39000		39000		38449		
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A									
27-50/389	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP SUPPORT ARM - EDDY CURRENT INSPECTION							Service	ATA:27
	MOS	28-Feb-23							
	HRS	0	T:30000		30000		29456.8		
	AFL	0	T:39000		39000		38449		
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A									
27-50/390	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP COVE RIB FITTINGS - EDDY CURRENT INSPECTION							Service	ATA:27
	MOS	28-Feb-23							
	HRS	0	T:30000		30000		29456.8		
	AFL	0	T:39000		39000		38449		
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A									
27-50/391	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP AFT LINKS - EDDY CURRENT INSPECTION							Service	ATA:27
	MOS	28-Feb-23							
	HRS	0	T:30000		30000		29456.8		
	AFL	0	T:39000		39000		38449		
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A									
27-50/392	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP BELLCRANKS - EDDY CURRENT INSPECTION							Service	ATA:27
	MOS	28-Feb-23							
	HRS	0	T:30000		30000		29456.8		
	AFL	0	T:39000		39000		38449		
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/414		LIFE LIMIT - FLAP LH						Service	ATA:27
PN:557.50.12.007	MOS	28-Feb-23						LIFE LIMIT	
SN:7186	HRS	0	25000		25000		24456.8		
	AFL	0	30000		30000		29449		
PROC. REF: AMM 12-B-57-50-01-00A-920A-APROC. REF: AMM 12-B-57-50-01-00A-920A-A									
27-50/414		LIFE LIMIT - FLAP RH						Service	ATA:27
PN:557.50.12.008	MOS	28-Feb-23						LIFE LIMIT	
SN:7186	HRS	0	25000		25000		24456.8		
	AFL	0	30000		30000		29449		
PROC. REF: AMM 12-B-57-50-01-00A-920A-APROC. REF: AMM 12-B-57-50-01-00A-920A-A									
27-50/437		INBOARD FLAP DRIVE ARMS (P/N 527.52.12.153 OR P/N 527.52.12.154) - IN-SITU INSPECTION/ CHECK						Service	ATA:27
	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
	HRS	477.4	600 (+10%/-10%)		1077.4	1137.4	534.2 (+60)		
	AFL	520							
PROC. REF: AMM 12-B-27-51-00-00A-313A-APROC. REF: AMM 12-B-27-51-00-00A-313A-A									
27-50/451		LIFE LIMIT - LEFT INBOARD FLAP TENSION ROD						Service	ATA:27
PN:PN	MOS	28-Feb-23						LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000		20000		19456.8		
	AFL	0	27000		27000		26449		
PROC. REF: AMM 12-B-27-51-01-00A-920A-APROC. REF: AMM 12-B-27-51-01-00A-920A-A									
27-50/451		LIFE LIMIT - LEFT OUTBOARD FLAP TENSION ROD						Service	ATA:27
PN:PN	MOS	28-Feb-23						LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000		20000		19456.8		
	AFL	0	27000		27000		26449		
PROC. REF: AMM 12-B-27-51-03-00A-920A-APROC. REF: AMM 12-B-27-51-03-00A-920A-A									
27-50/451		LIFE LIMIT - RIGHT INBOARD FLAP TENSION ROD						Service	ATA:27
PN:PN	MOS	28-Feb-23						LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000		20000		19456.8		
	AFL	0	27000		27000		26449		
PROC. REF: AMM 12-B-27-51-01-00A-920A-APROC. REF: AMM 12-B-27-51-01-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/451		LIFE LIMIT - RIGHT OUTBOARD FLAP TENSION ROD						Service	ATA:27
PN:PN	MOS	28-Feb-23						LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000		20000		19456.8		
	AFL	0	27000		27000		26449		
PROC. REF: AMM 12-B-27-51-03-00A-920A-APROC. REF: AMM 12-B-27-51-03-00A-920A-A									
27-50/475 ^S		JOB CLOSE UP - FLAPS - RETRACT TO 0 DEGREES AS NECESSARY TO CLOSE THE INSPECTION						Service	ATA:27
	MOS/MSC	19-Mar-25	A/R						
	HRS	477.4							
	AFL	520							
PKG:5 ,1,2,3,4									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-50/485		LIFE LIMIT - LEFT INBOARD FLAP ACTUATOR (P/N 978.73.20.309) (BLACK ANODIZED)						Service	ATA:27
PN:978.73.20.309	MOS	28-Feb-23						LIFE LIMIT	
SN:8316	HRS	0	20000		20000		19456.8		
	AFL	0	27000		27000		26449		
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									
27-50/485		LIFE LIMIT - LEFT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED)						Service	ATA:27
PN:978.73.20.309	MOS	28-Feb-23						LIFE LIMIT	
SN:8323	HRS	0	20000		20000		19456.8		
	AFL	0	27000		27000		26449		
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									
27-50/485		LIFE LIMIT - RIGHT INBOARD FLAP ACTUATOR (BLACK ANODIZED)						Service	ATA:27
PN:978.73.20.309	MOS	28-Feb-23						LIFE LIMIT	
SN:8315	HRS	0	20000		20000		19456.8		
	AFL	0	27000		27000		26449		
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									
27-50/485		LIFE LIMIT - RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED)						Service	ATA:27
PN:978.73.20.309	MOS	28-Feb-23						LIFE LIMIT	
SN:8325	HRS	0	20000		20000		19456.8		
	AFL	0	27000		27000		26449		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/494 ^S FLAP ACTUATORS (BLACK ANODIZED) (P/N 978.73.20.309) - LUBRICATE Service ATA:27								
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	600 (+10%/-10%)					
	AFL	520						
PROC. REF: AMM 12-B-27-50-00-00A-902A-APROC. REF: AMM 12-B-27-50-00-00A-902A-A								
27-50/495 BACKLASH CHECK LEFT INBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309) Service ATA:27								
PN:978.73.20.309	MOS	19-Mar-25	24 (+10%/-10%)		19-Mar-27	31-May-27	408 d (+73)	
SN:8316	HRS	477.4	2400 (+10%/-10%)		2877.4	3117.4	2334.2 (+240)	
	AFL	520	3200 (+10%/-10%)		3720	4040	3169 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/495 BACKLASH CHECK LEFT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309) Service ATA:27								
PN:978.73.20.309	MOS	19-Mar-25	24 (+10%/-10%)		19-Mar-27	31-May-27	408 d (+73)	
SN:8323	HRS	477.4	2400 (+10%/-10%)		2877.4	3117.4	2334.2 (+240)	
	AFL	520	3200 (+10%/-10%)		3720	4040	3169 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/495 BACKLASH CHECK RIGHT INBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309) Service ATA:27								
PN:978.73.20.309	MOS	19-Mar-25	24 (+10%/-10%)		19-Mar-27	31-May-27	408 d (+73)	
SN:8315	HRS	477.4	2400 (+10%/-10%)		2877.4	3117.4	2334.2 (+240)	
	AFL	520	3200 (+10%/-10%)		3720	4040	3169 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/495 BACKLASH CHECK RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309) Service ATA:27								
PN:978.73.20.309	MOS	19-Mar-25	24 (+10%/-10%)		19-Mar-27	31-May-27	408 d (+73)	
SN:8325	HRS	477.4	2400 (+10%/-10%)		2877.4	3117.4	2334.2 (+240)	
	AFL	520	3200 (+10%/-10%)		3720	4040	3169 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/506		OVERHAUL LEFT INBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309)						Service	ATA:27
PN:978.73.20.309	MOS	28-Feb-23						OVERHAUL	
SN:8316	HRS	0	5000 (+500/-500)		5000	5500	4456.8 (+500)		
	AFL	0	7000 (+500/-500)		7000	7500	6449 (+500)		
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									
27-50/506		OVERHAUL LEFT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309)						Service	ATA:27
PN:978.73.20.309	MOS	28-Feb-23						OVERHAUL	
SN:8323	HRS	0	5000 (+500/-500)		5000	5500	4456.8 (+500)		
	AFL	0	7000 (+500/-500)		7000	7500	6449 (+500)		
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									
27-50/506		OVERHAUL RIGHT INBOARD FLAP ACTUATOR (BLACK ANODIZED)(P/N 978.73.20.309)						Service	ATA:27
PN:978.73.20.309	MOS	28-Feb-23						OVERHAUL	
SN:8315	HRS	0	5000 (+500/-500)		5000	5500	4456.8 (+500)		
	AFL	0	7000 (+500/-500)		7000	7500	6449 (+500)		
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									
27-50/506		OVERHAUL RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309)						Service	ATA:27
PN:978.73.20.309	MOS	28-Feb-23						OVERHAUL	
SN:8325	HRS	0	5000 (+500/-500)		5000	5500	4456.8 (+500)		
	AFL	0	7000 (+500/-500)		7000	7500	6449 (+500)		
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									
27-50/507		DISCARD LEFT INBOARD FLAP FLEXIBLE DRIVE SHAFT (P/N945.02.02.205)						Service	ATA:27
PN:945.02.02.205	MOS	28-Feb-23						DISCARD	
SN:S10593	HRS	0	10000 (+500/-500)		10000	10500	9456.8 (+500)		
	AFL	0	13500 (+500/-500)		13500	14000	12949 (+500)		
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A									
27-50/507		DISCARD LEFT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT (P/N 945.02.02.206)						Service	ATA:27
PN:945.02.02.206	MOS	28-Feb-23						DISCARD	
SN:S10577	HRS	0	10000 (+500/-500)		10000	10500	9456.8 (+500)		
	AFL	0	13500 (+500/-500)		13500	14000	12949 (+500)		
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/507 DISCARD RIGHT INBOARDFLAP FLEXIBLE DRIVE SHAFT (P/N945.02.02.205) Service ATA:27								
PN:945.02.02.205	MOS	28-Feb-23						DISCARD
SN:S10599	HRS	0	10000 (+500/-500)		10000	10500	9456.8 (+500)	
	AFL	0	13500 (+500/-500)		13500	14000	12949 (+500)	
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
27-50/507 DISCARD RIGHT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT (P/N945.02.02.206) Service ATA:27								
PN:945.02.02.206	MOS	28-Feb-23						DISCARD
SN:S10571	HRS	0	10000 (+500/-500)		10000	10500	9456.8 (+500)	
	AFL	0	13500 (+500/-500)		13500	14000	12949 (+500)	
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
27-50/531 ^S FLAPS AND FLAP SUPPORT MECHANISM (MSN 2001 AND UP) - EXAMINE Service ATA:27								
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	600 (+10%/-10%)					
	AFL	520						
PROC. REF: AMM 12-B-27-51-00-00A-310A-APROC. REF: AMM 12-B-27-51-00-00A-310A-A								
27-50/532 ^S FLAP UP AND DOWN LIMIT SWITCHES (MSN 2001 AND UP) - SERVICING Service ATA:27								
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	600 (+10%/-10%)					
	AFL	520						
PROC. REF: AMM 12-B-12-20-07-00A-902A-APROC. REF: AMM 12-B-12-20-07-00A-902A-A								
PC12A27150100 AILERON TRIM ACTUATOR, B561 Component ATA:27								
PN:978.73.18.138	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:2776B	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-15-01-00A-920A-APROC. REF: AMM 12-B-27-15-01-00A-920A-A								
PC12A27250100 RUDDER TRIM ACTUATOR, B381 Component ATA:27								
PN:978.73.18.138	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:2688B	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-27-25-01-00A-920A-APROC. REF: AMM 12-B-27-25-01-00A-920A-A								
PC12A27400100 PITCH TRIM ACTUATOR Component ATA:27								
PN:978.73.14.203	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:3161	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-40-01-00A-920A-APROC. REF: AMM 12-B-27-40-01-00A-920A-A								
PC12A27400200 TRIM ADAPTER SOLID STATE RELAY, A262XK1 Component ATA:27								
PN:974.20.01.503	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:S22240330	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A27400300 TRIM ADAPTER SOLID STATE RELAY, A262XK4 Component ATA:27								
PN:974.20.01.504	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:S21224916	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A27500100 FLAP CONTROL AND WARNING UNIT, A261 Component ATA:27								
PN:978.73.20.042	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:144584	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-05-00A-920A-APROC. REF: AMM 12-B-27-50-05-00A-920A-A								
PC12A27500200 FLAP POWER DRIVE UNIT Component ATA:27								
PN:978.73.20.003	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:2062	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-01-00A-920A-APROC. REF: AMM 12-B-27-50-01-00A-920A-A								
PC12A27500310 LEFT INBOARD FLAP FLEXIBLE DRIVE SHAFT Component ATA:27								
PN:945.02.02.205	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:S10593	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
PC12A27500320 RIGHT INBOARD FLAP FLEXIBLE DRIVE SHAFT Component ATA:27								
PN:945.02.02.205	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:S10599	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
PC12A27500410 LEFT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT Component ATA:27								
PN:945.02.02.206	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:S10577	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
PC12A27500420 RIGHT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT Component ATA:27								
PN:945.02.02.206	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:S10571	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
PC12A27500510 LEFT INBOARD FLAP ACTUATOR Component ATA:27								
PN:978.73.20.309	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:8316	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
PC12A27500520 RIGHT INBOARD FLAP ACTUATOR Component ATA:27								
PN:978.73.20.309	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:8315	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
PC12A27500610 LEFT OUTBOARD FLAP ACTUATOR Component ATA:27								
PN:978.73.20.309	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:8323	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 27 - FLIGHT CONTROLS

PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A

PC12A27500620 RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED) Component ATA:27							
PN:978.73.20.309	MOS/MSC	28-Feb-23	H/T	TSN 0			
SN:8325	HRS	0		TSN 0			
	AFL	0		TSN 0			

PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A

PC12A27500710 ROTATION TRANSMITTER, LH, MT532 Component ATA:27							
PN:978.73.20.602	MOS/MSC	28-Feb-23	O/C	TSN 0			
SN:3533	HRS	0		TSN 0			
	AFL	0		TSN 0			

PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A

PC12A27500720 ROTATION TRANSMITTER, RH, MT632 Component ATA:27							
PN:978.73.20.602	MOS/MSC	28-Feb-23	O/C	TSN 0			
SN:3538	HRS	0		TSN 0			
	AFL	0		TSN 0			

PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A

ATA 28 - FUEL

28-10/500 INWARD VENT VALVE - FUNCTIONAL TEST Service ATA:28							
MOS		19-Mar-25	12 (+10%/-10%)	19-Mar-26	25-Apr-26	43 d (+37)	
HRS		477.4	1200 (+10%/-10%)	1677.4	1797.4	1134.2 (+120)	
AFL		520					

PROC. REF: AMM 12-C-28-10-03-00A-903A-APROC. REF: AMM 12-C-28-10-03-00A-903A-A

28-10/501 OUTWARD VENT VALVE - OPERATIONAL TEST Service ATA:28							
MOS		19-Mar-25	24 (+10%/-10%)	19-Mar-27	31-May-27	408 d (+73)	
HRS		477.4	2400 (+10%/-10%)	2877.4	3117.4	2334.2 (+240)	
AFL		520					

PROC. REF: AMM 12-C-28-10-01-00A-903A-APROC. REF: AMM 12-C-28-10-01-00A-903A-A

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-10/533 ^S	FUEL TANK FILLER CAPS (MSN 2001 AND UP) - EXAMINE							Service	ATA:28
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:2									
28-10/534 ^S	FUEL (MSN 2001 AND UP) - REMOVE A SAMPLE FROM EACH DRAIN VALVE AND EXAMINE FOR WATER							Service	ATA:28
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:2									
28-10/639	CONTAMINATION ANALYSIS							Service	ATA:28
	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-C-28-00-00-00A-377A-A, AMM 12-C-28-00-00-01A-901A-APROC. REF: AMM 12-C-28-00-00-00A-377A-A, AMM 12-C-28-00-00-01A-901A-A									
28-10/645	FUEL TANK - VISUAL INSPECTION FOR CONTAMINATION							Service	ATA:28
	MOS	19-Mar-25	24 (+10%/-10%)		19-Mar-27	31-May-27	408 d (+73)		
	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-C-28-10-00-00A-310C-APROC. REF: AMM 12-C-28-10-00-00A-310C-A									
28-20/149 ^S	FIREWALL FUEL SHUT-OFF VALVE - OPERATE THE FUEL EMERGENCY SHUT-OFF LEVER AND MAKE SURE THE FIREWALL SHUT-OFF VALVE OPENS AND CLOSSES FULLY TO EACH DEAD STOP. MAKE SURE MOVEMENT IS FREE AND CHECK IF INITIAL PULL OUT FORCE AT THE LEVER OUTER END IS BELOW 44.5 N (10 IBF)							Service	ATA:28
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:2									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-20/256 ^S	FUEL SYSTEM COMPONENTS - EXAMINE AS FAR AS POSSIBLE WITH THOSE ACCESS PANELS OPENED/REMOVED IN THIS INSPECTION PACKAGE							Service	ATA:28
	MOS	19-Mar-25	24 (+10%/-10%)						
	HRS	477.4	2400 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4	
28-20/502	FUEL TANK VENT FLOAT VALVE AND FLAME ARRESTER - OPERATIONAL TEST							Service	ATA:28
	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
	HRS	477.4	600 (+10%/-10%)		1077.4	1137.4	534.2 (+60)		
	AFL	520							
PROC. REF: AMM 12-C-28-20-00-00A-903A-APROC. REF: AMM 12-C-28-20-00-00A-903A-A									
28-20/503	INSPECTION/CHECK FLAME ARRESTOR MESH SCREEN							Service	ATA:28
	MOS	28-Feb-23							
	HRS	0	4800 (+10%/-10%)		4800	5280	4256.8 (+480)		
	AFL	0							
PROC. REF: AMM 12-C-28-20-11-01A-313A-APROC. REF: AMM 12-C-28-20-11-01A-313A-A									
28-20/504 ^S	MOTIVE FLOW LINE INSULATION (INSIDE FUEL TANK) - INSPECTION/CHECK							Service	ATA:28
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-C-28-20-09-01A-313A-APROC. REF: AMM 12-C-28-20-09-01A-313A-A								PKG:3	
28-20/505 ^S	FUEL DELIVERY LINE (INSIDE FUEL TANK) - INSPECTION/CHECK							Service	ATA:28
	MOS	19-Mar-25	24 (+10%/-10%)						
	HRS	477.4	2400 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-C-28-20-10-00A-313A-APROC. REF: AMM 12-C-28-20-10-00A-313A-A								PKG:4	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC12A28200100 FIREWALL SHUT OFF VALVE Component ATA:28								
PN:963.87.22.302	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:0262	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-08-00A-920A-APROC. REF: AMM 12-C-28-20-08-00A-920A-A								
PC12A28200200 FUEL PRESSURE TRANSDUCER Component ATA:28								
PN:975.21.15.225	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:8752-8-350	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A28200310 BOOSTER PUMP, LH, B511 Component ATA:28								
PN:968.84.11.408	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:0511	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-04-00A-920A-APROC. REF: AMM 12-C-28-20-04-00A-920A-A								
PC12A28200320 BOOSTER PUMP, RH, B611 Component ATA:28								
PN:968.84.11.408	MOS/MSC	23-Jul-25	O/C	TSN 0	08-Apr-35 (M)		3350 d	
SN:1051	HRS	512.5		TSN 0				
	AFL	542		TSN 0				
PROC. REF: AMM 12-C-28-20-04-00A-920A-APROC. REF: AMM 12-C-28-20-04-00A-920A-A								
PC12A28200410 TRANSFER JET PUMP, LH Component ATA:28								
PN:968.84.71.112	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:0523	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-05-00A-920A-APROC. REF: AMM 12-C-28-20-05-00A-920A-A								
PC12A28200420 TRANSFER JET PUMP, RH Component ATA:28								
PN:968.84.71.112	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:0528	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-05-00A-920A-APROC. REF: AMM 12-C-28-20-05-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC12A28200510 DELIVERY AND TRANSFER JET PUMP, LH								Component ATA:28
PN:968.84.71.113	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:0353	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-06-00A-920A-APROC. REF: AMM 12-C-28-20-06-00A-920A-A								
PC12A28200520 DELIVERY AND TRANSFER JET PUMP, RH								Component ATA:28
PN:968.84.71.113	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:0352	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-06-00A-920A-APROC. REF: AMM 12-C-28-20-06-00A-920A-A								
PC12A28200610 MOTIVE FLOW NON RETURN VALVE, LH								Component ATA:28
PN:963.82.21.319	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:0483	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-09-00A-920A-APROC. REF: AMM 12-C-28-20-09-00A-920A-A								
PC12A28200620 MOTIVE FLOW NON RETURN VALVE, RH								Component ATA:28
PN:963.82.21.319	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:0479	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-09-00A-920A-APROC. REF: AMM 12-C-28-20-09-00A-920A-A								
PC12A28200710 INWARD VENT NON RETURN VALVE, LH								Component ATA:28
PN:963.04.26.520	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:RJ4-5366	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-10-03-00A-920A-APROC. REF: AMM 12-C-28-10-03-00A-920A-A								
PC12A28200720 INWARD VENT NON RETURN VALVE, RH								Component ATA:28
PN:963.04.26.520	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:RJ4-5377	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-10-03-00A-920A-APROC. REF: AMM 12-C-28-10-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
PC12A28400100		FUEL CONTROL MONITOR UNIT, A240					Component	ATA:28	
PN:975.37.31.340	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:355	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-28-40-04-00A-920A-APROC. REF: AMM 12-C-28-40-04-00A-920A-A									
PC12A28400210		FUEL QUANTITY HARNESS, LH, A531					Component	ATA:28	
PN:975.37.31.335	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:2735	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A28400220		FUEL QUANTITY HARNESS, RH, A631					Component	ATA:28	
PN:975.37.31.335	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:2758	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A28400310		FUEL QUANTITY SENSOR, COLLECTOR, LH					Component	ATA:28	
PN:975.37.31.250	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:3478	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A									
PC12A28400320		FUEL QUANTITY SENSOR, COLLECTOR, RH					Component	ATA:28	
PN:975.37.31.250	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:3532	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A									
PC12A28400410		FUEL QUANTITY SENSOR, INNER, LH					Component	ATA:28	
PN:975.37.31.251	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:3501	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC12A28400420 FUEL QUANTITY SENSOR, INNER, RH								Component ATA:28
PN:975.37.31.251	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:3509	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400510 FUEL QUANTITY SENSOR, CENTER, LH								Component ATA:28
PN:975.37.31.252	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:3651	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400520 FUEL QUANTITY SENSOR, CENTER, RH								Component ATA:28
PN:975.37.31.252	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:3656	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400610 FUEL QUANTITY SENSOR, OUTER, LH								Component ATA:28
PN:975.37.31.253	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:3740	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400620 FUEL QUANTITY SENSOR, OUTER, RH								Component ATA:28
PN:975.37.31.253	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:3741	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
ATA 30 - ICE AND RAIN PROTECTION								
30-10/155 ^S INERTIAL SEPARATION SYSTEM - OPERATIONAL TEST								Service ATA:30
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	600 (+10%/-10%)					
	AFL	520						

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
PROC. REF: AMM 12-B-30-20-00-00A-903A-APROC. REF: AMM 12-B-30-20-00-00A-903A-A									
30-10/260 ^S	AIRFOIL DE-ICE SYSTEM - FUNCTIONAL TEST							Service	ATA:30
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-C-30-10-00-00A-903A-APROC. REF: AMM 12-C-30-10-00-00A-903A-A									
30-10/536 ^S	WING AND HORIZONTAL STABILIZER AIRFOIL DE-ICE BOOTS (MSN 2001 AND UP) - INSPECTION/CHECK							Service	ATA:30
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-30-10-00-00A-313A-APROC. REF: AMM 12-B-30-10-00-00A-313A-A									
30-10/79	APPLY AIRFOIL DE-ICERS A SURFACE COATING OF AGE MASTER NO. 1							Service	ATA:30
	MOS	19-Mar-25	6 (+10%/-10%)		19-Sep-25	07-Oct-25	OVD		
	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-B-30-10-00-00A-313A-APROC. REF: AMM 12-B-30-10-00-00A-313A-A									
30-20/261 ^S	AIR BY-PASS DOOR AND OPERATING MECHANISM - EXAMINE AND LUBRICATE WITH MINIMUM QUANTITY OF CPC (P10-001)							Service	ATA:30
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
30-20/537 ^S	ENGINE AIR INTAKE DE-ICE LIP (MSN 2001 AND UP) - EXAMINE AND LOOK FOR SIGNS OF GAS LEAKS-NONE ARE PERMITTED							Service	ATA:30
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-30/329 ^S	PROBES DE-ICE SYSTEM - FUNCTIONAL TEST							Service	ATA:30
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-30-30-20-00A-903A-APROC. REF: AMM 12-B-30-30-20-00A-903A-A									
PKG:2									
30-40/262 ^S	WINDSHIELD DE-ICE SYSTEM - OPERATIONAL TEST							Service	ATA:30
	MOS	19-Mar-25	24 (+10%/-10%)						
	HRS	477.4	2400 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-30-40-00-00A-903A-APROC. REF: AMM 12-B-30-40-00-00A-903A-A									
PKG:4									
30-60/158 ^S	PROPELLER DE-ICE SYSTEM - INSPECTION/CHECK							Service	ATA:30
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-30-60-00-00A-313B-APROC. REF: AMM 12-B-30-60-00-00A-313B-A									
PKG:2									
30-60/159 ^S	PROPELLER DE-ICE SYSTEM - OPERATIONAL TEST							Service	ATA:30
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-30-60-00-00A-903B-A, AMM 12-B-30-60-00-00A-903D-APROC. REF: AMM 12-B-30-60-00-00A-903B-A, AMM 12-B-30-60-00-00A-903D-A									
PKG:2									
PC12A30100100	AIRFOIL DE-ICE SYSTEM TIMER, A230							Component	ATA:30
PN:959.89.01.044	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:UB040	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-30-10-03-00A-920A-APROC. REF: AMM 12-B-30-10-03-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC12A30100200 PRESSURE REGULATOR								Component ATA:30
PN:959.89.01.012	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:N300117	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-01-00A-920A-APROC. REF: AMM 12-B-30-10-01-00A-920A-A								
PC12A30100300 WATER SEPARATOR								Component ATA:30
PN:959.89.01.010	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:N300129	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A30100410 EJECTOR FLOW CONTROL VALVE (FCV), INBD, UPPER, L605								Component ATA:30
PN:959.89.01.008	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:N300756	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
PC12A30100420 EJECTOR FLOW CONTROL VALVE (FCV), INBD, LOWER, L606								Component ATA:30
PN:959.89.01.008	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:N300757	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
PC12A30100430 EJECTOR FLOW CONTROL VALVE (FCV), OUTBD, UPPER, L600								Component ATA:30
PN:959.89.01.008	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:N300753	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
PC12A30100440 EJECTOR FLOW CONTROL VALVE (FCV), OUTBD, LOWER, L601								Component ATA:30
PN:959.89.01.008	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:N300754	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC12A30100450 EJECTOR FLOW CONTROL VALVE (FCV), HORIZ STAB, L602								Component ATA:30
PN:959.89.01.008	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:N300759	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
PC12A30100510 PRESSURE SWITCH, INBD, UPPER, S600								Component ATA:30
PN:973.81.14.312	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:12011	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								
PC12A30100520 PRESSURE SWITCH, INBD, LOWER, S601								Component ATA:30
PN:973.81.14.312	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:12009	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								
PC12A30100530 PRESSURE SWITCH, OUTBD, UPPER, S603								Component ATA:30
PN:973.81.14.312	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:12074	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								
PC12A30100540 PRESSURE SWITCH, OUTBD, LOWER, S602								Component ATA:30
PN:973.81.14.312	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:12071	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								
PC12A30100550 PRESSURE SWITCH, HORIZ STAB, S380								Component ATA:30
PN:973.81.14.312	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:12030	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC12A30140100 DE-ICING BOOT, WING, INBD, LH								Component ATA:30
PN:959.89.01.037	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:NGI0590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-14-01-00A-920A-APROC. REF: AMM 12-C-30-14-01-00A-920A-A								
PC12A30140200 DE-ICING BOOT, WING, INBD, RH								Component ATA:30
PN:959.89.01.038	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:NGI9170	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-14-01-00A-920A-APROC. REF: AMM 12-C-30-14-01-00A-920A-A								
PC12A30140300 DE-ICING BOOT, WING, OUTBD, LH								Component ATA:30
PN:959.89.01.039	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:NGI0220	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-14-01-00A-920A-APROC. REF: AMM 12-C-30-14-01-00A-920A-A								
PC12A30140400 DE-ICING BOOT, WING, OUTBD, RH								Component ATA:30
PN:959.89.01.040	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:NGI8810	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-14-01-00A-920A-APROC. REF: AMM 12-C-30-14-01-00A-920A-A								
PC12A30160100 DE-ICING BOOT, HORIZONTAL STABILIZER, LH								Component ATA:30
PN:959.89.01.041	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:NGI8930	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-16-01-00A-920A-APROC. REF: AMM 12-C-30-16-01-00A-920A-A								
PC12A30160200 DE-ICING BOOT, HORIZONTAL STABILIZER, RH								Component ATA:30
PN:959.89.01.042	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:NGI9820	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-16-01-00A-920A-APROC. REF: AMM 12-C-30-16-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
PC12A30200100		INERTIAL SEPARATOR ACTUATOR					Component ATA:30		
PN:978.73.15.302	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:F71570	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-30-20-01-00A-920A-APROC. REF: AMM 12-B-30-20-01-00A-920A-A									
PC12A30300110		AOA PLATE TEMPERATURE CONTROLLER, LH, A578					Component ATA:30		
PN:975.44.21.418	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:UK006	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-30-30-21-00A-920A-APROC. REF: AMM 12-B-30-30-21-00A-920A-A									
PC12A30300120		AOA PLATE TEMPERATURE CONTROLLER, RH, A678					Component ATA:30		
PN:975.44.21.418	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:UK000	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-30-30-21-00A-920A-APROC. REF: AMM 12-B-30-30-21-00A-920A-A									
PC12A30300210		CURRENT SENSOR, DE-ICE PANEL, LH S2351					Component ATA:30		
PN:974.29.00.205	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:5503	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A30300220		CURRENT SENSOR, DE-ICE PANEL, RH S2341					Component ATA:30		
PN:974.29.00.205	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:5493	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A30400110		WINDSHIELD DE-ICE CONTROLLER, LH, A111					Component ATA:30		
PN:972.81.32.202	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:145689	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-30-40-01-00A-920A-APROC. REF: AMM 12-B-30-40-01-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC12A30400120 WINDSHIELD DE-ICE CONTROLLER, RH, A112								Component ATA:30
PN:972.81.32.202	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:145694	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-40-01-00A-920A-APROC. REF: AMM 12-B-30-40-01-00A-920A-A								
PC12A30600100 PROPELLER DE-ICE TIMER, A030								Component ATA:30
PN:968.29.13.227	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:U4787	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-60-01-00A-920A-APROC. REF: AMM 12-B-30-60-01-00A-920A-A								
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-30/421 ^S LDR (IF INSTALLED) - OPERATIONAL TEST								Service ATA:31
PN:985.99.20.127	MOS	19-Mar-25	12 (+10%/-10%)					
SN:002087898	HRS	477.4	1200 (+10%/-10%)					
	AFL	520						
PROC. REF: AMM 12-C-31-30-01-00A-903A-APROC. REF: AMM 12-C-31-30-01-00A-903A-A								
PC12A31100100 OVERHEAD CONTROL PANEL, A140								Component ATA:31
PN:972.81.21.168	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:0255	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-10-00-00A-920A-APROC. REF: AMM 12-B-31-10-00-00A-920A-A								
PC12A31120100 CROSSBAR PANEL, INNER, LH								Component ATA:31
PN:972.81.21.143	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:1211	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31120200 CROSSBAR PANEL, INNER, RH								Component ATA:31
PN:972.81.21.162	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:0245	HRS	0		TSN 0				
	AFL	0		TSN 0				

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31130100 CENTRE CONSOLE PANEL, FRONT Component ATA:31								
PN:972.81.21.165	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:0240	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31130200 CENTRE CONSOLE PANEL, MIDDLE Component ATA:31								
PN:972.81.21.159	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:0244	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-76-10-00-00A-920A-APROC. REF: AMM 12-C-76-10-00-00A-920A-A								
PC12A31130300 CENTRE CONSOLE PANEL, REAR Component ATA:31								
PN:972.81.21.167	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:0132	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-33-10-02-00A-920A-APROC. REF: AMM 12-C-33-10-02-00A-920A-A								
PC12A31300100 COCKPIT VOICE & FLIGHT DATA RECORDER (CVFDR), A361 Component ATA:31								
PN:985.99.20.127	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:002087898	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-30-01-00A-920A-APROC. REF: AMM 12-B-31-30-01-00A-920A-A								
PC12A31300200 AREA MICROPHONE, COCKPIT, A118 Component ATA:31								
PN:985.99.20.188	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:100005494	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-30-02-00A-920A-APROC. REF: AMM 12-B-31-30-02-00A-920A-A								
PC12A31410100 MODULAR AVIONICS UNIT HOUSING, A200 Component ATA:31								
PN:985.99.11.966	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:2210C776	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PROC. REF: AMM 12-C-31-41-00-00A-920A-APROC. REF: AMM 12-C-31-41-00-00A-920A-A								
PC12A31410210 AIRCRAFT PERSONALITY MODULE (APM) 1, LH, A201 Component ATA:31								
PN:985.83.14.204	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:40862624	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31410220 AIRCRAFT PERSONALITY MODULE (APM) 2, RH, A202 Component ATA:31								
PN:985.83.14.204	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:40862626	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31420100 POWER SUPPLY MODULE (PS) 1 Component ATA:31								
PN:985.99.12.346	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:22102953	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420200 NETWORK INTERFACE CONTROLLER (NIC) 1 Component ATA:31								
PN:985.99.12.434	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:2211Y214	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420300 ADVANCED GRAPHIC MODULE (AGM) 1A Component ATA:31								
PN:985.99.12.276	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:22115645	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420400 CUSTOM INPUT/OUTPUT (CSIO) MODULE Component ATA:31								
PN:985.99.12.251	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:22102917	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420500 ACTUATOR-INPUT/OUTPUT-PROCESSOR (AIOP) 1A MODULE Component ATA:31								
PN:985.99.12.190	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:2210Y254	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420600 ACTUATOR-INPUT/OUTPUT-PROCESSOR (AIOP) 2B MODULE Component ATA:31								
PN:985.99.12.190	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:2210Y259	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420700 DUAL GENERIC INPUT/OUTPUT (DGIO) MODULE Component ATA:31								
PN:985.99.12.252	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:22123763	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420800 ADVANCED GRAPHIC MODULE (AGM) 2B Component ATA:31								
PN:985.99.12.276	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:22125654	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420900 CONTROL INPUT/OUTPUT MODULE (CIO) Component ATA:31								
PN:985.99.12.028	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:22082681	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31421000 ENHANCED GROUND PROXIMITY WARNING SYSTEM (EGPWF) MODULE Component ATA:31								
PN:985.99.12.001	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:22106086	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31421100 NETWORK INTERFACE CONTROLLER (NIC) 2								Component ATA:31
PN:985.99.12.434	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:2211Y248	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31421200 POWER SUPPLY MODULE (PS) 2								Component ATA:31
PN:985.99.12.346	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:22102962	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
ATA 32 - LANDING GEAR								
32-10/162 ^S MAIN LANDING GEAR - LUBRICATE								Service ATA:32
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	600 (+10%/-10%)					
	AFL	520						
PROC. REF: AMM 12-B-12-20-04-00A-902A-APROC. REF: AMM 12-B-12-20-04-00A-902A-A								
32-10/163 ^S MAIN LANDING GEAR LEGS - EXAMINE								Service ATA:32
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	600 (+10%/-10%)					
	AFL	520						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-10/164 ^S MAIN LANDING GEAR COMPARTMENTS - EXAMINE								Service ATA:32
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	600 (+10%/-10%)					
	AFL	520						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

PKG:2

PKG:2

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/165 ^S	MAIN LANDING GEAR SHOCK STRUTS - CHECK NITROGEN PRESSURE							Service	ATA:32
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-32-10-00-00A-902A-APROC. REF: AMM 12-B-32-10-00-00A-902A-A									
PKG:2									
32-10/263 ^S	MAIN LANDING GEAR ELECTRICAL BONDING STRAPS - EXAMINE							Service	ATA:32
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:3									
32-10/315	MAIN LANDING GEAR HINGE PIN AND BUSHES - INSPECTION/CHECK							Service	ATA:32
	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
	HRS	477.4	2400 (+10%/-10%)		2877.4	3117.4	2334.2 (+240)		
	AFL	520							
PROC. REF: AMM 12-B-32-10-00-00A-313B-APROC. REF: AMM 12-B-32-10-00-00A-313B-A									
32-10/346	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - LEFT MLG YOKE FITTING O (ELECTRO MECHANICAL LANDING GEAR) OVERHAUL AND EDDY CURRENT INSPECTION (CPCP)							Service	ATA:32
PN:PN	MOS	28-Feb-23						OVERHAUL	
SN:UNKNOWN	HRS	0	T:25000		25000		24456.8		
	AFL	0	T:30000		30000		29449		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-10/346	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RIGHT MLG YOKE FITTING (ELECTRO MECHANICAL LANDING GEAR) OVERHAUL AND EDDY CURRENT INSPECTION (CPCP)							Service	ATA:32
PN:PN	MOS	28-Feb-23						OVERHAUL	
SN:UNKNOWN	HRS	0	T:25000		25000		24456.8		
	AFL	0	T:30000		30000		29449		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/347 SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - LEFT MLG TRAILING LINK OVERHAUL AND EDDY CURRENT INSPECTION (CPCP) Service ATA:32								
PN:PN	MOS	28-Feb-23						OVERHAUL
SN:UNKNOWN	HRS	0	T:25000		25000		24456.8	
	AFL	0	T:30000		30000		29449	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-10/347 SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RIGHT MLG TRAILING LINK OVERHAUL AND EDDY CURRENT INSPECTION (CPCP) Service ATA:32								
PN:PN	MOS	28-Feb-23						OVERHAUL
SN:UNKNOWN	HRS	0	T:25000		25000		24456.8	
	AFL	0	T:30000		30000		29449	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-10/436 MAIN LANDING GEAR SHOCK ABSORBER TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE Service ATA:32								
	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)	
	HRS	477.4						
	AFL	520						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/438 LH MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT - EXAMINE Service ATA:32								
	MOS	28-Feb-23	72		28-Feb-29		1120 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/438 RH MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT - EXAMINE Service ATA:32								
	MOS	28-Feb-23	72		28-Feb-29		1120 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/439 LH MAIN LANDING GEAR SPRING PACK ASSEMBLY TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE Service ATA:32								
	MOS	28-Feb-23	72		28-Feb-29		1120 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/439	RH MAIN LANDING GEAR SPRING PACK ASSEMBLY TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service	ATA:32
	MOS	28-Feb-23	72		28-Feb-29		1120 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A									
32-10/440	LH MAIN LANDING GEAR FOLDING STRUT TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service	ATA:32
	MOS	28-Feb-23	72		28-Feb-29		1120 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A									
32-10/440	RH MAIN LANDING GEAR FOLDING STRUT TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service	ATA:32
	MOS	28-Feb-23	72		28-Feb-29		1120 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A									
32-10/441	LH MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS - EXAMINE							Service	ATA:32
	MOS	28-Feb-23	120		28-Feb-33		2581 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A									
32-10/441	RH MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS - EXAMINE							Service	ATA:32
	MOS	28-Feb-23	120		28-Feb-33		2581 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A									
32-10/80	LEFT MAIN LANDING GEAR WHEEL BEARINGS - LUBRICATE							Service	ATA:32
PN:532.45.12.066	MOS/MSC	19-Mar-25	12 (+10%/-10%) / T/C		19-Mar-26	25-Apr-26	43 d (+37)		
SN:5028	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/80 NOSE LANDING GEAR WHEEL BEARINGS - LUBRICATE Service ATA:32								
PN:532.41.12.003	MOS/MSC	19-Mar-25	12 (+10%/-10%) / T/C		19-Mar-26	25-Apr-26	43 d (+37)	
SN:2365	HRS	477.4						
	AFL	520						
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A								
32-10/80 RIGHT MAIN LANDING GEAR WHEEL BEARINGS - LUBRICATE Service ATA:32								
PN:532.45.12.066	MOS/MSC	19-Mar-25	12 (+10%/-10%) / T/C		19-Mar-26	25-Apr-26	43 d (+37)	
SN:2106	HRS	477.4						
	AFL	520						
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A								
32-20/166 ^S NOSE LANDING GEAR SHOCK STRUT - CHECK NITROGEN PRESSURE Service ATA:32								
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	600 (+10%/-10%)					
	AFL	520						
PROC. REF: AMM 12-B-32-20-00-00A-902A-APROC. REF: AMM 12-B-32-20-00-00A-902A-A								
32-20/167 ^S NOSE LANDING GEAR - LUBRICATE Service ATA:32								
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	600 (+10%/-10%)					
	AFL	520						
PROC. REF: AMM 12-B-12-20-04-00A-902A-APROC. REF: AMM 12-B-12-20-04-00A-902A-A								
32-20/168 ^S NOSE LANDING GEAR LEG AND STEERING MECHANISM - EXAMINE, IN PARTICULAR THE STEERING ROD END (P/N 532.20.12.134) FOR THE COMPLETE RETENTION OF BEARING INTO THE STEERING ROD END HOUSING. Service ATA:32								
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	600 (+10%/-10%)					
	AFL	520						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

PKG:2

PKG:2

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-20/169 ^S NOSE LANDING GEAR COMPARTMENT - EXAMINE Service ATA:32								
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	600 (+10%/-10%)					
	AFL	520						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-20/265 ^S NOSE LANDING GEAR ELECTRICAL BONDING STRAPS - EXAMINE Service ATA:32								
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	1200 (+10%/-10%)					
	AFL	520						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-20/403 SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - NLG - OVERHAUL Service ATA:32								
PN:532.20.12.045	MOS	28-Feb-23						OVERHAUL
SN:VLG1366	HRS	0	T:25000 (+500/-500)		25000	25500	24456.8 (+500)	
	AFL	0	T:30000 (+500/-500)		30000	30500	29449 (+500)	
PROC. REF: GENERIC CMM, CMM 32-20-05PROC. REF: GENERIC CMM, CMM 32-20-05								
32-20/416 LIFE LIMIT - NLG UPPER RIGHT HAND DRAG LINK Service ATA:32								
PN:PN	MOS	28-Feb-23						LIFE LIMIT
SN:UNKNOWN	HRS	0	25000		25000		24456.8	
	AFL	0	30000		30000		29449	
PROC. REF: AMM 12-B-32-20-05-00A-920B-APROC. REF: AMM 12-B-32-20-05-00A-920B-A								
32-30/423 LIFE LIMIT - LEFT MAIN LANDING GEAR ACTUATOR – ELECTRO MECHANICAL LANDING GEAR Service ATA:32								
PN:959.56.01.853	MOS	28-Feb-23						LIFE LIMIT
SN:1567	HRS	0						
	AFL	0	30000		30000		29449	
PROC. REF: AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-01-00A-920B-A								
32-30/423 LIFE LIMIT - NOSE LANDING GEAR ACTUATOR – ELECTRO MECHANICAL LANDING GEAR Service ATA:32								
PN:959.56.01.852	MOS	28-Feb-23						LIFE LIMIT
SN:774	HRS	0						
	AFL	0	30000		30000		29449	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
PROC. REF: AMM 12-B-32-30-02-00A-920B-APROC. REF: AMM 12-B-32-30-02-00A-920B-A									
32-30/423	LIFE LIMIT - RIGHT MAIN LANDING GEAR ACTUATOR – ELECTRO MECHANICAL LANDING GEAR							Service	ATA:32
PN:959.56.01.853	MOS	28-Feb-23						LIFE LIMIT	
SN:1558	HRS	0							
	AFL	0	30000		30000		29449		
PROC. REF: AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-01-00A-920B-A									
32-30/424	EMERGENCY GEAR EXTENSION SYSTEM (ELECTRO MECHANICAL LANDING GEAR) - OPERATIONAL TEST							Service	ATA:32
	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
	HRS	477.4	2000		2477.4		1934.2		
	AFL	520							
PROC. REF: AMM 12-B-32-30-10-00A-903A-APROC. REF: AMM 12-B-32-30-10-00A-903A-A									
32-30/425 ^S	ELECTRO MECHANICAL EXTENSION AND RETRACTION MECHANISM - EXAMINE ALL COMPONENTS AND THEIR ATTACHMENTS IN THE NOSE AND MAIN LANDING GEAR COMPARTMENTS							Service	ATA:32
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-30/426	TIME DELAY RELAYS AND POWER CONTACTOR (ELECTRO MECHANICAL LANDING GEAR) - FUNCTIONAL TEST							Service	ATA:32
	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
	HRS	477.4	2000		2477.4		1934.2		
	AFL	520							
PROC. REF: AMM 12-B-32-30-08-00A-903A-APROC. REF: AMM 12-B-32-30-08-00A-903A-A									
32-30/429	MAIN LANDING GEAR SPRING STRUT (ELECTRO MECHANICAL LANDING GEAR) - EXAMINE THE SPRINGS							Service	ATA:32
	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
	HRS	477.4	2000		2477.4		1934.2		
	AFL	520							
PROC. REF: AMM 12-B-32-10-06-00A-313A-APROC. REF: AMM 12-B-32-10-06-00A-313A-A									

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-30/435 LEFT MAIN LANDING GEAR ELECTRO MECHANICAL ACTUATORS ANTI-ROTATION PADS - DISCARD								
PN:959.56.01.853	MOS	28-Feb-23						Service ATA:32
SN:1567	HRS	0						DISCARD
	AFL	0	12000 (+500/-500)		12000	12500	11449 (+500)	
PROC. REF: AMM 12-B-32-30-01-01A-920B-APROC. REF: AMM 12-B-32-30-01-01A-920B-A								
32-30/435 NOSE LANDING GEAR ELECTRO MECHANICAL ACTUATORS ANTI-ROTATION PADS - DISCARD								
PN:959.56.01.852	MOS	28-Feb-23						Service ATA:32
SN:774	HRS	0						DISCARD
	AFL	0	12000 (+500/-500)		12000	12500	11449 (+500)	
PROC. REF: AMM 12-B-32-30-02-01A-920B-APROC. REF: AMM 12-B-32-30-02-01A-920B-A								
32-30/435 RIGHT MAIN LANDING GEAR ELECTRO MECHANICAL ACTUATORS ANTI-ROTATION PADS - DISCARD								
PN:959.56.01.853	MOS	28-Feb-23						Service ATA:32
SN:1558	HRS	0						DISCARD
	AFL	0	12000 (+500/-500)		12000	12500	11449 (+500)	
PROC. REF: AMM 12-B-32-30-01-01A-920B-APROC. REF: AMM 12-B-32-30-01-01A-920B-A								
32-30/442 LEFT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE								
PN:959.56.01.853	MOS	28-Feb-23	72		28-Feb-29		1120 d	Service ATA:32
SN:1567	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-30/442 RIGHT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE								
PN:959.56.01.853	MOS	28-Feb-23	72		28-Feb-29		1120 d	Service ATA:32
SN:1558	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-40/171 ^S MAIN WHEELS - EXAMINE. ROTATE WHEELS, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS								
	MOS	19-Mar-25	12 (+10%/-10%)					Service ATA:32
	HRS	477.4	600 (+10%/-10%)					
	AFL	520						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-40/173 ^S	NOSE WHEEL - EXAMINE . ROTATE WHEEL, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service	ATA:32
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:2									
32-40/538 ^S	MAIN WHEEL TIRES (MSN 2001 AND UP) - EXAMINE AND CHECK TIRE PRESSURE							Service	ATA:32
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-12-10-04-00A-902A-APROC. REF: AMM 12-B-12-10-04-00A-902A-A									
PKG:2									
32-40/539 ^S	NOSE WHEEL TIRE (MSN 2001 AND UP) - EXAMINE AND CHECK TIRE PRESSURE							Service	ATA:32
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-12-10-04-00A-902A-APROC. REF: AMM 12-B-12-10-04-00A-902A-A									
PKG:2									
32-40/540 ^S	BRAKE SYSTEM (MSN 2001 AND UP) - APPLY THE PARKING BRAKE. EXAMINE THE BRAKE UNITS. MAKE SURE THAT PAD WEAR INDICATORS PROTRUDE FROM HOUSING.							Service	ATA:32
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:2									
32-40/541 ^S	FLUID RESERVOIR (MSN 2001 AND UP) - CHECK AND REPLENISH, IF NECESSARY							Service	ATA:32
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-12-10-02-00A-902A-APROC. REF: AMM 12-B-12-10-02-00A-902A-A									
PKG:2									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-50/404	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - NLG STEERING MECHANISM - EXAMINE							Service	ATA:32
	MOS	28-Feb-23							
	HRS	0	T:32500 (+500/-500)		32500	33000	31956.8 (+500)		
	AFL	0	T:42000 (+500/-500)		42000	42500	41449 (+500)		
PROC. REF: AMM 12-B-32-50-00-00A-310A-APROC. REF: AMM 12-B-32-50-00-00A-310A-A									
PC12A32100100 LEFT MAIN LANDING GEAR									
PN:532.10.12.055	MOS/MSC	17-Feb-23	O/C	TSN 0				Component ATA:32	
SN:VLG1343	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-32-10-02-00A-920B-APROC. REF: AMM 12-B-32-10-02-00A-920B-A									
PC12A32100110 SHOCK ABSORBER ASSEMBLY, LH									
PN:532.10.12.230	MOS/MSC	22-Mar-24	O/C	TSN 13, TSR 0				Component ATA:32	
SN:VLG1915	HRS	291		TSN 291, TSR 0					
	AFL	404		TSN 404, TSR 0					
PROC. REF: AMM 12-B-32-10-03-00A-920B-APROC. REF: AMM 12-B-32-10-03-00A-920B-A									
PC12A32100200 RIGHT MAIN LANDING GEAR									
PN:532.10.12.056	MOS/MSC	17-Feb-23	O/C	TSN 0				Component ATA:32	
SN:VLG1361	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-32-10-02-00A-920B-APROC. REF: AMM 12-B-32-10-02-00A-920B-A									
PC12A32100210 SHOCK ABSORBER ASSEMBLY, RH									
PN:532.10.12.230	MOS/MSC	22-Mar-24	O/C	TSN 13, TSR 0				Component ATA:32	
SN:VLG1952	HRS	291		TSN 291, TSR 0					
	AFL	404		TSN 404, TSR 0					
PROC. REF: AMM 12-B-32-10-03-00A-920B-APROC. REF: AMM 12-B-32-10-03-00A-920B-A									
PC12A32100310 SPRING STRUT, LH									
PN:532.34.12.120	MOS/MSC	28-Feb-23	O/C	TSN 0				Component ATA:32	
SN:1535	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-32-50-02-00A-920A-APROC. REF: AMM 12-B-32-50-02-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32100320 SPRING STRUT, RH								Component ATA:32
PN:532.34.12.120	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:1529	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-50-02-00A-920A-APROC. REF: AMM 12-B-32-50-02-00A-920A-A								
PC12A32200100 NOSE LANDING GEAR								Component ATA:32
PN:532.20.12.045	MOS/MSC	17-Feb-23	O/C	TSN 0				
SN:VLG1366	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-20-02-00A-920B-APROC. REF: AMM 12-B-32-20-02-00A-920B-A								
PC12A32200110 NOSE LANDING GEAR STRUT ASSEMBLY								Component ATA:32
PN:532.20.12.046	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:VLG1366	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-20-03-00A-920B-APROC. REF: AMM 12-B-32-20-03-00A-920B-A								
PC12A32200120 SPRING PACK ASSEMBLY								Component ATA:32
PN:532.20.12.305	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:VLG331	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A32200130 SHIMMY DAMPER ASSEMBLY								Component ATA:32
PN:532.20.12.243	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:VLG063	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-50-01-00A-920A-APROC. REF: AMM 12-B-32-50-01-00A-920A-A								
PC12A32300110 LEFT MAIN LANDING GEAR ACTUATOR								Component ATA:32
PN:959.56.01.853	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:1567	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-01-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
PC12A32300120		RIGHT MAIN LANDING GEAR ACTUATOR					Component	ATA:32	
PN:959.56.01.853	MOS/MSC	28-Feb-23	H/T	TSN 0					
SN:1558	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-01-00A-920B-A									
PC12A32300200		NOSE LANDING GEAR ACTUATOR					Component	ATA:32	
PN:959.56.01.852	MOS/MSC	28-Feb-23	H/T	TSN 0					
SN:774	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-32-30-02-00A-920B-APROC. REF: AMM 12-B-32-30-02-00A-920B-A									
PC12A32300300		EMERGENCY GEAR HANDLE					Component	ATA:32	
PN:959.56.01.838	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:00973	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-32-30-10-01A-920A-APROC. REF: AMM 12-B-32-30-10-01A-920A-A									
PC12A32300400		EMERGENCY GEAR CABLE, MAIN GEAR					Component	ATA:32	
PN:959.56.01.814	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:00745	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-32-30-10-04A-920A-APROC. REF: AMM 12-B-32-30-10-04A-920A-A									
PC12A32300500		EMERGENCY GEAR CABLE, INTERMEDIATE					Component	ATA:32	
PN:959.56.01.843	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:00283	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-32-30-10-03A-920A-APROC. REF: AMM 12-B-32-30-10-03A-920A-A									
PC12A32300600		EMERGENCY GEAR CABLE, NOSE GEAR					Component	ATA:32	
PN:959.56.01.815	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:00775	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-32-30-10-02A-920A-APROC. REF: AMM 12-B-32-30-10-02A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32400110 LEFT MAIN WHEEL								Component ATA:32
PN:532.45.12.066	MOS/MSC	22-Mar-24	O/C	TSN 13, TSR 0				
SN:5028	HRS	291	TSN 291, TSR 0					
	AFL	404	TSN 404, TSR 0					
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
PC12A32400120 RIGHT MAIN WHEEL								Component ATA:32
PN:532.45.12.066	MOS/MSC	31-Jul-23	O/C	TSR 0				
SN:2106	HRS	140.8	TSN 344.55, TSR 0					
	AFL	204	TSN 424, TSR 0					
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
PC12A32400200 NOSE WHEEL								Component ATA:32
PN:532.41.12.003	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:2365	HRS	0	TSN 0					
	AFL	0	TSN 0					
PROC. REF: AMM 12-B-32-40-02-00A-920A-APROC. REF: AMM 12-B-32-40-02-00A-920A-A								
PC12A32400310 BRAKE ASSEMBLY, LH								Component ATA:32
PN:959.56.01.517	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:4589	HRS	0	TSN 0					
	AFL	0	TSN 0					
PROC. REF: AMM 12-B-32-40-03-00A-920B-APROC. REF: AMM 12-B-32-40-03-00A-920B-A								
PC12A32400320 BRAKE ASSEMBLY, RH								Component ATA:32
PN:959.56.01.517	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:4630	HRS	0	TSN 0					
	AFL	0	TSN 0					
PROC. REF: AMM 12-B-32-40-03-00A-920B-APROC. REF: AMM 12-B-32-40-03-00A-920B-A								
PC12A32400410 MASTER BRAKE CYLINDER, PILOT, LH								Component ATA:32
PN:959.47.51.131	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:9001	HRS	0	TSN 0					
	AFL	0	TSN 0					
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32400420 MASTER BRAKE CYLINDER, PILOT, RH								Component ATA:32
PN:959.47.51.131	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:9005	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								
PC12A32400430 MASTER BRAKE CYLINDER, CO-PILOT, LH								Component ATA:32
PN:959.47.51.131	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:9049	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								
PC12A32400440 MASTER BRAKE CYLINDER, CO-PILOT, RH								Component ATA:32
PN:959.47.51.131	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:9060	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								
PC12A32400500 PARK BRAKE VALVE								Component ATA:32
PN:959.47.51.121	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:3510	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-05-00A-920A-APROC. REF: AMM 12-B-32-40-05-00A-920A-A								
PC12A324CA110 LEFT MAIN WHEEL TIRE								Component ATA:32
PN:959.56.01.308	MOS/MSC	22-Mar-24	O/C					
SN:UNKNOWN	HRS	291						
	AFL	404						
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
PC12A324CA120 RIGHT MAIN WHEEL TIRE								Component ATA:32
PN:PN	MOS/MSC	31-Jul-23	O/C					
SN:UNKNOWN	HRS	140.8						
	AFL	204						
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32600110 PROXIMITY SWITCH, NLG UP, MT053								Component ATA:32
PN:973.30.33.116	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:10399	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A32600120 PROXIMITY SWITCH, NLG DOWN MT056								Component ATA:32
PN:973.30.33.116	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:10301	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A32600130 PROXIMITY SWITCH, MLG UP, LH, MT515								Component ATA:32
PN:973.30.33.116	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:10339	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-60-01-00A-920B-APROC. REF: AMM 12-B-32-60-01-00A-920B-A								
PC12A32600140 PROXIMITY SWITCH, MLG UP, RH, MT615								Component ATA:32
PN:973.30.33.116	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:10356	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-60-01-00A-920B-APROC. REF: AMM 12-B-32-60-01-00A-920B-A								
PC12A32600210 MICROSWITCH, DOWN & LOCK, LH, S519								Component ATA:32
PN:973.30.31.217	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:02421	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-60-01-00A-920B-APROC. REF: AMM 12-B-32-60-01-00A-920B-A								
PC12A32600220 MICROSWITCH, DOWN & LOCK, RH, S619								Component ATA:32
PN:973.30.31.217	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:02418	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-60-01-00A-920B-APROC. REF: AMM 12-B-32-60-01-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32600310 PROXIMITY SWITCH, WOW, LH, MT517								Component ATA:32
PN:532.69.21.026	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:4990	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-60-12-00A-920B-APROC. REF: AMM 12-B-32-60-12-00A-920B-A								
PC12A32600320 PROXIMITY SWITCH, WOW, RH, MT617								Component ATA:32
PN:532.69.21.026	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:4883	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-60-12-00A-920B-APROC. REF: AMM 12-B-32-60-12-00A-920B-A								
PC12A32600410 LANDING GEAR RELAY UNIT, K2311A1								Component ATA:32
PN:974.09.26.112	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:3027	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-08-00A-920A-APROC. REF: AMM 12-B-32-30-08-00A-920A-A								
PC12A32600420 LANDING GEAR RELAY UNIT, K2311A2								Component ATA:32
PN:974.09.26.112	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:3034	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-08-00A-920A-APROC. REF: AMM 12-B-32-30-08-00A-920A-A								
ATA 33 - LIGHTS								
33-40/542 ^S EXTERIOR LIGHTING (MSN 2001 AND UP) - OPERATIONAL TEST								Service ATA:33
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	600 (+10%/-10%)					
	AFL	520						
PROC. REF: AMM 12-B-33-40-00-00A-903A-APROC. REF: AMM 12-B-33-40-00-00A-903A-A								

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-41/543 ^S	LANDING LIGHTS (MSN 2001 AND UP) - EXAMINE							Service	ATA:33
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2	
33-42/544 ^S	TAXI LIGHTS (MSN 2001 AND UP) - EXAMINE							Service	ATA:33
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2	
33-43/545 ^S	NAVIGATION AND STROBE LIGHTS (MSN 2001 AND UP) - EXAMINE							Service	ATA:33
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2	
33-44/546 ^S	RECOGNITION LIGHTS (IF INSTALLED) (MSN 2001 AND UP) - EXAMINE							Service	ATA:33
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2	
33-46/547 ^S	BEACON LIGHTS (IF INSTALLED) (MSN 2001 AND UP) - EXAMINE							Service	ATA:33
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
PC12A33100100		COCKPIT LIGHT DIM UNIT, A177						Component	ATA:33
PN:975.02.15.205	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:145333	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-33-10-04-00A-920A-APROC. REF: AMM 12-B-33-10-04-00A-920A-A									
PC12A33400100		WING INSPECTION LIGHT, DS155						Component	ATA:33
PN:972.87.87.407	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:S22252772	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-33-40-12-00A-920A-APROC. REF: AMM 12-B-33-40-12-00A-920A-A									
PC12A33410110		LANDING LIGHT, LH, DS521						Component	ATA:33
PN:972.87.69.434	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:5578043	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-33-41-01-00A-920B-APROC. REF: AMM 12-C-33-41-01-00A-920B-A									
PC12A33410120		LANDING LIGHT, RH, DS621						Component	ATA:33
PN:972.87.69.434	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:5578045	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-33-41-01-00A-920B-APROC. REF: AMM 12-C-33-41-01-00A-920B-A									
PC12A33420100		TAXI LIGHT, DS900						Component	ATA:33
PN:972.87.69.433	MOS/MSC	14-Aug-23	O/C	TSN 0					
SN:5928695	HRS	155		TSN 0					
	AFL	219		TSN 0					
PROC. REF: AMM 12-C-33-42-01-00A-920B-APROC. REF: AMM 12-C-33-42-01-00A-920B-A									
PC12A33430100		WINGTIP LIGHT, LH, DS594						Component	ATA:33
PN:972.87.87.344	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:5649197	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-57-33-00-00A-920B-APROC. REF: AMM 12-B-57-33-00-00A-920B-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
PC12A33430200		WINGTIP LIGHT, RH, DS694						Component	ATA:33
PN:972.87.87.345	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:5659962	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-57-33-00-00A-920B-APROC. REF: AMM 12-B-57-33-00-00A-920B-A									
PC12A33430300		POWER SUPPLY, A220						Component	ATA:33
PN:972.87.87.179	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:245460-2-4	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-33-43-03-00A-920B-APROC. REF: AMM 12-B-33-43-03-00A-920B-A									
PC12A33440110		RECOGNITION LIGHT, LH						Component	ATA:33
PN:972.87.69.431	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:5712155	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-33-44-00-00A-920C-APROC. REF: AMM 12-C-33-44-00-00A-920C-A									
PC12A33440120		RECOGNITION LIGHT, RH						Component	ATA:33
PN:972.87.69.431	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:5712170	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-33-44-00-00A-920C-APROC. REF: AMM 12-C-33-44-00-00A-920C-A									
PC12A33460110		RED FLASHING BEACON, TOP, A410						Component	ATA:33
PN:972.87.87.349	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:5683111	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-33-46-00-00A-920B-APROC. REF: AMM 12-B-33-46-00-00A-920B-A									
PC12A33460120		RED FLASHING BEACON, BOTTOM, A800						Component	ATA:33
PN:972.87.87.349	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:5706578	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-33-46-00-00A-920B-APROC. REF: AMM 12-B-33-46-00-00A-920B-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-00/183 ^S	COMMUNICATIONS AND NAVIGATION ANTENNAS - EXAMINE							Service	ATA:34
	MOS	19-Mar-25	24 (+10%/-10%)						
	HRS	477.4	2400 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4	
<hr/>									
34-00/548 ^S	COCKPIT INSTRUMENTS AND AVIONIC EQUIPMENT (MSN 2001 AND UP) - EXAMINE							Service	ATA:34
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2	
<hr/>									
34-11/268 ^S	PITOT AND STATIC SYSTEM - DRAIN							Service	ATA:34
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-34-11-00-00A-901A-APROC. REF: AMM 12-B-34-11-00-00A-901A-A								PKG:3	
<hr/>									
34-11/343	STATIC PORTS PLATE HEIGHT - INSPECTION/CHECK							Service	ATA:34
	MOS	19-Mar-25	24 (+10%/-10%)		19-Mar-27	31-May-27	408 d (+73)		
	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-B-34-11-12-00A-313A-APROC. REF: AMM 12-B-34-11-12-00A-313A-A									
<hr/>									
34-11/549 ^S	PITOT TUBE (MSN 2001 AND UP) - EXAMINE							Service	ATA:34
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-11/550 ^S STATIC PORTS (MSN 2001 AND UP) - EXAMINE Service ATA:34								
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	600 (+10%/-10%)					
	AFL	520						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PKG:2								
34-11/82 STATIC SYSTEM - LEAK CHECK Service ATA:34								
	MOS	19-Mar-25	24 (+10%/-10%)		19-Mar-27	31-May-27	408 d (+73)	
	HRS	477.4						
	AFL	520						
Test Date: : 19-Mar-25								
PROC. REF: AMM 12-B-34-11-00-00A-903A-APROC. REF: AMM 12-B-34-11-00-00A-903A-A								
34-11/CFR PERFORM LEAK CHECK OF STATIC SYSTEM (14 CFR 91.411) Service ATA:34								
	MOS	19-Mar-25	24		19-Mar-27		408 d	MANDATORY
	HRS	477.4						
	AFL	520						
PROC. REF: CFR 14 CFR 91.411PROC. REF: CFR 14 CFR 91.411								
34-25/344 ALTITUDE AND VERTICAL SPEED INDICATION - FUNCTIONAL TEST Service ATA:34								
	MOS	19-Mar-25	24 (+10%/-10%)		19-Mar-27	31-May-27	408 d (+73)	
	HRS	477.4						
	AFL	520						
PROC. REF: AMM 12-B-34-14-00-00A-903B-APROC. REF: AMM 12-B-34-14-00-00A-903B-A								
34-26/510 ESIS MAGNETIC HEADING REFERENCE SYSTEM - CHECK SWING Service ATA:34								
PN:975.96.11.253	MOS	19-Mar-25	24 (+10%/-10%)		17-Mar-27	29-May-27	406 d (+73)	
SN:1201	HRS	477.4						
	AFL	520						
Test Date: : 17-Mar-25								
PROC. REF: AMM 12-C-34-26-40-00A-903A-APROC. REF: AMM 12-C-34-26-40-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-54/86		NO. 1 TRANSPONDER SYSTEM (SINGLE AND DUAL SYSTEMS) - FUNCTIONAL TEST						Service	ATA:34
PN:985.99.12.269	MOS	19-Mar-25	24 (+10%/-10%)		19-Mar-27	31-May-27	408 d (+73)		
SN:KXP2290A-5006	HRS	477.4							
	AFL	520							
Test Date: : 19-Mar-25									
PROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-10-00A-903A-A, AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-10-00A-903A-A									
34-54/86		NO. 2 TRANSPONDER SYSTEM (SINGLE AND DUAL SYSTEMS) - FUNCTIONAL TEST						Service	ATA:34
PN:985.99.12.269	MOS	19-Mar-25	24 (+10%/-10%)		19-Mar-27	31-May-27	408 d (+73)		
SN:KXP2290A-5007	HRS	477.4							
	AFL	520							
Test Date: : 19-Mar-25									
PROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-10-00A-903A-A, AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-10-00A-903A-A									
34-54/CFR		TEST/INSPECT NO. 1 TRANSPONDER SYSTEM (14 CFR 91.413)						Service	ATA:34
PN:985.99.12.269	MOS	19-Mar-25	24		19-Mar-27		408 d	MANDATORY	
SN:KXP2290A-5006	HRS	477.4							
	AFL	520							
PROC. REF: CFR 14 CFR 91.413PROC. REF: CFR 14 CFR 91.413									
34-54/CFR		TEST/INSPECT NO. 2 TRANSPONDER SYSTEM (14 CFR 91.413)						Service	ATA:34
PN:985.99.12.269	MOS	19-Mar-25	24		19-Mar-27		408 d	MANDATORY	
SN:KXP2290A-5007	HRS	477.4							
	AFL	520							
PROC. REF: CFR 14 CFR 91.413PROC. REF: CFR 14 CFR 91.413									
PC12A34110110		PITOT TUBE, LH, HR578						Component	ATA:34
PN:965.11.12.302	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:AS07220751	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-11-11-00A-920A-A, AMM 12-B-34-11-11-00A-920A-A									
PC12A34110120		PITOT TUBE, RH, HR678						Component	ATA:34
PN:965.11.12.302	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:AS07220759	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 12-B-34-11-11-00A-920A-APROC. REF: AMM 12-B-34-11-11-00A-920A-A								
PC12A34110210 STATIC PORT, LH, HR371								Component ATA:34
PN:965.11.22.103	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:AS01226292	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-11-12-00A-920A-APROC. REF: AMM 12-B-34-11-12-00A-920A-A								
PC12A34110220 STATIC PORT, RH, HR372								Component ATA:34
PN:965.11.22.103	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:AS01226667	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-11-12-00A-920A-APROC. REF: AMM 12-B-34-11-12-00A-920A-A								
PC12A34120110 OUTSIDE AIR TEMPERATURE (OAT) SENSOR, LH, Z588								Component ATA:34
PN:975.11.20.111	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:08221	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-12-00-01A-920A-APROC. REF: AMM 12-B-34-12-00-01A-920A-A								
PC12A34120120 OUTSIDE AIR TEMPERATURE (OAT) SENSOR, RH, Z688								Component ATA:34
PN:975.11.20.111	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:08193	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-12-00-01A-920A-APROC. REF: AMM 12-B-34-12-00-01A-920A-A								
PC12A34250100 AIR DATA/ATTITUDE AND HEADING REFERENCE SYSTEM (ADAHRS) UNIT, A251								Component ATA:34
PN:985.99.12.389	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:KSG7200-B3921	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-01-00A-920A-APROC. REF: AMM 12-B-34-25-01-00A-920A-A								
PC12A34250210 MAGNETOMETER, RIB 17/18, INBOARD, A588								Component ATA:34
PN:985.99.12.114	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:KMG7010-7922	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 12-B-34-25-02-00A-920B-APROC. REF: AMM 12-B-34-25-02-00A-920B-A								
PC12A34250220 MAGNETOMETER, RIB 18/19, OUTBOARD, A591 Component ATA:34								
PN:985.99.12.114	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:KMG7010-7923	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-02-00A-920B-APROC. REF: AMM 12-B-34-25-02-00A-920B-A								
PC12A34250310 AIR DATA/ATTITUDE AND HEADING REFERENCE SYSTEM (ADAHRS) CONFIGURATION MODULE, LH, A251A Component ATA:34								
PN:985.99.12.129	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:7072	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-03-00A-920A-APROC. REF: AMM 12-B-34-25-03-00A-920A-A								
PC12A34250320 AIR DATA/ATTITUDE AND HEADING REFERENCE SYSTEM (ADAHRS) CONFIGURATION MODULE, RH, A251B Component ATA:34								
PN:985.99.12.129	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:7746	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-03-00A-920A-APROC. REF: AMM 12-B-34-25-03-00A-920A-A								
PC12A34260100 ELECTRONIC STANDBY INSTRUMENT Component ATA:34								
PN:975.96.11.253	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:1201	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-26-40-00A-920A-APROC. REF: AMM 12-C-34-26-40-00A-920A-A								
PC12A34260200 ELECTRONIC STANDBY INSTRUMENT SYSTEM (ESIS) MAGNETOMETER, A672 Component ATA:34								
PN:985.90.03.003	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:2097	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-26-45-00A-920A-APROC. REF: AMM 12-C-34-26-45-00A-920A-A								
PC12A34260300 ELECTRONIC STANDBY INSTRUMENT SYSTEM (ESIS) CONFIGURATION MODULE, M128 Component ATA:34								
PN:985.99.12.393	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:00377	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
<hr/>									
PC12A34320100	MARKER ANTENNA, E399							Component	ATA:34
PN:984.81.10.260	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:101-9438	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-32-01-00A-920A-APROC. REF: AMM 12-B-34-32-01-00A-920A-A									
<hr/>									
PC12A34410100	WEATHER RADAR (WX) TRANSCEIVER, A696							Component	ATA:34
PN:985.99.11.564	MOS/MSC	16-Feb-24	O/C	TSR 2					
SN:ART2100-3311	HRS	290.7		TSR 0					
	AFL			TSR 0					
PROC. REF: AMM 12-C-34-41-02-00A-920A-APROC. REF: AMM 12-C-34-41-02-00A-920A-A									
<hr/>									
PC12A34410200	WX RADAR ANTENNA, E696							Component	ATA:34
PN:985.99.11.504	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:9596	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-34-41-02-00A-920A-APROC. REF: AMM 12-C-34-41-02-00A-920A-A									
<hr/>									
PC12A34410300	WEATHER (WX) RADAR CONFIGURATION MODULE, A694							Component	ATA:34
PN:985.99.12.182	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:CM2000-37167	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-41-04-00A-920A-APROC. REF: AMM 12-B-34-41-04-00A-920A-A									
<hr/>									
PC12A34410400	RADOME							Component	ATA:34
PN:985.79.00.005	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:P1364	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-34-41-02-00A-920A-APROC. REF: AMM 12-C-34-41-02-00A-920A-A									
<hr/>									
PC12A34410410	RADOME BOOT							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
<hr/>									
PC12A34410700	STORMSCOPE PROCESSOR, A349							Component	ATA:34
PN:985.99.18.006	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:S01797	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-41-31-00A-920A-APROC. REF: AMM 12-B-34-41-31-00A-920A-A									
<hr/>									
PC12A34410800	STORMSCOPE ANTENNA, E348							Component	ATA:34
PN:985.99.18.009	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:S01218	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-41-32-00A-920A-APROC. REF: AMM 12-B-34-41-32-00A-920A-A									
<hr/>									
PC12A34420100	RADAR ALTIMETER TRANSCEIVER, A269							Component	ATA:34
PN:985.99.11.524	MOS/MSC	20-Jul-23	O/C	TSN 0					
SN:KRA405B-24567	HRS	118.4		TSN 0					
	AFL	167		TSN 0					
PROC. REF: AMM 12-C-34-42-01-00A-920A-APROC. REF: AMM 12-C-34-42-01-00A-920A-A									
<hr/>									
PC12A34420210	RADAR ALTIMETER ANTENNA, LH, E177							Component	ATA:34
PN:984.81.29.101	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:543-107283	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-34-42-02-00A-920A-APROC. REF: AMM 12-C-34-42-02-00A-920A-A									
<hr/>									
PC12A34420220	RADAR ALTIMETER ANTENNA, RH, E178							Component	ATA:34
PN:984.81.29.101	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:543-107410	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-34-42-02-00A-920A-APROC. REF: AMM 12-C-34-42-02-00A-920A-A									
<hr/>									
PC12A34440100	TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) PROCESSOR, A277							Component	ATA:34
PN:985.99.11.968	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:TPA26244	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 12-C-34-44-01-00A-920A-APROC. REF: AMM 12-C-34-44-01-00A-920A-A								
PC12A34440200 TCAS ANTENNA, TOP, E219 Component ATA:34								
PN:984.81.29.108	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:587-122373	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-44-02-00A-920A-APROC. REF: AMM 12-C-34-44-02-00A-920A-A								
PC12A34440300 TCAS ANTENNA, BOTTOM, E317 Component ATA:34								
PN:984.81.10.240	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:261-140285	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-44-03-00A-920A-APROC. REF: AMM 12-C-34-44-03-00A-920A-A								
PC12A34510200 ANTENNA COUPLER, FR10, A103 Component ATA:34								
PN:984.81.17.413	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:695186	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A34520100 DISTANCE MEASURING EQUIPMENT (DME) TRANSCEIVER, A253 Component ATA:34								
PN:985.99.11.101	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:45486	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-52-01-00A-920A-APROC. REF: AMM 12-C-34-52-01-00A-920A-A								
PC12A34520200 DISTANCE MEASURING EQUIPMENT (DME) ANTENNA, E169 Component ATA:34								
PN:984.81.10.240	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:261-140260	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-52-02-00A-920A-APROC. REF: AMM 12-B-34-52-02-00A-920A-A								
PC12A34530100 ADF ANTENNA, E337 Component ATA:34								
PN:985.99.11.167	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:KA44B-A97503	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 12-B-34-53-02-00A-920A-APROC. REF: AMM 12-B-34-53-02-00A-920A-A								
PC12A34530200 TACAN KFS 579A NAV/TAV CONTROL UNIT Component ATA:34								
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A34530300 TACAN KTU 709 TRANSCEIVER Component ATA:34								
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A34530400 TACAN SANDEL SN3500 EHSI Component ATA:34								
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A34530500 TACAN KTR 909 TRANSCEIVER Component ATA:34								
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A34530600 TACAN KDI 574 DME INDICATOR Component ATA:34								
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A34530700 LEFT TACAN/DME DUAL DIRECTIONAL ANTENNA Component ATA:34								
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A34530705	RIGHT TACAN/DME DUAL DIRECTIONAL ANTENNA							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A34530800	LEFT TACACAN /DME ANTENNA CONTOUR PLATE							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A34530805	RIGHT TACACAN /DME ANTENNA CONTOUR PLATE							Component	ATA:34
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A34540110	NO. 1 ATC TRANSPONDER							Component	ATA:34
PN:985.99.12.269	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:KXP2290A-5006	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-54-01-00A-920A-APROC. REF: AMM 12-B-34-54-01-00A-920A-A									
PC12A34540120	NO. 2 ATC TRANSPONDER							Component	ATA:34
PN:985.99.12.269	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:KXP2290A-5007	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-54-01-00A-920A-APROC. REF: AMM 12-B-34-54-01-00A-920A-A									
PC12A34540210	ATC ANTENNA, TOP, E249							Component	ATA:34
PN:984.81.10.240	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:261-140279	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 12-B-34-54-03-00A-920A-APROC. REF: AMM 12-B-34-54-03-00A-920A-A								
PC12A34540220 ATC ANTENNA, BOTTOM, E166 Component ATA:34								
PN:984.81.10.240	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:261-140261	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-54-02-00A-920A-A, AMM 12-B-34-54-04-00A-920A-APROC. REF: AMM 12-B-34-54-02-00A-920A-A, AMM 12-B-34-54-04-00A-920A-A								
PC12A34570110 GLOBAL POSITIONING SYSTEM (GPS) RECEIVER 1, LH, A117 Component ATA:34								
PN:985.99.12.253	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:KGS200-5555	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-57-01-00A-920B-APROC. REF: AMM 12-C-34-57-01-00A-920B-A								
PC12A34570120 GLOBAL POSITIONING SYSTEM (GPS) RECEIVER 2, RH, A116 Component ATA:34								
PN:985.99.12.253	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:KGS200-5543	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-57-01-00A-920C-APROC. REF: AMM 12-B-34-57-01-00A-920C-A								
PC12A34570210 GLOBAL POSITIONING SYSTEM (GPS) ANTENNA 1, FR 17/18, E179 Component ATA:34								
PN:985.99.11.200	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:49316820	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-57-02-00A-920A-APROC. REF: AMM 12-C-34-57-02-00A-920A-A								
PC12A34570220 GLOBAL POSITIONING SYSTEM (GPS) ANTENNA 2, FR 18/19, E189 Component ATA:34								
PN:985.99.11.200	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:49316794	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-57-02-00A-920A-APROC. REF: AMM 12-C-34-57-02-00A-920A-A								
PC12A34570350 GARMIN GTX345DR TRANSPONDER Component ATA:34								
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 34 - NAVIGATION

PROC. REF: AMM GENERICPROC. REF: AMM GENERIC

PC12A34570355		GARMIN GI 275 DISPLAY				Component	ATA:34
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0			
SN:UNKNOWN	HRS	0		TSN 0			
	AFL	0		TSN 0			

PROC. REF: AMM GENERICPROC. REF: AMM GENERIC

PC12A34570360		SHOTOVER ATOM MISSION COMPUTER				Component	ATA:34
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0			
SN:UNKNOWN	HRS	0		TSN 0			
	AFL	0		TSN 0			

PROC. REF: AMM GENERICPROC. REF: AMM GENERIC

PC12A34570365		LH HORIZONTAL PUSH BUTTON DISPLAY CONTROLLER				Component	ATA:34
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0			
SN:UNKNOWN	HRS	0		TSN 0			
	AFL	0		TSN 0			

PROC. REF: AMM GENERICPROC. REF: AMM GENERIC

PC12A34570370		RH HORIZONTAL PUSH BUTTON DISPLAY CONTROLLER				Component	ATA:34
PN:PN	MOS/MSC	28-Feb-23	O/C	TSN 0			
SN:UNKNOWN	HRS	0		TSN 0			
	AFL	0		TSN 0			

PROC. REF: AMM GENERICPROC. REF: AMM GENERIC

ATA 35 - OXYGEN

35-10/269 ^S		OXYGEN PIPELINES AND EQUIPMENT - EXAMINE			Service	ATA:35
	MOS	19-Mar-25	12 (+10%/-10%)			
	HRS	477.4	1200 (+10%/-10%)			
	AFL	520				

PKG:3

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-10/458 ^S	CREW OXYGEN SYSTEM - OPERATIONAL TEST							Service	ATA:35
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-35-00-00-00A-903A-A, AMM 12-B-35-00-00-00A-903B-APROC. REF: AMM 12-B-35-00-00-00A-903A-A, AMM 12-B-35-00-00-00A-903B-A									
PKG:3									
35-10/551 ^S	HIGH PRESSURE RELIEF INDICATOR (GREEN DISK) (MSN 2001 AND UP) - MAKE SURE THAT IS IT NOT DAMAGED							Service	ATA:35
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:2									
35-10/552 ^S	OXYGEN SYSTEM (MSN 2001 AND UP) - CHECK CONTENTS							Service	ATA:35
	MOS	12-Feb-25							
	HRS	439.5	600 (+10%/-10%)						
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:1									
35-10/6	LIFE LIMIT - OXYGEN BOTTLE							Service	ATA:35
PN:957.12.12.212	MOS	30-Jun-22	180		30-Jun-37		4164 d	LIFE LIMIT	
SN:C22060660	HRS								
	AFL								
Manufacture Date:: 30-Jun-22									
PROC. REF: SIL SIL-35-114, SIL SIL-35-114, AMM 12-B-35-10-01-00A-920A-APROC. REF: SIL SIL-35-114, SIL SIL-35-114, AMM 12-B-35-10-01-00A-920A-A									
35-10/7	OXYGEN BOTTLE - HYDROSTATIC TEST							Service	ATA:35
PN:957.12.12.212	MOS	30-Apr-22	60		30-Apr-27		450 d		
SN:C22060660	HRS								
	AFL								
HydroCheck Date: : 30-Apr-22									
PROC. REF: SIL SIL-35-114, SIL SIL-35-114, SIL SIL-35-114PROC. REF: SIL SIL-35-114, SIL SIL-35-114, SIL SIL-35-114									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-20/452	PASSENGER OXYGEN (DROP-DOWN MASK) SYSTEM (IF INSTALLED) - OPERATIONAL TEST							Service	ATA:35
	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
	HRS	477.4	3000		3477.4		2934.2		
	AFL	520							
PROC. REF: AMM 12-B-35-00-00-00A-903B-APROC. REF: AMM 12-B-35-00-00-00A-903B-A									
35-20/453	DISCARD NO. 1 LH SEAT PASSENGER OXYGEN MASK CARTRIDGE							Service	ATA:35
PN:PN	MOS	31-Oct-22	72		31-Oct-28		1000 d	LIFE LIMIT	
SN:UNKNOWN	HRS								
	AFL								
Manufacture Date:: 31-Oct-22									
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A									
35-20/453	DISCARD NO. 2 RH SEAT PASSENGER OXYGEN MASK CARTRIDGE							Service	ATA:35
PN:PN	MOS	31-Oct-22	72		31-Oct-28		1000 d	LIFE LIMIT	
SN:UNKNOWN	HRS								
	AFL								
Manufacture Date:: 31-Oct-22									
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A									
35-20/453	DISCARD NO. 3 LH SEAT PASSENGER OXYGEN MASK CARTRIDGE							Service	ATA:35
PN:PN	MOS	31-Oct-22	72		31-Oct-28		1000 d	LIFE LIMIT	
SN:UNKNOWN	HRS								
	AFL								
Manufacture Date:: 31-Oct-22									
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A									
35-20/453	DISCARD NO. 4 RH SEAT PASSENGER OXYGEN MASK CARTRIDGE							Service	ATA:35
PN:PN	MOS	31-Oct-22	72		31-Oct-28		1000 d	LIFE LIMIT	
SN:UNKNOWN	HRS								
	AFL								
Manufacture Date:: 31-Oct-22									
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-20/453 DISCARD NO. 5 LH SEAT PASSENGER OXYGEN MASK CARTRIDGE								
PN:PN	MOS	31-Oct-22	72		31-Oct-28		1000 d	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 31-Oct-22								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453 DISCARD NO. 6 RH SEAT PASSENGER OXYGEN MASK CARTRIDGE								
PN:PN	MOS	31-Oct-22	72		31-Oct-28		1000 d	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 31-Oct-22								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453 DISCARD NO. 7 LH SEAT PASSENGER OXYGEN MASK CARTRIDGE								
PN:PN	MOS	31-Oct-22	72		31-Oct-28		1000 d	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 31-Oct-22								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453 DISCARD NO. 8 RH SEAT PASSENGER OXYGEN MASK CARTRIDGE								
PN:PN	MOS	31-Oct-22	72		31-Oct-28		1000 d	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 31-Oct-22								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453 DISCARD TOILET PASSENGER OXYGEN MASK CARTRIDGE								
PN:PN	MOS	31-Oct-22	72		31-Oct-28		1000 d	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 31-Oct-22								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-20/87		INSPECTION/CHECK PASSENGER OXYGEN MASKS						Service	ATA:35
	MOS	28-Feb-23	36 (+10%/-10%)		28-Feb-26	18-Jun-26	24 d (+110)		
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-35-20-00-00A-313A-APROC. REF: AMM 12-B-35-20-00-00A-313A-A									
35-CA/1		OXYGEN CYLINDER REGULATOR - OVERHAUL						Service	ATA:35
PN:957.12.12.212	MOS	30-Apr-22	60 (+6m/-6m)		30-Apr-27	31-Oct-27	450 d (+184)	OVERHAUL	
SN:C22060660	HRS								
	AFL								
OverHaul Date:: 30-Apr-22									
PROC. REF: SIL SIL-35-114PROC. REF: SIL SIL-35-114									
PC12A35100100		OXYGEN CYLINDER						Component	ATA:35
PN:957.12.12.212	MOS/MSC	17-Feb-23	H/T	TSN 0					
SN:C22060660	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-35-10-01-00A-920A-APROC. REF: AMM 12-B-35-10-01-00A-920A-A									
PC12A35100200		PRESSURE SWITCH, S153						Component	ATA:35
PN:973.81.14.401	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:2119	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A35100310		OXYGEN MASK, PILOT						Component	ATA:35
PN:957.12.01.210	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:B180094	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-35-10-02-00A-920A-APROC. REF: AMM 12-B-35-10-02-00A-920A-A									
PC12A35100320		OXYGEN MASK, CO-PILOT						Component	ATA:35
PN:957.12.01.210	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:B181391	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-35-10-02-00A-920A-APROC. REF: AMM 12-B-35-10-02-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC12A35100400 OXYGEN GAUGE, M155								Component ATA:35
PN:535.12.12.085	MOS/MSC	01-Dec-23	O/C	TSN 10				
SN:60479	HRS	235.17		TSN 235.17				
	AFL	372		TSN 372				
PROC. REF: AMM 12-B-35-20-05-00A-920A-APROC. REF: AMM 12-B-35-20-05-00A-920A-A								
PC12A35200100 3-POSITION CONTROL VALVE, S151								Component ATA:35
PN:963.32.11.102	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:R22080413	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-04-00A-920A-APROC. REF: AMM 12-B-35-20-04-00A-920A-A								
PC12A35200310 TOILET PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY								Component ATA:35
PN:957.12.01.215	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:D22101105	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200320 NO. 1 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY								Component ATA:35
PN:957.12.01.215	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:D22101122	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200330 NO. 2 RH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY								Component ATA:35
PN:957.12.01.215	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:D22101106	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200340 NO. 3 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY								Component ATA:35
PN:957.12.01.215	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:D22101108	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC12A35200350 NO. 4 RH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY								Component ATA:35
PN:957.12.01.215	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:D22101111	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200360 NO. 5 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY								Component ATA:35
PN:957.12.01.215	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:D22101115	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200370 NO. 6 RH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY								Component ATA:35
PN:957.12.01.215	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:D22101116	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200380 NO. 7 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY								Component ATA:35
PN:957.12.01.215	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:D22101117	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200390 NO. 8 RH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY								Component ATA:35
PN:957.12.01.215	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:D22101119	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200400 SHUT-OFF VALVE, FR 16/17								Component ATA:35
PN:957.12.12.232	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:000325336	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC PROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
PC12A35200410	TOILET PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	17-Feb-23	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A35200420	NO. 1 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	28-Feb-23	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A35200430	NO. 2 RH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	28-Feb-23	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A35200440	NO. 3 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	28-Feb-23	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A35200450	NO. 4 RH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	28-Feb-23	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
PC12A35200460	NO. 5 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	28-Feb-23	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC12A35200470 NO. 6 RH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE								Component ATA:35
PN:PN	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200480 NO. 7 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE								Component ATA:35
PN:PN	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200490 NO. 8 RH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE								Component ATA:35
PN:PN	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200495 NO. 9 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE								Component ATA:35
PN:PN	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200500 PRESSURE TRANSDUCER FR 36/37								Component ATA:35
PN:957.12.01.184	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:8883-12-72	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
ATA 44 - CABIN SYSTEMS								
PC12A44100100 ENTERTAINMENT SYSTEM STC								Component ATA:44
PN:985.99.11.962	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:EQ201-02-00543	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 45 - CENTRAL MAINT SYSTEM									
45-45/454 ^S	CENTRAL MAINTENANCE SYSTEM - DO A CMC REPORTS - EXPORT FAULT HISTORY - SEND TO -> LOCAL STORAGE DOWNLOAD							Service	ATA:45
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							

PKG:3

PROC. REF: AMM 12-B-45-45-00-00A-551A-APROC. REF: AMM 12-B-45-45-00-00A-551A-A

PC12A45450110	BUS TERMINATOR, MAINTENANCE PANEL FRONT, A157							Component	ATA:45
PN:985.99.12.117	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:KBT300-6603	HRS	0		TSN 0					
	AFL	0		TSN 0					

PROC. REF: AMM GENERICPROC. REF: AMM GENERIC

PC12A45450120	BUS TERMINATOR, MAINTENANCE PANEL REAR, A156							Component	ATA:45
PN:985.99.12.117	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:KBT300-6620	HRS	0		TSN 0					
	AFL	0		TSN 0					

PROC. REF: AMM GENERICPROC. REF: AMM GENERIC

PC12A45450130	BUS TERMINATOR, FR 18, LH, A175							Component	ATA:45
PN:985.99.12.117	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:KBT300-6612	HRS	0		TSN 0					
	AFL	0		TSN 0					

PROC. REF: AMM GENERICPROC. REF: AMM GENERIC

PC12A45450140	BUS TERMINATOR, FR 18, RH, A174							Component	ATA:45
PN:985.99.12.117	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:KBT300-6623	HRS	0		TSN 0					
	AFL	0		TSN 0					

PROC. REF: AMM GENERICPROC. REF: AMM GENERIC

ATA 46 - INFORMATION SYSTEMS									
46-26/553 ^S	PILOT AND COPILOT (IF INSTALLED) PFD REVERSIONARY SWITCHES (MSN 2001 AND UP) - OPERATIONAL TEST							Service	ATA:46
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 46 - INFORMATION SYSTEMS									
PROC. REF: AMM 12-C-46-30-05-00A-903A-APROC. REF: AMM 12-C-46-30-05-00A-903A-A								PKG:2	
46-26/554 ^S	ADAHRS SENSOR SOURCE SELECT SWITCHES (MSN 2001 AND UP) - OPERATIONAL TEST							Service	ATA:46
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-46-30-02-00A-903A-APROC. REF: AMM 12-B-46-30-02-00A-903A-A								PKG:2	
PC12A46200100	WIRELESS DATA LOADING DEVICE, A350							Component	ATA:46
PN:975.96.32.470	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:12295	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-46-21-12-00A-920A-APROC. REF: AMM 12-B-46-21-12-00A-920A-A									
PC12A46300110	PRIMARY FLIGHT DISPLAY, PILOT, M121							Component	ATA:46
PN:985.99.12.411	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:2890052423	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-46-30-01-00A-920A-APROC. REF: AMM 12-C-46-30-01-00A-920A-A									
PC12A46300120	PRIMARY FLIGHT DISPLAY, CO-PILOT, M122							Component	ATA:46
PN:985.99.12.411	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:2890052186	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-46-30-01-00A-920A-APROC. REF: AMM 12-C-46-30-01-00A-920A-A									
PC12A46300130	MULTI-FUNCTION DISPLAY, UPPER, M124							Component	ATA:46
PN:985.99.12.411	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:2890052187	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-46-30-03-00A-920A-APROC. REF: AMM 12-C-46-30-03-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 46 - INFORMATION SYSTEMS								
PC12A46300140 MULTI-FUNCTION DISPLAY, LOWER, M123								Component ATA:46
PN:985.99.12.411	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:2890052188	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-46-30-03-00A-920A-APROC. REF: AMM 12-C-46-30-03-00A-920A-A								
PC12A46300210 PRIMARY FLIGHT DISPLAY (PFD) CONTROLLER, PILOT, A123								Component ATA:46
PN:985.99.12.178	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:KMC2210-4378	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-46-30-02-00A-920A-APROC. REF: AMM 12-C-46-30-02-00A-920A-A								
PC12A46300220 PRIMARY FLIGHT DISPLAY (PFD) CONTROLLER, CO-PILOT, A124								Component ATA:46
PN:985.99.12.178	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:KMC2210-4385	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-46-30-02-00A-920A-APROC. REF: AMM 12-C-46-30-02-00A-920A-A								
PC12A46300300 TOUCH-SCREEN CONTROLLER, A129								Component ATA:46
PN:985.99.12.070	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:5593922060438	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-46-30-04-00A-920A-APROC. REF: AMM 12-C-46-30-04-00A-920A-A								
PC12A46300400 CURSOR CONTROL DEVICE, CCD								Component ATA:46
PN:972.81.21.181	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:0833	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-46-30-07-00A-920A-APROC. REF: AMM 12-C-46-30-07-00A-920A-A								
PC12A46300500 CURSOR CONTROL UNIT, A104								Component ATA:46
PN:985.99.12.202	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:55965	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-46-30-08-00A-920A-APROC. REF: AMM 12-B-46-30-08-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-10/189 ^S	PASSENGER/CREW DOOR SEAL - CLEAN WITH A DRY CLOTH, EXAMINE AND APPLY FRENCH CHALK (P09-002)							Service	ATA:52
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2	
52-10/190 ^S	PASSENGER/CREW DOOR SHOOT BOLTS AND DOOR FRAME FITTINGS - EXAMINE							Service	ATA:52
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2	
52-10/191 ^S	PASSENGER/CREW DOOR HANDLE LOCK PIN AND LATCH - EXAMINE. MAKE SURE MOVEMENT IS FREE. LUBRICATE WITH CPC (P10-001) AS NECESSARY WHEN OPERATING IN FREEZING CONDITIONS							Service	ATA:52
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2	
52-10/192 ^S	PASSENGER/CREW DOOR HINGES - EXAMINE AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF CPC (P10-001)							Service	ATA:52
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2	
52-10/271 ^S	PASSENGER/CREW DOOR, COUNTERBALANCE AND CABLE SUPPORT BRACKETS - EXAMINE							Service	ATA:52
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-10/348	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - PASSENGER/CREW DOOR - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service	ATA:52
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-52-10-00-00A-310A-APROC. REF: AMM 12-B-52-10-00-00A-310A-A									
52-10/405	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - PASSENGER/CREW DOOR PIANO HINGE - EDDY CURRENT INSPECTION							Service	ATA:52
	MOS	28-Feb-23							
	HRS	0	T:32500 (+500/-500)		32500	33000	31956.8 (+500)		
	AFL	0	T:42000 (+500/-500)		42000	42500	41449 (+500)		
PROC. REF: AMM 12-B-52-00-01-00A-353A-APROC. REF: AMM 12-B-52-00-01-00A-353A-A									
52-10/406	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - PASSENGER/CREW DOOR SKIN - EDDY CURRENT INSPECTION							Service	ATA:52
	MOS	28-Feb-23							
	HRS	0	T:25000 (+500/-500)		25000	25500	24456.8 (+500)		
	AFL	0	T:30000 (+500/-500)		30000	30500	29449 (+500)		
PROC. REF: AMM 12-C-52-10-01-00A-353A-APROC. REF: AMM 12-C-52-10-01-00A-353A-A									
52-10/88	PASSENGER/CREW DOOR - OXYGEN MASKS – EXAMINE WITH TRIM REMOVED. EXAMINE THE TOP STEP AREA AROUND THE INSULATION MAT FOR CORROSION. IF CORROSION IS FOUND, CONTACT PILATUS FOR A SPECIFIC REPAIR. EXAMINE DOOR HINGE PIN AND HINGE							Service	ATA:52
	MOS	25-Feb-23	48 (+10%/-10%)		25-Feb-27	19-Jul-27	386 d (+144)		
	HRS	0	4000 (+10%/-10%)		4000	4400	3456.8 (+400)		
	AFL	0							
PROC. REF: AMM 12-C-25-21-03-00A-920A-A, AMM 12-C-25-22-03-00A-920A-A, AMM 12-C-52-10-00-00A-313A-APROC. REF: AMM 12-C-25-21-03-00A-920A-A, AMM 12-C-25-22-03-00A-920A-A, AMM 12-C-52-10-00-00A-313A-A									
52-20/272 ^S	EMERGENCY DOOR (DOOR REMOVED) - EXAMINE							Service	ATA:52
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-52-20-00-00A-310A-APROC. REF: AMM 12-B-52-20-00-00A-310A-A									

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-20/273 ^S	EMERGENCY DOOR SEAL - CLEAN WITH A WET CLOTH, DRY AND EXAMINE AND APPLY FRENCH CHALK (P09-002)							Service	ATA:52
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PKG:3									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
52-20/349	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - EMERGENCY DOOR - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service	ATA:52
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-52-20-00-00A-310A-APROC. REF: AMM 12-B-52-20-00-00A-310A-A									
52-30/193 ^S	CARGO DOOR SEAL - CLEAN WITH A DRY CLOTH, EXAMINE AND APPLY FRENCH CHALK (P09-002)							Service	ATA:52
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PKG:2									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
52-30/194 ^S	CARGO DOOR SHOOT BOLTS, DOOR FRAME FITTINGS AND HOOKS - EXAMINE. MAKE SURE THE HOOK ROLLER BUSHES ARE FREE TO ROTATE. FOR ROLLER BUSH WEAR LIMITS REFER TO AMM							Service	ATA:52
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PKG:2									
PROC. REF: AMM 12-C-52-30-00-00A-313A-APROC. REF: AMM 12-C-52-30-00-00A-313A-A									
52-30/195 ^S	CARGO DOOR HINGES - EXAMINE AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF CPC (P10-001)							Service	ATA:52
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PKG:2									
PROC. REF: AMM 12-B-52-30-00-01A-353A-APROC. REF: AMM 12-B-52-30-00-01A-353A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-30/274 ^S	CARGO DOOR - EXAMINE							Service	ATA:52
	MOS	19-Mar-25			12 (+10%/-10%)				
	HRS	477.4			1200 (+10%/-10%)				
	AFL	520							
PKG:3									
PROC. REF: AMM 12-B-52-30-00-00A-310A-APROC. REF: AMM 12-B-52-30-00-00A-310A-A									
52-30/350	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - CARGO DOOR - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service	ATA:52
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-52-30-00-00A-310A-APROC. REF: AMM 12-B-52-30-00-00A-310A-A									
52-30/407	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - CARGO DOOR PIANO HINGE - EDDY CURRENT INSPECTION							Service	ATA:52
	MOS	28-Feb-23							
	HRS	0	T:32500 (+500/-500)		32500	33000	31956.8 (+500)		
	AFL	0	T:42000 (+500/-500)		42000	42500	41449 (+500)		
PROC. REF: AMM 12-B-52-30-00-01A-353A-APROC. REF: AMM 12-B-52-30-00-01A-353A-A									
52-30/408	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - CARGO DOOR SKIN - EDDY CURRENT INSPECTION							Service	ATA:52
	MOS	28-Feb-23							
	HRS	0	T:25000 (+500/-500)		25000	25500	24456.8 (+500)		
	AFL	0	T:30000 (+500/-500)		30000	30500	29449 (+500)		
PROC. REF: AMM 12-B-52-30-01-00A-353A-APROC. REF: AMM 12-B-52-30-01-00A-353A-A									
52-30/8	LIFE LIMIT - NO. 1 CARGO DOOR LOWER LUG FITTING							Service	ATA:52
PN:PN	MOS	28-Feb-23						LIFE LIMIT	
SN:UNKNOWN	HRS	0	13000		13000		12456.8		
	AFL	0	17000		17000		16449		
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A									
52-30/8	LIFE LIMIT - NO. 2 CARGO DOOR LOWER LUG FITTING							Service	ATA:52
PN:PN	MOS	28-Feb-23						LIFE LIMIT	
SN:UNKNOWN	HRS	0	13000		13000		12456.8		
	AFL	0	17000		17000		16449		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A									
52-30/8	LIFE LIMIT - NO. 3 CARGO DOOR LOWER LUG FITTING							Service	ATA:52
PN:PN	MOS	28-Feb-23					LIFE LIMIT		
SN:UNKNOWN	HRS	0	13000		13000		12456.8		
	AFL	0	17000		17000		16449		
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A									
52-30/89	CARGO DOOR - EXAMINE WITH TRIM REMOVED. EXAMINE DOOR HINGE PIN, HINGES AND THE LOCK MECHANISM							Service	ATA:52
	MOS	25-Feb-23	48 (+10%/-10%)		25-Feb-27	19-Jul-27	386 d (+144)		
	HRS	0	4000 (+10%/-10%)		4000	4400	3456.8 (+400)		
	AFL	0							
PROC. REF: AMM 12-C-52-30-00-00A-313A-A, AMM 12-C-25-21-03-00A-920A-A, AMM 12-C-25-22-03-00A-920A-APROC. REF: AMM 12-C-52-30-00-00A-313A-A, AMM 12-C-25-21-03-00A-920A-A, AMM 12-C-25-22-03-00A-920A-A									
52-70/275 ^S	DOOR WARNING SYSTEM - OPERATIONAL TEST							Service	ATA:52
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-C-52-70-00-00A-903A-APROC. REF: AMM 12-C-52-70-00-00A-903A-A									
PC12A52100100	PASSENGER DOOR							Component	ATA:52
PN:552.10.12.560	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:7186	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-52-10-01-00A-920A-A, AMM 12-C-52-10-01-00A-920B-APROC. REF: AMM 12-B-52-10-01-00A-920A-A, AMM 12-C-52-10-01-00A-920B-A									
PC12A52200100	EMERGENCY EXIT DOOR							Component	ATA:52
PN:552.20.12.041	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:7186	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-52-20-00-00A-920A-APROC. REF: AMM 12-B-52-20-00-00A-920A-A									

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
PC12A52300100	CARGO DOOR							Component	ATA:52
PN:552.30.12.047	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:7186	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-52-30-01-00A-920A-APROC. REF: AMM 12-B-52-30-01-00A-920A-A									
ATA 53 - FUSELAGE									
53-00/276 ^S	REAR PRESSURE BULKHEAD - EXAMINE							Service	ATA:53
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-00/277 ^S	EXAMINE FLOOR PANELS TOP AND BOTTOM SURFACE AND SEAT RAILS, AS FAR AS POSSIBLE, WITH FLOOR PANELS REMOVED							Service	ATA:53
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-00/278 ^S	BAGGAGE/FREIGHT NET MOUNTING PLATES ATTACHMENT BOLTS AND SURROUNDING STRUCTURE - EXAMINE FOR CORROSION							Service	ATA:53
	MOS	19-Mar-25	24 (+10%/-10%)						
	HRS	477.4	2400 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-00/279 ^S	BAGGAGE COMPARTMENT - EXAMINE							Service	ATA:53
	MOS	19-Mar-25	24 (+10%/-10%)						
	HRS	477.4	2400 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/280 ^S	REAR FUSELAGE INTERNAL STRUCTURE - EXAMINE AS FAR AS POSSIBLE, IN PARTICULAR EXAMINE BATTERY MOUNTING TRAY FOR CORROSION							Service	ATA:53
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PKG:3									
PROC. REF: AMM 12-B-53-30-00-00A-310A-APROC. REF: AMM 12-B-53-30-00-00A-310A-A									
53-00/324	LIFE LIMIT - FUSELAGE AND ASSOCIATED STRUCTURE - POST SB 04-009							Service	ATA:53
PN:553.00.12.033	MOS/MSC	28-Feb-23	N/A						
SN:7186	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-00/337 ^S	CARRY THROUGH FRAMES 21 AND 24 - INSPECTION/CHECK							Service	ATA:53
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PKG:3									
PROC. REF: AMM 12-B-53-20-02-00A-313A-APROC. REF: AMM 12-B-53-20-02-00A-313A-A									
53-00/351	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - UPPER LONGERONS FRAME 10 - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-53-10-06-01A-353A-APROC. REF: AMM 12-B-53-10-06-01A-353A-A									
53-00/352	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FUSELAGE FRAMES 10 TO 16 - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service	ATA:53
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-53-10-00-00A-310A-APROC. REF: AMM 12-B-53-10-00-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/353	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FUSELAGE FRAMES 16 TO 36 - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service	ATA:53
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-53-20-00-00A-310A-APROC. REF: AMM 12-B-53-20-00-00A-310A-A									
53-00/354	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FUSELAGE FRAMES 36 TO 43 - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service	ATA:53
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-53-30-00-00A-310A-APROC. REF: AMM 12-B-53-30-00-00A-310A-A									
53-00/355	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ANTENNA STRUCTURE - EXAMINE (CPCP)							Service	ATA:53
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-53-00-00-00A-310A-APROC. REF: AMM 12-B-53-00-00-00A-310A-A									
53-00/356	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ANTENNA - BOTTOM FUSELAGE SKIN - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	28-Feb-23							
	HRS	0	T:28300		28300		27756.8		
	AFL	0	T:37000		37000		36449		
PROC. REF: AMM 12-B-53-00-00-00A-353A-APROC. REF: AMM 12-B-53-00-00-00A-353A-A									
53-00/357	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ANTENNA - UPPER FUSELAGE SKIN - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-53-00-00-00A-353A-APROC. REF: AMM 12-B-53-00-00-00A-353A-A									
53-00/359	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FRAMES 21 AND 24 WING ATTACHMENTS - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	28-Feb-23							
	HRS	0	T:30000		30000		29456.8		
	AFL	0	T:39000		39000		38449		
PROC. REF: AMM 12-C-57-00-03-00A-353A-APROC. REF: AMM 12-C-57-00-03-00A-353A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/360	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FRAMES 21 AND 24 SIDE FRAME ATTACHMENTS - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	28-Feb-23							
	HRS	0	T:30000		30000		29456.8		
	AFL	0	T:39000		39000		38449		
PROC. REF: AMM 12-B-53-20-02-00A-353A-APROC. REF: AMM 12-B-53-20-02-00A-353A-A									
53-00/361	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FRAMES 41 AND 43 STABILIZER ATTACHMENT - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A									
53-00/419	SUPPLEMENTAL STRUCTURAL INSPECTION - FRAME 40 - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	28-Feb-23							
	HRS	0	T:32500 (+500/-500)		32500	33000	31956.8 (+500)		
	AFL	0	T:42000 (+500/-500)		42000	42500	41449 (+500)		
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A									
53-00/555 ^S	FUSELAGE EXTERNAL SURFACE (MSN 2001 AND UP) - EXAMINE FOR AIRCRAFT THAT EXPERIENCE STONE DAMAGE TO THE BELLY SKIN, VISUALLY EXAMINE AFFECTED AREAS FOR CRACKS							Service	ATA:53
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-00/9	LIFE LIMIT - FUSELAGE AND ASSOCIATED STRUCTURE - PRE SB 04-009							Service	ATA:53
PN:553.00.12.033	MOS	28-Feb-23						LIFE LIMIT	
SN:7186	HRS	0	20000		20000		19456.8		
	AFL	0	27000		27000		26449		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/90	FRONT PRESSURE BULKHEAD - EXAMINE WITH INSULATION ON ENGINE AND COCKPIT SIDES REMOVED. IF INSULATION ON COCKPIT SIDE IS WET REMOVE DRY AND REINSTALL INSULATION							Service	ATA:53
	MOS	25-Feb-23	48 (+10%/-10%)		25-Feb-27	19-Jul-27	386 d (+144)		
	HRS	0	4000 (+10%/-10%)		4000	4400	3456.8 (+400)		
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-00/91	FUSELAGE INTERNAL BOTTOM SURFACE - EXAMINE FRAMES 10,21,24, 36 AND FRAMES ADJACENT TO DOORS AND TO EMERGENCY EXIT, WITH INSULATION REMOVED. IF CORROSION IS FOUND EXAMINE ALL FUSELAGE BOTTOM SURFACE WITH INSULATION REMOVED. IF INSULATION IS WET, REMOVE DRY AND REINSTALL INSULATION							Service	ATA:53
	MOS	25-Feb-23	48 (+10%/-10%)		25-Feb-27	19-Jul-27	386 d (+144)		
	HRS	0	4000 (+10%/-10%)		4000	4400	3456.8 (+400)		
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-00/92	REAR PRESSURE BULKHEAD - EXAMINE WITH TRIM REMOVED							Service	ATA:53
	MOS	25-Feb-23	48 (+10%/-10%)		25-Feb-27	19-Jul-27	386 d (+144)		
	HRS	0	4000 (+10%/-10%)		4000	4400	3456.8 (+400)		
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-00/93	STRUCTURE AROUND WINDOWS - EXAMINE							Service	ATA:53
	MOS	25-Feb-23	48 (+10%/-10%)		25-Feb-27	19-Jul-27	386 d (+144)		
	HRS	0	4000 (+10%/-10%)		4000	4400	3456.8 (+400)		
	AFL	0							
PROC. REF: AMM 12-B-53-10-16-00A-310A-APROC. REF: AMM 12-B-53-10-16-00A-310A-A									
53-00/94	DOOR FRAMES AND EMERGENCY EXIT FRAME - EXAMINE. IF INSULATION IS INSTALLED IN THE DOOR FRAMES AND IS WET, REMOVE AND DISCARD IT (NO LONGER INSTALLED ON PRODUCTION)							Service	ATA:53
	MOS	25-Feb-23	48 (+10%/-10%)		25-Feb-27	19-Jul-27	386 d (+144)		
	HRS	0	4000 (+10%/-10%)		4000	4400	3456.8 (+400)		
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30/342	STATIC PORTS CRITICAL AREA - INSPECTION/CHECK							Service	ATA:53
	MOS	19-Mar-25	12 (+10%/-10%)		19-Mar-26	25-Apr-26	43 d (+37)		
	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-B-53-30-01-00A-313A-APROC. REF: AMM 12-B-53-30-01-00A-313A-A									
PC12A53000100 FUSELAGE AND ASSOCIATED STRUCTURE									
PN:553.00.12.033	MOS/MSC	28-Feb-23	H/T	TSN 0				Component ATA:53	
SN:7186	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC									
ATA 55 - STABILIZERS									
55-00/10	LIFE LIMIT - TAIL STRUCTURE - PRE SB 04-009							Service	ATA:55
PN:PN	MOS	28-Feb-23						LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000		20000		19456.8		
	AFL	0	27000		27000		26449		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
55-00/325	LIFE LIMIT - TAIL STRUCTURE - POST SB 04-009							Service	ATA:55
PN:PN	MOS/MSC	28-Feb-23	N/A					LIFE LIMIT	
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
55-10/319 ^S	HORIZONTAL/VERTICAL STABILIZER ATTACHMENT - INSPECTION/CHECK							Service	ATA:55
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-55-00-00-00A-313A-APROC. REF: AMM 12-B-55-00-00-00A-313A-A									
PKG:3									
55-10/415	LIFE LIMIT - HORIZONTAL STABILIZER							Service	ATA:55
PN:555.10.12.038	MOS	28-Feb-23						LIFE LIMIT	
SN:2045	HRS	0	25000		25000		24456.8		
	AFL	0	30000		30000		29449		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
PROC. REF: AMM 12-B-55-10-01-00A-920A-APROC. REF: AMM 12-B-55-10-01-00A-920A-A									
55-10/556 ^S	HORIZONTAL STABILIZER EXTERNAL SURFACE (MSN 2001 AND UP) - EXAMINE							Service	ATA:55
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PKG:2									
PROC. REF: AMM 12-B-55-10-01-00A-312A-APROC. REF: AMM 12-B-55-10-01-00A-312A-A									
55-10/638	HORIZONTAL STABILIZER - EXAMINE WITH BOROSCOPE							Service	ATA:55
	MOS	28-Feb-23	T:240		28-Feb-43		6233 d		
	HRS	0	T:10000		10000		9456.8		
	AFL	0							
PROC. REF: AMM 12-B-55-10-01-00A-312A-APROC. REF: AMM 12-B-55-10-01-00A-312A-A									
55-10/640	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.139)							Service	ATA:55
	MOS	17-Feb-23	72 (+6m/-6m)		17-Feb-29	17-Aug-29	1109 d (+181)		
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-55-00-00-01A-313A-APROC. REF: AMM 12-B-55-00-00-01A-313A-A									
55-10/641	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.158 AND .178)							Service	ATA:55
	MOS	17-Feb-23	120 (+6m/-6m)		17-Feb-33	17-Aug-33	2570 d (+181)		
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-55-00-00-01A-313A-APROC. REF: AMM 12-B-55-00-00-01A-313A-A									
55-10/96	VERTICAL STABILIZER INTERNAL SURFACES - EXAMINE AS FAR AS POSSIBLE WITH PANELS REMOVED							Service	ATA:55
	MOS	25-Feb-23	48 (+10%/-10%)		25-Feb-27	19-Jul-27	386 d (+144)		
	HRS	0	4000 (+10%/-10%)		4000	4400	3456.8 (+400)		
	AFL	0							
PROC. REF: AMM 12-B-55-30-00-00A-310A-APROC. REF: AMM 12-B-55-30-00-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-20/362	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR - EXAMINE (CPCP)							Service	ATA:55
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-55-20-00-00A-310A-APROC. REF: AMM 12-B-55-20-00-00A-310A-A									
55-20/367	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM -ELEVATOR DRIVE LEVER - EDDY CURRENT INSPECTION							Service	ATA:55
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-55-20-01-00A-353A-APROC. REF: AMM 12-B-55-20-01-00A-353A-A									
55-20/368	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR HINGES - EDDY CURRENT INSPECTION							Service	ATA:55
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-55-20-01-00A-353A-APROC. REF: AMM 12-B-55-20-01-00A-353A-A									
55-30/281 ^S	VERTICAL STABILIZER ELECTRICAL BONDING STRAPS - EXAMINE							Service	ATA:55
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-55-30-00-00A-310A-APROC. REF: AMM 12-B-55-30-00-00A-310A-A									
55-30/369	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - VERTICAL STABILIZER-EXAMINE (CPCP)							Service	ATA:55
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-55-30-00-00A-310A-APROC. REF: AMM 12-B-55-30-00-00A-310A-A									
55-30/370	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - VERTICAL STABILIZER MAIN AND REAR SPAR ATTACHMENT TO FUSELAGE - EDDY CURRENT INSPECTION							Service	ATA:55
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A									
55-30/371	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - VERTICAL STABILIZER MAIN ATTACHMENT TO HORIZONTAL STABILIZER - EDDY CURRENT INSPECTION							Service	ATA:55
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-55-00-00-00A-353A-APROC. REF: AMM 12-B-55-00-00-00A-353A-A									
55-30/372	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - VERTICAL STABILIZER PITCH TRIM ACTUATOR FITTING AND ATTACHMENT - EDDY CURRENT INSPECTION							Service	ATA:55
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-55-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-02-00A-353A-A									
55-30/420	SUPPLEMENTAL STRUCTURAL INSPECTION - VERTICAL STABILIZER FORWARD ATTACHMENT TO FRAME 40 - EDDY CURRENT INSPECTION							Service	ATA:55
	MOS	28-Feb-23							
	HRS	0	T:32500 (+500/-500)		32500	33000	31956.8 (+500)		
	AFL	0	T:42000 (+500/-500)		42000	42500	41449 (+500)		
PROC. REF: AMM 12-B-55-30-03-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A									
55-30/557 ^S	VERTICAL STABILIZER EXTERNAL SURFACE (MSN 2001 AND UP) - EXAMINE, SPECIALLY AROUND REAR SPAR TOP RIVETS. IF CRACKS ARE FOUND, REFER TO SRM FOR REPAIR PROCEDURE							Service	ATA:55
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-55-00-01-00A-664A-APROC. REF: AMM 12-B-55-00-01-00A-664A-A									
55-40/373	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RUDDER-EXAMINE (CPCP)							Service	ATA:55
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-55-40-00-00A-310A-APROC. REF: AMM 12-B-55-40-00-00A-310A-A									

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-40/377		SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RUDDER HINGES - EDDY CURRENT INSPECTION						Service	ATA:55
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-55-40-05-00A-353A-APROC. REF: AMM 12-B-55-40-05-00A-353A-A									
55-40/410		SUPPLEMENTAL STRUCTURAL INSPECTION - RUDDER TRIM TAB - EXAMINE						Service	ATA:55
	MOS	28-Feb-23							
	HRS	0	T:32500 (+500/-500)		32500	33000	31956.8 (+500)		
	AFL	0	T:42000 (+500/-500)		42000	42500	41449 (+500)		
PROC. REF: AMM 12-B-55-40-04-00A-310A-APROC. REF: AMM 12-B-55-40-04-00A-310A-A									
PC12A55100100		HORIZONTAL STABILIZER						Component	ATA:55
PN:555.10.12.038	MOS/MSC	28-Feb-23	H/T	TSN 0					
SN:2045	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-55-10-01-00A-920A-APROC. REF: AMM 12-B-55-10-01-00A-920A-A									
PC12A55200100		ELEVATOR LH						Component	ATA:55
PN:555.20.12.043	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:2147	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-55-20-01-00A-920A-APROC. REF: AMM 12-B-55-20-01-00A-920A-A									
PC12A55200200		ELEVATOR RH						Component	ATA:55
PN:555.20.12.044	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:2140	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-55-20-01-00A-920A-APROC. REF: AMM 12-B-55-20-01-00A-920A-A									
PC12A55300100		VERTICAL STABILIZER						Component	ATA:55
PN:555.30.12.042	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:7186	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-55-30-01-00A-920A-APROC. REF: AMM 12-B-55-30-01-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
PC12A55400100		RUDDER							Component ATA:55
PN:555.40.12.040	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:1701	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 12-B-55-40-01-00A-920A-APROC. REF: AMM 12-B-55-40-01-00A-920A-A									
ATA 56 - WINDOWS									
56-11/12		COCKPIT OUTER SIDE, DV WINDOWS AND CABIN WINDOWS - REPLACE (IF CRACKED)					Service ATA:56		
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-C-56-20-01-00A-920A-A, AMM 12-B-56-14-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A, AMM 12-B-56-14-01-00A-920A-A									
56-11/13		COCKPIT INNER AND OUTER SIDE, DV WINDOWS AND CABIN WINDOWS - CHECK FOR LIMITATIONS (IF CHIPPED, CRACKED (ONLY FOR INNER SIDE WINDOWS), CRAZING, SCRATCHED, BUBBLES OR DELAMINATED)					Service ATA:56		
	MOS/MSC	28-Feb-23	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A									
56-11/14		LH WINDSHIELD - REPLACE (IF CRACKED IN INNER LAMINATION)					Service ATA:56		
PN:959.81.10.109	MOS/MSC	28-Feb-23	A/R						
SN:21299H9893	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A									
56-11/14		RH WINDSHIELD - REPLACE (IF CRACKED IN INNER LAMINATION)					Service ATA:56		
PN:959.81.10.110	MOS/MSC	28-Feb-23	A/R						
SN:21188H2146	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A									
56-11/15		LH WINDSHIELD (IF CRACKED IN OUTER LAMINATION, ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEM)					Service ATA:56		
PN:959.81.10.109	MOS/MSC	28-Feb-23	A/R						
SN:21299H9893	HRS	0							
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A									
56-11/15	RH WINDSHIELD (IF CRACKED IN OUTER LAMINATION, ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEM)							Service	ATA:56
PN:959.81.10.110	MOS/MSC	28-Feb-23	A/R						
SN:21188H2146	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A									
56-11/332	COCKPIT SIDE WINDOWS INSPECTION/CHECK							Service	ATA:56
	MOS	28-Feb-23	120 (+6m/-6m)		28-Feb-33	31-Aug-33	2581 d (+184)		
	HRS	0	11000 (+500/-500)		11000	11500	10456.8 (+500)		
	AFL	0							
PROC. REF: AMM 12-B-56-11-02-00A-313A-APROC. REF: AMM 12-B-56-11-02-00A-313A-A									
56-11/378	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WINDSHIELD LH AND RH AND COCKPIT SIDE WINDOWS - EXAMINE WITH WINDSHIELD AND SIDE WINDOWS REMOVED (CPCP)							Service	ATA:56
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-53-10-16-00A-310A-A, AMM 12-B-56-11-01-00A-310A-A, AMM 12-B-56-11-02-00A-310A-APROC. REF: AMM 12-B-53-10-16-00A-310A-A, AMM 12-B-56-11-01-00A-310A-A, AMM 12-B-56-11-02-00A-310A-A									
56-11/517 ^S	COCKPIT DV WINDOW - MAKE SURE THAT YOU CAN OPEN AND CLOSE THE DV WINDOW WITH ONE HAND							Service	ATA:56
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
56-11/558 ^S	WINDSHIELD LH AND RH (MSN 2001 AND UP) - EXAMINE							Service	ATA:56
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A									

PKG:3

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-20/559 ^S	COCKPIT AND CABIN WINDOWS (MSN 2001 AND UP) - EXAMINE							Service	ATA:56
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A									
PKG:2									
PC12A56110100	WINDSHIELD LH							Component	ATA:56
PN:959.81.10.109	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:21299H9893	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A									
PC12A56110200	WINDSHIELD RH							Component	ATA:56
PN:959.81.10.110	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:21188H2146	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A									
PC12A56110300	LEFT INNER SIDE WINDOW							Component	ATA:56
PN:959.81.10.111	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:21253H6670	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-56-11-02-00A-920A-APROC. REF: AMM 12-B-56-11-02-00A-920A-A									
PC12A56110400	RIGHT INNER SIDE WINDOW							Component	ATA:56
PN:959.81.10.112	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:21237H5467	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-56-11-02-00A-920A-APROC. REF: AMM 12-B-56-11-02-00A-920A-A									
PC12A56140100	DIRECT VISION WINDOW							Component	ATA:56
PN:556.14.12.099	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:22216H1290	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-56-14-01-00A-920A-APROC. REF: AMM 12-B-56-14-01-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
PC12A56200110		LH NO. 1 CABIN WINDOW						Component	ATA:56
PN:556.20.12.040	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:0003988685-005	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A									
PC12A56200120		LH NO. 2 CABIN WINDOW						Component	ATA:56
PN:556.20.12.040	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:0003988683-006	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A									
PC12A56200130		LH NO. 3 CABIN WINDOW						Component	ATA:56
PN:556.20.12.040	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:0003988685-003	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A									
PC12A56200140		LH NO. 4 CABIN WINDOW						Component	ATA:56
PN:556.20.12.040	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:0003988681-005	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A									
PC12A56200150		RH NO. 1 CABIN WINDOW						Component	ATA:56
PN:556.20.12.040	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:0003988681-006	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A									
PC12A56200160		RH NO. 2 CABIN WINDOW						Component	ATA:56
PN:556.20.12.040	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:0003992538-005	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
PC12A56200170		RH NO. 3 CABIN WINDOW						Component	ATA:56
PN:556.20.12.040	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:0003988681-007	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A									
PC12A56200180		RH NO. 4 CABIN WINDOW						Component	ATA:56
PN:556.20.12.040	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:0003988681-008	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A									
PC12A56200190		RH NO. 5 CABIN WINDOW						Component	ATA:56
PN:556.20.12.040	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:0003988685-001	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A									
ATA 57 - WINGS									
57-00/11		LIFE LIMIT - LEFT WING STRUCTURE - PRE SB 04-009						Service	ATA:57
PN:557.00.12.063	MOS	28-Feb-23					LIFE LIMIT		
SN:7186	HRS	0	20000		20000		19456.8		
	AFL	0	27000		27000		26449		
PROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-APROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-A									
57-00/11		LIFE LIMIT - RIGHT WING STRUCTURE - PRE SB 04-009						Service	ATA:57
PN:557.00.12.064	MOS	28-Feb-23					LIFE LIMIT		
SN:7186	HRS	0	20000		20000		19456.8		
	AFL	0	27000		27000		26449		
PROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-APROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-A									
57-00/282 ^S		WING TIP STATIC DISCHARGERS - EXAMINE						Service	ATA:57
	MOS	19-Mar-25	24 (+10%/-10%)						
	HRS	477.4	2400 (+10%/-10%)						
	AFL	520							

PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
PROC. REF: AMM 12-C-57-33-00-00A-310A-APROC. REF: AMM 12-C-57-33-00-00A-310A-A									
57-00/283 ^S	EXAMINE WING INTERNAL SURFACES AND FLAP COMPARTMENT AS FAR AS POSSIBLE WITH ACCESS PANELS REMOVED							Service	ATA:57
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PKG:3									
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A									
57-00/284 ^S	WING TO FUSELAGE ATTACHMENTS - EXAMINE AS FAR AS POSSIBLE							Service	ATA:57
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PKG:3									
PROC. REF: AMM 12-C-57-00-00-00A-313A-APROC. REF: AMM 12-C-57-00-00-00A-313A-A									
57-00/326	LIFE LIMIT - LEFT WING STRUCTURE - POST SB 04-009							Service	ATA:57
PN:557.00.12.063	MOS/MSC	28-Feb-23	N/A					LIFE LIMIT	
SN:7186	HRS	0							
	AFL	0							
PROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-APROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-A									
57-00/326	LIFE LIMIT - RIGHT WING STRUCTURE - POST SB 04-009							Service	ATA:57
PN:557.00.12.064	MOS/MSC	28-Feb-23	N/A					LIFE LIMIT	
SN:7186	HRS	0							
	AFL	0							
PROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-APROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-A									
57-00/379	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING - EXAMINE ALL STRUCTURAL ELEMENTS RIB 1 TO RIB 20 (CPCP)							Service	ATA:57
	MOS	28-Feb-23							
	HRS	0	T:30000		30000		29456.8		
	AFL	0	T:39000		39000		38449		
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/380	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING MAIN AND REAR SPAR TO FUSELAGE ATTACHMENT - EDDY CURRENT INSPECTION							Service	ATA:57
	MOS	28-Feb-23							
	HRS	0	T:30000		30000		29456.8		
	AFL	0	T:39000		39000		38449		
PROC. REF: AMM 12-C-57-00-03-00A-353A-A, AMM 12-C-57-00-03-01A-353A-APROC. REF: AMM 12-C-57-00-03-00A-353A-A, AMM 12-C-57-00-03-01A-353A-A									
57-00/382	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING REAR SPAR AT RIB 8 FLAP ARM ATTACHMENT - EDDY CURRENT INSPECTION							Service	ATA:57
	MOS	28-Feb-23							
	HRS	0	T:25000		25000		24456.8		
	AFL	0	T:30000		30000		29449		
PROC. REF: AMM 12-B-57-20-10-00A-353C-APROC. REF: AMM 12-B-57-20-10-00A-353C-A									
57-00/383	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING MAIN SPAR FASTENER HOLES RIB 1 THRU RIB 6 - EDDY CURRENT INSPECTION							Service	ATA:57
	MOS	28-Feb-23							
	HRS	0	T:25000		25000		24456.8		
	AFL	0	T:30000		30000		29449		
PROC. REF: AMM 12-B-57-20-10-00A-353A-APROC. REF: AMM 12-B-57-20-10-00A-353A-A									
57-00/384	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING MAIN SPAR FASTENER HOLES STRAP RIB 6 - EDDY CURRENT INSPECTION							Service	ATA:57
	MOS	28-Feb-23							
	HRS	0	T:25000		25000		24456.8		
	AFL	0	T:30000		30000		29449		
PROC. REF: AMM 12-B-57-20-05-00A-353A-APROC. REF: AMM 12-B-57-20-05-00A-353A-A									
57-00/385	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING REAR SPAR FASTENER HOLES RIB 2 THRU RIB 3 - EDDY CURRENT INSPECTION							Service	ATA:57
	MOS	28-Feb-23							
	HRS	0	T:25000		25000		24456.8		
	AFL	0	T:30000		30000		29449		
PROC. REF: AMM 12-B-57-20-10-00A-353B-APROC. REF: AMM 12-B-57-20-10-00A-353B-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/412	SUPPLEMENTAL STRUCTURAL INSPECTION - WING TIP - EXAMINE							Service	ATA:57
	MOS	28-Feb-23							
	HRS	0	T:32500 (+500/-500)		32500	33000	31956.8 (+500)		
	AFL	0	T:42000 (+500/-500)		42000	42500	41449 (+500)		
PROC. REF: AMM 12-C-57-33-00-00A-310A-APROC. REF: AMM 12-C-57-33-00-00A-310A-A									
57-00/413	SUPPLEMENTAL STRUCTURAL INSPECTION - WING SKIN AROUND DRAIN HOLES - EDDY CURRENT INSPECTION							Service	ATA:57
	MOS	28-Feb-23							
	HRS	0	T:25000 (+500/-500)		25000	25500	24456.8 (+500)		
	AFL	0	T:30000 (+500/-500)		30000	30500	29449 (+500)		
PROC. REF: AMM 12-B-57-20-01-00A-353A-APROC. REF: AMM 12-B-57-20-01-00A-353A-A									
57-00/427	WING MAIN SPAR FASTENER HOLES STRAP RIB 6 - EDDY CURRENT INSPECTION (IF YOU FIND CRACKS, CONTACT PILATUS CUSTOMER SUPPORT FOR ADVICE)							Service	ATA:57
	MOS	28-Feb-23							
	HRS	0	T:16000		16000		15456.8		
	AFL	0	T:22500		22500		21949		
PROC. REF: AMM 12-B-57-20-10-00A-353D-APROC. REF: AMM 12-B-57-20-10-00A-353D-A									
57-00/560 ^S	WING EXTERNAL SURFACES (MSN 2001 AND UP) - EXAMINE							Service	ATA:57
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A									
57-00/97	WING INTERNAL SURFACES AND FLAP COMPARTMENT - EXAMINE AS FAR AS POSSIBLE WITH ALL WING PANELS REMOVED							Service	ATA:57
	MOS	19-Mar-25	24 (+10%/-10%)		19-Mar-27	31-May-27	408 d (+73)		
	HRS	477.4	2000 (+10%/-10%)		2477.4	2677.4	1934.2 (+200)		
	AFL	520							
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A									
57-00/98	LANDING GEAR COMPARTMENTS - EXAMINE, ESPECIALLY MAIN AND REAR SPAR PARTS							Service	ATA:57
	MOS	19-Mar-25	24 (+10%/-10%)		19-Mar-27	31-May-27	408 d (+73)		
	HRS	477.4	2000 (+10%/-10%)		2477.4	2677.4	1934.2 (+200)		
	AFL	520							

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
57-00/99	WING TO FUSELAGE ATTACHMENTS - EXAMINE ATTACHMENT FITTINGS WITH WINGS REMOVED							Service	ATA:57
	MOS	28-Feb-23	120 (+6m/-6m)		28-Feb-33	31-Aug-33	2581 d (+184)		
	HRS	0	11000 (+500/-500)		11000	11500	10456.8 (+500)		
	AFL	0							
PROC. REF: AMM 12-C-57-00-00-00A-313A-APROC. REF: AMM 12-C-57-00-00-00A-313A-A									
57-60/393	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON - EXAMINE (CPCP)							Service	ATA:57
	MOS	28-Feb-23							
	HRS	0	T:32500		32500		31956.8		
	AFL	0	T:42000		42000		41449		
PROC. REF: AMM 12-B-57-60-00-00A-310A-APROC. REF: AMM 12-B-57-60-00-00A-310A-A									
57-60/411	SUPPLEMENTAL STRUCTURAL INSPECTION - AILERON TRIM TAB - EXAMINE							Service	ATA:57
	MOS	28-Feb-23							
	HRS	0	T:32500 (+500/-500)		32500	33000	31956.8 (+500)		
	AFL	0	T:42000 (+500/-500)		42000	42500	41449 (+500)		
PROC. REF: AMM 12-B-57-60-04-00A-310A-APROC. REF: AMM 12-B-57-60-04-00A-310A-A									
PC12A57000100	LEFT WING STRUCTURE							Component	ATA:57
PN:557.00.12.063	MOS/MSC	28-Feb-23	H/T		TSN 0				
SN:7186	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-APROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-A									
PC12A57000200	RIGHT WING STRUCTURE							Component	ATA:57
PN:557.00.12.064	MOS/MSC	28-Feb-23	H/T		TSN 0				
SN:7186	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-APROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PC12A57500100	LH FLAP							Component ATA:57
PN:557.50.12.007	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:7186	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-57-50-01-00A-920A-APROC. REF: AMM 12-B-57-50-01-00A-920A-A								
PC12A57500200	RH FLAP							Component ATA:57
PN:557.50.12.008	MOS/MSC	28-Feb-23	H/T	TSN 0				
SN:7186	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-57-50-01-00A-920A-APROC. REF: AMM 12-B-57-50-01-00A-920A-A								
PC12A57600100	LEFTAILERON							Component ATA:57
PN:557.60.12.371	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:7186	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-57-60-02-00A-920A-APROC. REF: AMM 12-C-57-60-02-00A-920A-A								
PC12A57600200	RIGHTAILERON							Component ATA:57
PN:557.60.12.372	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:7186	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-57-60-02-00A-920A-APROC. REF: AMM 12-C-57-60-02-00A-920A-A								
ATA 61 - PROPELLERS/PROPULSORS								
61-00/457	NO. 1 PROPELLER - PERIODIC INSPECTIONS AND MAINTENANCE							Service ATA:61
	MOS/MSC	19-Mar-25	A/R					
	HRS	477.4						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
61-10/08	NO. 1 PROPELLER - DE-ICE COMPONENT OVERHAUL							Service ATA:61
	MOS	27-Jan-23	72		27-Jan-29		1088 d	OVERHAUL
	HRS	0	4000		(4000) 4000		3456.8	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
61-10/37	NO. 1 PROPELLER - OVERHAUL							
	MOS	27-Jan-23	72		27-Jan-29		1088 d	Service ATA:61 OVERHAUL
	HRS	0	4000		(4000) 4000		3456.8	
PROC. REF: SL HC-SL-61-61Y, POM 61-00-47PROC. REF: SL HC-SL-61-61Y, POM 61-00-47								
61-CA/02	NO. 1 PROPELLER - ACCOMPLISH A DETAIL INSPECTION							
	MOS	19-Mar-25	12		19-Mar-26		43 d	Service ATA:61
	HRS	477.4	400		(877.4) 877.4		334.2	
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/03	NO. 1 PROPELLER - PROPELLER DE-ICE SYSTEM - INSPECTION/CHECK							
	MOS	19-Mar-25	12		19-Mar-26		43 d	Service ATA:61
	HRS	477.4	600		(1077.4) 1077.4		534.2	
PROC. REF: MM 30-61-80PROC. REF: MM 30-61-80								
61-CA/04	NO. 1 PROPELLER - LUBRICATE							
	MOS	19-Mar-25	12		19-Mar-26		43 d	Service ATA:61
	HRS	477.4	600 (+10%)		(1077.4) 1077.4	1137.4	534.2 (+60)	
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/04-10	NO. 1 PROPELLER - APPLY CORROSION INHIBITOR TO STEEL COUNTERWEIGHTS							
	MOS	19-Mar-25	12		19-Mar-26		43 d	Service ATA:61
	HRS	477.4	600 (+10%)		(1077.4) 1077.4	1137.4	534.2 (+60)	
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/05	NO. 1 PROPELLER - INSPECT BLADE USING COIN-TAP							
	MOS	25-Feb-23						Service ATA:61
	HRS	0	1200		(1200) 1200		656.8	
PROC. REF: POM 61-00-47, MRM 61-13-70PROC. REF: POM 61-00-47, MRM 61-13-70								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 61 - PROPELLERS/PROPULSORS									
61-CA/06	NO. 1 PROPELLER - INSPECT EROSION SHIELD USING COIN-TAP							Service	ATA:61
	MOS	19-Mar-25	12		19-Mar-26		43 d		
	HRS	477.4	600		(1077.4) 1077.4		534.2		
PROC. REF: POM 61-00-47, MRM 61-13-70PROC. REF: POM 61-00-47, MRM 61-13-70									
61-CA/08	NO. 1 PROPELLER - OVERHAUL DAMPER ASSEMBLIES							Service	ATA:61
	MOS/MSC	25-Feb-23	N/A						
	HRS	0							
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47									
61-CA/09	NO. 1 PROPELLER - PRE-FLIGHT CHECKS							Service	ATA:61
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47									
61-CA/10	NO. 1 PROPELLER - OPERATIONAL CHECK							Service	ATA:61
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
61-CA/11	NO. 1 PROPELLER - OVERSPEED/OVERTORQUE							Service	ATA:61
	MOS/MSC	25-Feb-23	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47									
61-CA/12	NO. 1 PROPELLER - LIGHTNING STRIKE							Service	ATA:61
	MOS/MSC	25-Feb-23	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
PROC. REF: POM 61-00-47, MM 30-61-80PROC. REF: POM 61-00-47, MM 30-61-80									
61-CA/13	NO. 1 PROPELLER - FOREING OBJECT STRIKE/GROUND STRIKE							Service	ATA:61
	MOS/MSC	25-Feb-23	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
PROC. REF: POM 61-00-47, MM 30-61-80PROC. REF: POM 61-00-47, MM 30-61-80								
61-CA/14	NO. 1 PROPELLER - FIRE/HEAT DAMAGE							Service ATA:61
	MOS/MSC	25-Feb-23	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47, MM 30-61-80PROC. REF: POM 61-00-47, MM 30-61-80								
61-CA/15	NO. 1 PROPELLER - SUDDEN STOPPAGE							Service ATA:61
	MOS/MSC	25-Feb-23	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/16	NO. 1 PROPELLER - ENGINE OIL CONTAMINATION							Service ATA:61
	MOS/MSC	25-Feb-23	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/17	NO. 1 PROPELLER - LONG TERM STORAGE							Service ATA:61
	MOS/MSC	25-Feb-23	A/R					
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/2 ^S	NO. 1 ENGINE - DO A CHECK OF THE PCU FOR INSTALLATION AND LEAKS							Service ATA:61
	MOS	19-Mar-25	12 (+30d/-30d)					
	HRS	477.4	600 (+10%/-10%)					
	ENC	520						
PROC. REF: EM 61-20-01, LMM 61-20-01PROC. REF: EM 61-20-01, LMM 61-20-01								
61-CA/20	NO. 1 PROPELLER - DYNAMIC BALANCE							Service ATA:61
	MOS/MSC	28-Sep-22	A/R					
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 61 - PROPELLERS/PROPULSORS									
61-CA/3		NO. 1 ENGINE - OVERHAUL PROPELLER CONTROL UNIT						Service	ATA:61
PN:3126986-03	MOS	25-Feb-23						OVERHAUL	
SN:WDA140655	HRS	0	5000 (+500)		(5000) 5000	5500	4456.8 (+500)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
61PR1		NO. 1 PROPELLER						Component	ATA:61
PN:E5A01850SKD	MOS/MSC		PP/C						
SN:SA920	HRS								
WC#: 61.PR1	AFL								
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM									
PC12A61100100010		NO. 1 PROPELLER - NO. 1 BLADE						Component	ATA:61
PN:NC10245B	MOS/MSC	25-Feb-23	O/C	TSN 0					
SN:D2255	HRS	0		TSN 0					
	PRC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A61100100020		NO. 1 PROPELLER - NO. 2 BLADE						Component	ATA:61
PN:NC10245B	MOS/MSC	25-Feb-23	O/C	TSN 0					
SN:D5129	HRS	0		TSN 0					
	PRC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A61100100030		NO. 1 PROPELLER - NO. 3 BLADE						Component	ATA:61
PN:NC10245B	MOS/MSC	25-Feb-23	O/C	TSN 0					
SN:D5228	HRS	0		TSN 0					
	PRC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A61100100040		NO. 1 PROPELLER - NO. 4 BLADE						Component	ATA:61
PN:NC10245B	MOS/MSC	25-Feb-23	O/C	TSN 0					
SN:D5390	HRS	0		TSN 0					
	PRC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
PC12A61100100050		NO. 1 PROPELLER - NO. 5 BLADE			Component ATA:61			
PN:NC10245B	MOS/MSC	25-Feb-23	O/C	TSN 0				
SN:D5400	HRS	0		TSN 0				
	PRC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A61200100		FEATHER INHIBIT SWITCH			Component ATA:61			
PN:972.81.21.166	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:0200	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-61-20-04-00A-920A-APROC. REF: AMM 12-C-61-20-04-00A-920A-A								
PT6EA612001		NO. 1 ENGINE - PROPELLER CONTROL UNIT			Component ATA:61			
PN:3126986-03	MOS/MSC	25-Feb-23	H/T	TSN 0				
SN:WDA140655	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 61-20-01, EM 61-20-01, LMM 61-20-01, LMM 61-20-01PROC. REF: EM 61-20-01, EM 61-20-01, LMM 61-20-01, LMM 61-20-01								
ATA 70 - STANDARD PRACTICES - ENGINES								
70-CA/1		NO. 1 ENGINE - DO A VISUAL INSPECTION OF EXTERNAL TUBES, ELBOWS AND HOSES FOR LEAKS			Service ATA:70			
	MOS	19-Mar-25	12 (+30d/-30d)		19-Mar-26	18-Apr-26	43 d (+30)	
	HRS	477.4	600 (+10%/-10%)		(1077.4) 1077.4	1137.4	534.2 (+60)	
	ENC	520						
PKG:2								
PROC. REF: EM 70-30-00, LMM 70-30-00PROC. REF: EM 70-30-00, LMM 70-30-00								
70-CA/2 ^S		NO. 1 ENGINE - DO A VISUAL EXAMINATION OF THE ENGINE EXTERNAL ACCESSORIES FOR LEAKS			Service ATA:70			
	MOS	19-Mar-25	12 (+30d/-30d)					
	HRS	477.4	600 (+10%/-10%)					
	ENC	520						
PKG:2								
PROC. REF: EM 70-30-00, LMM 70-30-00PROC. REF: EM 70-30-00, LMM 70-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00/16		LIFE LIMIT - ENGINE MOUNTING FRAME - PRE SB 04-009							Service ATA:71
PN:571.20.12.008	MOS	28-Feb-23						LIFE LIMIT	
SN:355	HRS	0	20000		20000		19456.8		
	AFL	0	27000		27000		26449		
PROC. REF: AMM 12-C-71-00-05-00A-920A-APROC. REF: AMM 12-C-71-00-05-00A-920A-A									
71-00/17		LIFE LIMIT - ENGINE MOUNTING FRAME, REPLACE ALL BOLTS, WASHERS AND NUTS							Service ATA:71
PN:571.20.12.008	MOS	28-Feb-23						LIFE LIMIT	
SN:355	HRS	0	11000		11000		10456.8		
	AFL	0							
PROC. REF: AMM 12-C-71-00-05-00A-920A-APROC. REF: AMM 12-C-71-00-05-00A-920A-A									
71-00/204 ^S		JOB CLOSE UP - POWER PLANT - DO A POST INSPECTION GROUND RUN TESTS AS NECESSARY TO CLOSE UP INSPECTION							Service ATA:71
	MOS/MSC	19-Mar-25	A/R						
	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-C-71-00-00-00A-903A-APROC. REF: AMM 12-C-71-00-00-00A-903A-A									
71-00/205 ^S		ENGINE TUBULAR MOUNTING FRAME AND SHOCKMOUNTS - EXAMINE. REPLACE SHOCKMOUNT IF CRACKS IN ELASTOMER ARE MORE THAN 25,4 MM (1IN) LONG AND/OR 1,5MM (0.06 IN) DEEP							Service ATA:71
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-00/287 ^S		JOB SET UP - POWER PLANT - DO AN INSPECTION GROUND RUN AS NECESSARY. MAKE RECORD OF ANY DEFECTS.							Service ATA:71
	MOS/MSC	19-Mar-25	A/R						
	HRS	477.4							
	AFL	520							
PROC. REF: AMM 12-C-71-00-00-00A-903A-APROC. REF: AMM 12-C-71-00-00-00A-903A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00/301 ^S	ENGINE TUBULAR MOUNTING FRAME FIREWALL ATTACHMENT FITTINGS - EXAMINE WITH FIREWALL INSULATION BLANKET REMOVED AS NECESSARY. IF CRACKED, BLISTERED OR FLAKING PAINT IS FOUND ON THE MOUNTING FRAME REFER TO SRM							Service	ATA:71
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	1200 (+10%/-10%)						
	AFL	520							
PKG:3									
PROC. REF: AMM 12-B-54-20-02-00A-664A-APROC. REF: AMM 12-B-54-20-02-00A-664A-A									
71-00/327	LIFE LIMIT - ENGINE MOUNTING FRAME - POST SB 04-009							Service	ATA:71
PN:571.20.12.008	MOS/MSC	28-Feb-23	N/A					LIFE LIMIT	
SN:355	HRS	0							
	AFL	0							
PROC. REF: AMM 12-C-71-00-05-00A-920A-APROC. REF: AMM 12-C-71-00-05-00A-920A-A									
71-00/401	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ENGINE MOUNT - MAGNETIC PARTICLE INSPECTION							Service	ATA:71
	MOS	28-Feb-23							
	HRS	0	T:26600		26600		26056.8		
	AFL	0	T:35000		35000		34449		
PROC. REF: AMM 12-C-71-00-05-00A-352A-APROC. REF: AMM 12-C-71-00-05-00A-352A-A									
71-00/476 ^S	JOB CLOSE UP - P&WC AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS - REVIEWED AND COMPLIED WITH AS NECESSARY							Service	ATA:71
	MOS/MSC	19-Mar-25	A/R						
	HRS	477.4							
	AFL	520							
PKG:5 ,1,2,3,4									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-00/490	OVERHAUL LOWER LEFT ENGINE SHOCK MOUNT ASSEMBLY							Service	ATA:71
PN:944.81.21.409	MOS	28-Feb-23						OVERHAUL	
SN:14840	HRS	0	5000 (+500/-500)		5000	5500	4456.8 (+500)		
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00/490 OVERHAUL LOWER RIGHT ENGINE SHOCK MOUNT ASSEMBLY								Service ATA:71
PN:944.81.21.409	MOS	28-Feb-23						OVERHAUL
SN:14864	HRS	0	5000 (+500/-500)		5000	5500	4456.8 (+500)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/490 OVERHAUL UPPER CENTER ENGINE SHOCK MOUNT ASSEMBLY								Service ATA:71
PN:944.81.21.409	MOS	28-Feb-23						OVERHAUL
SN:14860	HRS	0	5000 (+500/-500)		5000	5500	4456.8 (+500)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/490 OVERHAUL UPPER LEFT ENGINE SHOCK MOUNT ASSEMBLY								Service ATA:71
PN:944.81.21.409	MOS	28-Feb-23						OVERHAUL
SN:14845	HRS	0	5000 (+500/-500)		5000	5500	4456.8 (+500)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/490 OVERHAUL UPPER RIGHT ENGINE SHOCK MOUNT ASSEMBLY								Service ATA:71
PN:944.81.21.409	MOS	28-Feb-23						OVERHAUL
SN:14862	HRS	0	5000 (+500/-500)		5000	5500	4456.8 (+500)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/561 ^S ENGINE DRAIN MAST AND TANK (MSN 2001 AND UP) - EXAMINE THE DRAIN MASKS FOR FUEL LEAKS (NO LEAKS PERMITTED) AND DRAIN COLLECTOR TANK								Service ATA:71
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	600 (+10%/-10%)					
	AFL	520						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

PKG:2



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00/573 ^S	NO. 1 ENGINE - POWER PLANT AND ACCESSORIES INSPECTION							Service	ATA:71
	MOS	22-Mar-24	12 (+30d/-30d)						
	HRS	291	600 (+10%/-10%)						
	ENC								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2	
71-10/207 ^S	JOB SET UP - ENGINE COWLING 43AL AND 43AR - OPEN AND EXAMINE. SPECIFICALLY THE CONDITION OF THE RUBBING STRIPS AND FASTENERS. LUBRICATE THE HINGES WITH A MINIMUM OF CPC (PT.NO. P10-001)							Service	ATA:71
	MOS/MSC	19-Mar-25	A/R						
	HRS	477.4							
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5 ,1,2,3,4	
71-10/208 ^S	JOB CLOSE UP - ENGINE COWLING 43AL AND 43AR - CLOSE AS NECESSARY TO CLOSE UP THE INSPECTION							Service	ATA:71
	MOS/MSC	19-Mar-25	A/R						
	HRS	477.4							
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5 ,1,2,3,4	
71-CA/1	NO. 1 ENGINE - ENGINE HOT SECTION INSPECTION (HSI)							Service	ATA:71
	MOS	25-Feb-23							
	HRS	0	2500 (+100/-100)		(2500) 2500	2600	1956.8 (+100)		
	ENC	0							
PROC. REF: EM 72-00-00PROC. REF: EM 72-00-00									
71-CA/10	NO. 1 ENGINE - POWER PLANT - ENGINE PERFORMANCE OPERATIONAL TEST							Service	ATA:71
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 71-00-08, LMM 71-00-08PROC. REF: EM 71-00-08, LMM 71-00-08									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-CA/11	NO. 1 ENGINE - POWER PLANT - TORQUEMETER OPERATIONAL TEST							Service	ATA:71
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 71-00-10, LMM 71-00-10PROC. REF: EM 71-00-10, LMM 71-00-10									
71-CA/12	NO. 1 ENGINE - POWER PLANT - BLEED VALVE OPERATIONAL TEST							Service	ATA:71
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 71-00-11, LMM 71-00-11PROC. REF: EM 71-00-11, LMM 71-00-11									
71-CA/13	NO. 1 ENGINE - POWER PLANT - IGNITION SYSTEM OPERATIONAL TEST							Service	ATA:71
	MOS/MSC	23-Jul-25	A/R						
	HRS	512.5							
	ENC	542							
PROC. REF: AMM 12-C-74-00-00-00A-903A-APROC. REF: AMM 12-C-74-00-00-00A-903A-A									
71-CA/2 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE SCAVENGE OIL PUMP HOUSING FOR LEAKS							Service	ATA:71
	MOS	19-Mar-25	12 (+30d/-30d)						
	HRS	477.4	600 (+10%/-10%)						
	ENC	520							
PROC. REF: EM 71-00-01, LMM 71-00-01PROC. REF: EM 71-00-01, LMM 71-00-01									
71-CA/3 ^S	NO. 1 ENGINE - DO A FUNCTIONAL TEST OF SPARK IGNITERS							Service	ATA:71
	MOS	19-Mar-25							
	HRS	477.4	600 (+10%/-10%)						
	ENC	520							
PROC. REF: EM 71-00-18, LMM 71-00-18PROC. REF: EM 71-00-18, LMM 71-00-18									
71-CA/4 ^S	NO. 1 ENGINE - DO A CHECK OF THE DRAIN VALVE FOR INSTALLATION AND LEAKS							Service	ATA:71
	MOS	19-Mar-25	12 (+30d/-30d)						
	HRS	477.4	600 (+10%/-10%)						
	ENC	520							

PKG:2

PKG:3

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
PROC. REF: EM 71-00-19, LMM 71-00-19PROC. REF: EM 71-00-19, LMM 71-00-19									
71-CA/5	NO. 1 ENGINE - COMPRESSOR/DESALINATION WASH							Service	ATA:71
	MOS/MSC		23-Jul-25		O/C				
	HRS		512.5						
	ENC		542						
PROC. REF: EM 71-00-14, EM 71-00-15, LMM 71-00-14, LMM 71-00-15, AMM 12-B-12-20-01-00A-902A-APROC. REF: EM 71-00-14, EM 71-00-15, LMM 71-00-14, LMM 71-00-15, AMM 12-B-12-20-01-00A-902A-A									
71-CA/6	NO. 1 ENGINE - TURBINE WASH							Service	ATA:71
	MOS/MSC		23-Jul-25		A/R				
	HRS		512.5						
	ENC		542						
PROC. REF: EM 71-00-17PROC. REF: EM 71-00-17									
71-CA/7	NO. 1 ENGINE - DO A COMPRESSOR PERFORMANCE RECOVERY WASH							Service	ATA:71
	MOS/MSC		22-Mar-24		A/R				
	HRS		291						
	ENC								
PROC. REF: EM 71-00-16, LMM 71-00-16, AMM 12-B-12-20-01-00A-902A-APROC. REF: EM 71-00-16, LMM 71-00-16, AMM 12-B-12-20-01-00A-902A-A									
71-CA/8	NO. 1 ENGINE - ENGINE CONDITION TREND MONITORING (ECTM)							Service	ATA:71
	DAYS/MSC		21-Apr-25		A/R				
	HRS								
	ENC								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-CA/9	NO. 1 ENGINE - EXTERNAL WASH							Service	ATA:71
	DAYS/MSC		22-Mar-24		A/R				
	HRS		291						
	ENC								
PROC. REF: EM 71-00-17, LMM 71-00-13PROC. REF: EM 71-00-17, LMM 71-00-13									
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:3126995-01 BS1369	MOS/MSC				E/C				
SN:PCE-HP0249	HRS								
WC#: 71.EN1	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM									
<hr/>									
PC12A71000100	ENGINE MOUNTING FRAME							Component	ATA:71
PN:571.20.12.008	MOS/MSC	28-Feb-23	H/T	TSN 0					
SN:355	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-71-00-05-00A-920A-APROC. REF: AMM 12-C-71-00-05-00A-920A-A									
<hr/>									
PC12A71000210	SHOCK MOUNT, LOWER LH							Component	ATA:71
PN:944.81.21.409	MOS/MSC	28-Feb-23	H/T	TSN 0					
SN:14840	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B									
<hr/>									
PC12A71000220	SHOCK MOUNT, UPPER LH							Component	ATA:71
PN:944.81.21.409	MOS/MSC	28-Feb-23	H/T	TSN 0					
SN:14845	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B									
<hr/>									
PC12A71000230	SHOCK MOUNT, UPPER CENTER							Component	ATA:71
PN:944.81.21.409	MOS/MSC	28-Feb-23	H/T	TSN 0					
SN:14860	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B									
<hr/>									
PC12A71000240	SHOCK MOUNT, UPPER RH							Component	ATA:71
PN:944.81.21.409	MOS/MSC	28-Feb-23	H/T	TSN 0					
SN:14862	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B									
<hr/>									
PC12A71000250	SHOCK MOUNT, LOWER RH							Component	ATA:71
PN:944.81.21.409	MOS/MSC	28-Feb-23	H/T	TSN 0					
SN:14864	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B									
ATA 72 - ENGINE									
72-00/18/CT-1	NO. 1 ENGINE - REPLACE NO. 1 COMPRESSOR TURBINE BLADE							Service	ATA:72
PN:3078521-01	MOS		25-Feb-23					REPLACE	
SN:HA00766H	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-10	NO. 1 ENGINE - REPLACE NO. 10 COMPRESSOR TURBINE BLADE							Service	ATA:72
PN:3078521-01	MOS		25-Feb-23					REPLACE	
SN:HA007832	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-11	NO. 1 ENGINE - REPLACE NO. 11 COMPRESSOR TURBINE BLADE							Service	ATA:72
PN:3078521-01	MOS		25-Feb-23					REPLACE	
SN:HA00783L	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-12	NO. 1 ENGINE - REPLACE NO. 12 COMPRESSOR TURBINE BLADE							Service	ATA:72
PN:3078521-01	MOS		25-Feb-23					REPLACE	
SN:HA00784A	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-13	NO. 1 ENGINE - REPLACE NO. 13 COMPRESSOR TURBINE BLADE							Service	ATA:72
PN:3078521-01	MOS		25-Feb-23					REPLACE	
SN:HA00784L	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-14 NO. 1 ENGINE - REPLACE NO. 14 COMPRESSOR TURBINE BLADE Service ATA:72								
PN:3078521-01	MOS	25-Feb-23						REPLACE
SN:HA00784X	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-15 NO. 1 ENGINE - REPLACE NO. 15 COMPRESSOR TURBINE BLADE Service ATA:72								
PN:3078521-01	MOS	25-Feb-23						REPLACE
SN:HA007852	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-16 NO. 1 ENGINE - REPLACE NO. 16 COMPRESSOR TURBINE BLADE Service ATA:72								
PN:3078521-01	MOS	25-Feb-23						REPLACE
SN:HA00785A	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-17 NO. 1 ENGINE - REPLACE NO. 17 COMPRESSOR TURBINE BLADE Service ATA:72								
PN:3078521-01	MOS	25-Feb-23						REPLACE
SN:HA00785N	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-18 NO. 1 ENGINE - REPLACE NO. 18 COMPRESSOR TURBINE BLADE Service ATA:72								
PN:3078521-01	MOS	25-Feb-23						REPLACE
SN:HA007872	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00/18/CT-19		NO. 1 ENGINE - REPLACE NO. 19 COMPRESSOR TURBINE BLADE						Service	ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA00787L	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-2		NO. 1 ENGINE - REPLACE NO. 2 COMPRESSOR TURBINE BLADE						Service	ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA00767X	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-20		NO. 1 ENGINE - REPLACE NO. 20 COMPRESSOR TURBINE BLADE						Service	ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA00787M	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-21		NO. 1 ENGINE - REPLACE NO. 21 COMPRESSOR TURBINE BLADE						Service	ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA007881	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-22		NO. 1 ENGINE - REPLACE NO. 22 COMPRESSOR TURBINE BLADE						Service	ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA0079FA	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-23 NO. 1 ENGINE - REPLACE NO. 23 COMPRESSOR TURBINE BLADE Service ATA:72								
PN:3078521-01	MOS		25-Feb-23					REPLACE
SN:HA0079H7	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-24 NO. 1 ENGINE - REPLACE NO. 24 COMPRESSOR TURBINE BLADE Service ATA:72								
PN:3078521-01	MOS		25-Feb-23					REPLACE
SN:HA0079KL	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-25 NO. 1 ENGINE - REPLACE NO. 25 COMPRESSOR TURBINE BLADE Service ATA:72								
PN:3078521-01	MOS		25-Feb-23					REPLACE
SN:HA0079LH	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-26 NO. 1 ENGINE - REPLACE NO. 26 COMPRESSOR TURBINE BLADE Service ATA:72								
PN:3078521-01	MOS		25-Feb-23					REPLACE
SN:HA0079NW	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-27 NO. 1 ENGINE - REPLACE NO. 27 COMPRESSOR TURBINE BLADE Service ATA:72								
PN:3078521-01	MOS		25-Feb-23					REPLACE
SN:HA007PEN	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-28 NO. 1 ENGINE - REPLACE NO. 28 COMPRESSOR TURBINE BLADE Service ATA:72								
PN:3078521-01	MOS	25-Feb-23						REPLACE
SN:HA007XLC	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-29 NO. 1 ENGINE - REPLACE NO. 29 COMPRESSOR TURBINE BLADE Service ATA:72								
PN:3078521-01	MOS	25-Feb-23						REPLACE
SN:HA007XLX	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-3 NO. 1 ENGINE - REPLACE NO. 3 COMPRESSOR TURBINE BLADE Service ATA:72								
PN:3078521-01	MOS	25-Feb-23						REPLACE
SN:HA0076A7	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-30 NO. 1 ENGINE - REPLACE NO. 30 COMPRESSOR TURBINE BLADE Service ATA:72								
PN:3078521-01	MOS	25-Feb-23						REPLACE
SN:HA007XM6	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-31 NO. 1 ENGINE - REPLACE NO. 31 COMPRESSOR TURBINE BLADE Service ATA:72								
PN:3078521-01	MOS	25-Feb-23						REPLACE
SN:HA007XMF	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00/18/CT-32		NO. 1 ENGINE - REPLACE NO. 32 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA007XMH	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-33		NO. 1 ENGINE - REPLACE NO. 33 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA007XN8	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-34		NO. 1 ENGINE - REPLACE NO. 34 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA007XNB	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-35		NO. 1 ENGINE - REPLACE NO. 35 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA007XNK	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-36		NO. 1 ENGINE - REPLACE NO. 36 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA007XNP	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00/18/CT-37		NO. 1 ENGINE - REPLACE NO. 37 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA007XNX	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-38		NO. 1 ENGINE - REPLACE NO. 38 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA007XPE	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-39		NO. 1 ENGINE - REPLACE NO. 39 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA007XPL	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-4		NO. 1 ENGINE - REPLACE NO. 4 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA007732	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-40		NO. 1 ENGINE - REPLACE NO. 40 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA007XPM	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00/18/CT-41	NO. 1 ENGINE - REPLACE NO. 41 COMPRESSOR TURBINE BLADE							Service	ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA007XPR	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-42	NO. 1 ENGINE - REPLACE NO. 42 COMPRESSOR TURBINE BLADE							Service	ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA007XRA	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-43	NO. 1 ENGINE - REPLACE NO. 43 COMPRESSOR TURBINE BLADE							Service	ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA0080D7	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-44	NO. 1 ENGINE - REPLACE NO. 44 COMPRESSOR TURBINE BLADE							Service	ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA0080DF	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-45	NO. 1 ENGINE - REPLACE NO. 45 COMPRESSOR TURBINE BLADE							Service	ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA0080E3	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00/18/CT-46	NO. 1 ENGINE - REPLACE NO. 46 COMPRESSOR TURBINE BLADE							Service	ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA0080E6	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-47	NO. 1 ENGINE - REPLACE NO. 47 COMPRESSOR TURBINE BLADE							Service	ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA0083FK	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-48	NO. 1 ENGINE - REPLACE NO. 48 COMPRESSOR TURBINE BLADE							Service	ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA0083PY	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-49	NO. 1 ENGINE - REPLACE NO. 49 COMPRESSOR TURBINE BLADE							Service	ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA0084YF	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-5	NO. 1 ENGINE - REPLACE NO. 5 COMPRESSOR TURBINE BLADE							Service	ATA:72
PN:3078521-01	MOS	25-Feb-23						REPLACE	
SN:HA0077BA	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00/18/CT-6		NO. 1 ENGINE - REPLACE NO. 6 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS		25-Feb-23					REPLACE	
SN:HA0077BN	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-7		NO. 1 ENGINE - REPLACE NO. 7 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS		25-Feb-23					REPLACE	
SN:HA0077C6	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-8		NO. 1 ENGINE - REPLACE NO. 8 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS		25-Feb-23					REPLACE	
SN:HA0077P5	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/CT-9		NO. 1 ENGINE - REPLACE NO. 9 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS		25-Feb-23					REPLACE	
SN:HA0077PT	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
72-00/18/PT2-1		NO. 1 ENGINE - REPLACE NO. 1 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS		25-Feb-23					REPLACE	
SN:TH36D431	HRS	0	5000		(5000) 5000		4456.8		
	ENC	0							
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-10 NO. 1 ENGINE - REPLACE NO. 10 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH65D149	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-11 NO. 1 ENGINE - REPLACE NO. 11 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH65D507	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-12 NO. 1 ENGINE - REPLACE NO. 12 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH65D568	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-13 NO. 1 ENGINE - REPLACE NO. 13 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH65D588	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-14 NO. 1 ENGINE - REPLACE NO. 14 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH66D605	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-15 NO. 1 ENGINE - REPLACE NO. 15 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH66D649	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-16 NO. 1 ENGINE - REPLACE NO. 16 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH66D711	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-17 NO. 1 ENGINE - REPLACE NO. 17 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH66D733	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-18 NO. 1 ENGINE - REPLACE NO. 18 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH67D951	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-19 NO. 1 ENGINE - REPLACE NO. 19 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH67D991	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-2 NO. 1 ENGINE - REPLACE NO. 2 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH36D461	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-20 NO. 1 ENGINE - REPLACE NO. 20 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH68D032	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-21 NO. 1 ENGINE - REPLACE NO. 21 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH68D041	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-22 NO. 1 ENGINE - REPLACE NO. 22 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH68D087	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-23 NO. 1 ENGINE - REPLACE NO. 23 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH68D110	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-24 NO. 1 ENGINE - REPLACE NO. 24 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS	25-Feb-23						Service ATA:72 REPLACE
SN:TH68D124	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-25 NO. 1 ENGINE - REPLACE NO. 25 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS	25-Feb-23						Service ATA:72 REPLACE
SN:TH68D327	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-26 NO. 1 ENGINE - REPLACE NO. 26 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS	25-Feb-23						Service ATA:72 REPLACE
SN:TH68D343	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-27 NO. 1 ENGINE - REPLACE NO. 27 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS	25-Feb-23						Service ATA:72 REPLACE
SN:TH68D390	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-28 NO. 1 ENGINE - REPLACE NO. 28 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS	25-Feb-23						Service ATA:72 REPLACE
SN:TH68D952	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-29 NO. 1 ENGINE - REPLACE NO. 29 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH68D976	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-3 NO. 1 ENGINE - REPLACE NO. 3 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH36D479	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-30 NO. 1 ENGINE - REPLACE NO. 30 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH68D983	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-31 NO. 1 ENGINE - REPLACE NO. 31 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH69D008	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-32 NO. 1 ENGINE - REPLACE NO. 32 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH70D046	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-33 NO. 1 ENGINE - REPLACE NO. 33 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH71D354	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-34 NO. 1 ENGINE - REPLACE NO. 34 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH71D418	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-35 NO. 1 ENGINE - REPLACE NO. 35 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH71D477	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-36 NO. 1 ENGINE - REPLACE NO. 36 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH79D201	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-37 NO. 1 ENGINE - REPLACE NO. 37 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS		25-Feb-23					Service ATA:72 REPLACE
SN:TH82D607	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-38 NO. 1 ENGINE - REPLACE NO. 38 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS	25-Feb-23						Service ATA:72 REPLACE
SN:TH83D819	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-39 NO. 1 ENGINE - REPLACE NO. 39 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS	25-Feb-23						Service ATA:72 REPLACE
SN:TH84D149	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-4 NO. 1 ENGINE - REPLACE NO. 4 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS	25-Feb-23						Service ATA:72 REPLACE
SN:TH54D539	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-40 NO. 1 ENGINE - REPLACE NO. 40 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS	25-Feb-23						Service ATA:72 REPLACE
SN:TH84D164	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-41 NO. 1 ENGINE - REPLACE NO. 41 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS	25-Feb-23						Service ATA:72 REPLACE
SN:TH84D176	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-42 NO. 1 ENGINE - REPLACE NO. 42 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS	25-Feb-23						Service ATA:72 REPLACE
SN:TH85D549	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-43 NO. 1 ENGINE - REPLACE NO. 43 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS	25-Feb-23						Service ATA:72 REPLACE
SN:TH85D559	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-5 NO. 1 ENGINE - REPLACE NO. 5 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS	25-Feb-23						Service ATA:72 REPLACE
SN:TH55D094	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-6 NO. 1 ENGINE - REPLACE NO. 6 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS	25-Feb-23						Service ATA:72 REPLACE
SN:TH58D633	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-7 NO. 1 ENGINE - REPLACE NO. 7 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS	25-Feb-23						Service ATA:72 REPLACE
SN:TH58D740	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-8 NO. 1 ENGINE - REPLACE NO. 8 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS	25-Feb-23						Service ATA:72 REPLACE
SN:TH61D803	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-9 NO. 1 ENGINE - REPLACE NO. 9 2ND STAGE POWER TURBINE BLADE								
PN:3056693-01	MOS	25-Feb-23						Service ATA:72 REPLACE
SN:TH61D809	HRS	0	5000		(5000) 5000		4456.8	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/488 NO. 1 ENGINE - OVERHAUL								
	MOS	25-Feb-23						Service ATA:72 OVERHAUL
	HRS	0	5000 (+100/-100)		(5000) 5000	5100	4456.8 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-00/489 NO. 1 ENGINE - ENGINE ACCESSORIES OVERHAUL								
	MOS/MSC	25-Feb-23	A/R					Service ATA:72 OVERHAUL
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/1 NO. 1 ENGINE - PROPELLER SHAFT AREA - DO A VISUAL EXAMINATION FOR LEAKAGE AND CORROSION								
	MOS/MSC	19-Mar-25	A/R					Service ATA:72
	HRS	477.4						
	ENC	520						
PROC. REF: EM 72-10-00, LMM 72-10-00PROC. REF: EM 72-10-00, LMM 72-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-CA/10 NO. 1 ENGINE - SERVICE LIFE LIMIT COMPRESSOR ROTOR SHAFT								Service ATA:72
PN:3043063	MOS	25-Feb-23						LIFE LIMIT
SN:PKAAA992453	HRS	0						
	ENC	0			(24000) 24000 (M)		23449	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/11 NO. 1 ENGINE - SERVICE LIFE LIMIT 1ST-STAGE COMPRESSOR ROTOR								
PN:3042701	MOS	25-Feb-23						LIFE LIMIT
SN:MCAKAXYT083	HRS	0						
	ENC	0			(24000) 24000 (M)		23449	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/12 NO. 1 ENGINE - SERVICE LIFE LIMIT 2ND-STAGE COMPRESSOR ROTOR								
PN:3040942	MOS	25-Feb-23						LIFE LIMIT
SN:FRAEUAMU99	HRS	0						
	ENC	0			(24000) 24000 (M)		23449	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/13 NO. 1 ENGINE - SERVICE LIFE LIMIT 3RD-STAGE COMPRESSOR ROTOR								
PN:3040933	MOS	25-Feb-23						LIFE LIMIT
SN:MCAKAXYX070	HRS	0						
	ENC	0			(24000) 24000 (M)		23449	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-CA/14 NO. 1 ENGINE - SERVICE LIFE LIMIT 4TH-STAGE COMPRESSOR ROTOR								Service ATA:72
PN:3040944	MOS	25-Feb-23						LIFE LIMIT
SN:FRAEUAMD102	HRS	0						
	ENC	0			(24000) 24000 (M)		23449	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/15 NO. 1 ENGINE - SERVICE LIFE LIMIT CENTRIFUGAL IMPELLER								
PN:3036898	MOS	25-Feb-23						LIFE LIMIT
SN:FRAEUALH78	HRS	0						
	ENC	0			(24000) 24000 (M)		23449	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/16 NO. 1 ENGINE - SERVICE LIFE LIMIT COMPRESSOR TURBINE DISK								
PN:3078454-01	MOS	25-Feb-23						LIFE LIMIT
SN:FRAEUAPD140	HRS	0						
	ENC	0			(11111) 11111 (M)		10560	
	ACCCYC	0	10000				9504	
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-CA/17 NO. 1 ENGINE - SERVICE LIFE LIMIT 1ST-STAGE POWER TURBINE DISK								
PN:3056485-01	MOS	25-Feb-23						LIFE LIMIT
SN:A0055FEF	HRS	0						
	ENC	0			(15000) 15000 (M)		14449	
	ACCCYC	0	15000					
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-CA/18 NO. 1 ENGINE - SERVICE LIFE LIMIT 2ND-STAGE POWER TURBINE DISK Service ATA:72								
PN:3123253-01	MOS	25-Feb-23						LIFE LIMIT
SN:A0054DNR	HRS	0						
	ENC	0			(15000)		14449	
	ACCCYC	0	15000		15000 (M)			
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-CA/2^S NO. 1 ENGINE - DO A DETAILED INSPECTION OF THE TURBINE EXHAUST DUCT Service ATA:72								
	MOS	19-Mar-25	12 (+30d/-30d)					
	HRS	477.4	600 (+10%/-10%)					
	ENC	520						
PROC. REF: EM 72-54-01, LMM 72-54-01PROC. REF: EM 72-54-01, LMM 72-54-01								
72-CA/22 NO. 1 ENGINE - ENGINE GENERAL - MECHANICAL GENERAL FAULT ISOLATION PROCEDURE Service ATA:72								
	MOS/MSC	25-Feb-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00								
72-CA/23 NO. 1 ENGINE - ENGINE GENERAL - ENGINE ELECTRONIC CONTROL (EEC) GENERAL FAULT ISOLATION PROCEDURE Service ATA:72								
	MOS/MSC	25-Feb-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00								
72-CA/24 NO. 1 ENGINE - ENGINE GENERAL - ENGINE CONDITION TREND MONITORING (ECTM) SHIFT GENERAL FAULT ISOLATION PROCEDURE Service ATA:72								
	MOS/MSC	25-Feb-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-CA/25	NO. 1 ENGINE - ENGINE GENERAL - DATA COLLECTION AND TRANSMISSION UNIT (DCTU) GENERAL FAULT ISOLATION PROCEDURE							Service	ATA:72
	MOS/MSC	25-Feb-23	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00									
72-CA/3 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF THE GAS GENERATOR CASE							Service	ATA:72
	MOS	19-Mar-25	12 (+30d/-30d)						
	HRS	477.4	600 (+10%/-10%)						
	ENC	520							
PROC. REF: EM 72-32-00, LMM 72-32-00PROC. REF: EM 72-32-00, LMM 72-32-00									
72-CA/4 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF THE AIR INLET SCREEN							Service	ATA:72
	MOS	19-Mar-25	12 (+30d/-30d)						
	HRS	477.4	600 (+10%/-10%)						
	ENC	520							
PROC. REF: EM 72-20-01, LMM 72-20-01PROC. REF: EM 72-20-01, LMM 72-20-01									
72-CA/5 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION WITH A MIRROR OR A BORESCOPE INSPECTION OF THE FIRST - STAGE COMPRESSOR ROTOR							Service	ATA:72
	MOS	19-Mar-25	12 (+30d/-30d)						
	HRS	477.4	600 (+10%/-10%)						
	ENC	520							
PROC. REF: EM 72-31-01, LMM 72-31-01PROC. REF: EM 72-31-01, LMM 72-31-01									
72-CA/6 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF THE COMPRESSOR INLET CASE							Service	ATA:72
	MOS	19-Mar-25	12 (+30d/-30d)						
	HRS	477.4	600 (+10%/-10%)						
	ENC	520							
PROC. REF: EM 72-20-02, LMM 72-20-02PROC. REF: EM 72-20-02, LMM 72-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-CA/7^S NO. 1 ENGINE - DO A VISUAL VISUAL EXAMINATION OF THE CENTER FIRESEAL								
	MOS	19-Mar-25	12 (+30d/-30d)					Service ATA:72
	HRS	477.4	600 (+10%/-10%)					
	ENC	520						
PROC. REF: EM 72-00-03, LMM 72-00-03PROC. REF: EM 72-00-03, LMM 72-00-03								
72-CA/8^S NO. 1 ENGINE - DO A BORESCOPE INSPECTION OF THE ENGINE HOT SECTION								
	MOS	19-Mar-25						Service ATA:72
	HRS	477.4	600 (+10%/-10%)					
	ENC	520						
PROC. REF: EM 72-00-00, EM 72-00-00, LMM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, EM 72-00-00, LMM 72-00-00, LMM 72-00-00								
PT6EA723201 NO. 1 ENGINE - 1ST-STAGE COMPRESSOR ROTOR								
PN:3042701	MOS/MSC	25-Feb-23	H/T	TSN 0				Component ATA:72
SN:MCAKAXYT083	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA723202 NO. 1 ENGINE - 2ND-STAGE COMPRESSOR ROTOR								
PN:3040942	MOS/MSC	25-Feb-23	H/T	TSN 0				Component ATA:72
SN:FRAEUAMU99	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA723203 NO. 1 ENGINE - 3RD-STAGE COMPRESSOR ROTOR								
PN:3040933	MOS/MSC	25-Feb-23	H/T	TSN 0				Component ATA:72
SN:MCAKAXYX070	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA723204 NO. 1 ENGINE - 4TH-STAGE COMPRESSOR ROTOR								
PN:3040944	MOS/MSC	25-Feb-23	H/T	TSN 0				Component ATA:72
SN:FRAEUAMD102	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
PT6EA723205		NO. 1 ENGINE - CENTRIFUGAL IMPELLER					Component	ATA:72	
PN:3036898	MOS/MSC	25-Feb-23	H/T	TSN 0					
SN:FRAEUALH78	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PT6EA723206		NO. 1 ENGINE - COMPRESSOR ROTOR SHAFT					Component	ATA:72	
PN:3043063	MOS/MSC	25-Feb-23	H/T	TSN 0					
SN:PKAAA992453	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PT6EA725101		NO. 1 ENGINE - COMPRESSOR TURBINE DISK					Component	ATA:72	
PN:3078454-01	MOS/MSC	25-Feb-23	H/T	TSN 0					
SN:FRAEUAPD140	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01									
PT6EA725201		NO. 1 ENGINE - 1ST-STAGE POWER TURBINE DISK					Component	ATA:72	
PN:3056485-01	MOS/MSC	25-Feb-23	H/T	TSN 0					
SN:A0055FEF	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03									
PT6EA725202		NO. 1 ENGINE - 2ND-STAGE POWER TURBINE DISK					Component	ATA:72	
PN:3123253-01	MOS/MSC	25-Feb-23	H/T	TSN 0					
SN:A0054DNR	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03									
ATA 73 - ENGINE FUEL AND CONTROL									
73-CA/1 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF ALL HARNESS CONNECTIONS, HARNESS ROUTING, CLAMPS AND BRACKETS ARE ATTACHED CORRECTLY - ENGINE ELECTRICAL WIRING HARNESS						Service	ATA:73	
	MOS	19-Mar-25	12 (+30d/-30d)						
	HRS	477.4	600 (+10%/-10%)						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
	ENC	520							
PROC. REF: EM 73-20-02, LMM 73-20-02PROC. REF: EM 73-20-02, LMM 73-20-02									
PKG:2									
73-CA/10 ^S	NO. 1 ENGINE - EXAMINE THE FUEL FILTER							Service	ATA:73
	MOS	19-Mar-25	12 (+30d/-30d)						
	HRS	477.4	600 (+10%/-10%)						
	ENC	520							
PROC. REF: EM 73-10-06, LMM 73-10-06PROC. REF: EM 73-10-06, LMM 73-10-06									
PKG:2									
73-CA/12	NO. 1 ENGINE - OVERHAUL OIL-TO-FUEL HEATER							Service	ATA:73
PN:3124177-01	MOS	25-Feb-23						OVERHAUL	
SN:WA65343	HRS	0	5000 (+500)		(5000) 5000	5500	4456.8 (+500)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-CA/13	NO. 1 ENGINE - OVERHAUL ENGINE ELECTRONIC CONTROL (EEC)							Service	ATA:73
PN:3126984-05	MOS	25-Feb-23						OVERHAUL	
SN:WDA143809	HRS	0	5000 (+500)		(5000) 5000	5500	4456.8 (+500)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-CA/14	NO. 1 ENGINE - OVERHAUL FLOW DIVIDER							Service	ATA:73
PN:3133739-01	MOS	25-Feb-23						OVERHAUL	
SN:22DAA0023	HRS	0	5000 (+500)		(5000) 5000	5500	4456.8 (+500)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-CA/15	NO. 1 ENGINE - OVERHAUL FUEL CONTROL UNIT							Service	ATA:73
PN:3126985-04	MOS	25-Feb-23						OVERHAUL	
SN:WDA144991	HRS	0	5000 (+500)		(5000) 5000	5500	4456.8 (+500)		
	ENC	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
73-CA/2 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF ALL HARNESS CONNECTIONS, CLAMPS AND BRACKETS ARE ATTACHED CORRECTLY, EEC WIRING HARNESS							Service	ATA:73
	MOS	19-Mar-25	12 (+30d/-30d)						
	HRS	477.4	600 (+10%/-10%)						
	ENC	520							
								PKG:2	
PROC. REF: EM 73-20-05, LMM 73-20-05PROC. REF: EM 73-20-05, LMM 73-20-05									
73-CA/20	NO. 1 ENGINE - REPLACE ENGINE ELECTRONIC CONTROL (EEC)							Service	ATA:73
PN:3126984-05	MOS	25-Feb-23						REPLACE	
SN:WDA143809	HRS	0	10000		(10000) 10000		9456.8		
	ENC	0							
PROC. REF: EM 73-20-04, EM 73-20-04, LMM 73-20-04, LMM 73-20-04PROC. REF: EM 73-20-04, EM 73-20-04, LMM 73-20-04, LMM 73-20-04									
73-CA/3 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF ALL HARNESS CONNECTIONS, CLAMPS AND BRACKETS ARE ATTACHED CORRECTLY, DCTU TO EEC WIRING HARNESS							Service	ATA:73
	MOS	19-Mar-25	12 (+30d/-30d)						
	HRS	477.4	600 (+10%/-10%)						
	ENC	520							
								PKG:2	
PROC. REF: EM 73-20-03, LMM 73-20-03PROC. REF: EM 73-20-03, LMM 73-20-03									
73-CA/4 ^S	NO. 1 ENGINE - DO A CHECK OF THE FCU FOR INSTALLATION							Service	ATA:73
	MOS	19-Mar-25	12 (+30d/-30d)						
	HRS	477.4	600 (+10%/-10%)						
	ENC	520							
								PKG:2	
PROC. REF: EM 73-20-01, LMM 73-20-01PROC. REF: EM 73-20-01, LMM 73-20-01									
73-CA/5 ^S	NO. 1 ENGINE - DO A CHECK OF THE FLOW DIVIDER FOR INSTALLATION AND LEAKS							Service	ATA:73
	MOS	19-Mar-25	12 (+30d/-30d)						
	HRS	477.4	600 (+10%/-10%)						
	ENC	520							
								PKG:2	
PROC. REF: EM 73-10-08, LMM 73-10-08PROC. REF: EM 73-10-08, LMM 73-10-08									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-CA/6 ^S NO. 1 ENGINE - DO A CHECK OF THE OIL - TO - FUEL HEATER INSTALLATION Service ATA:73								
	MOS	19-Mar-25	12 (+30d/-30d)					
	HRS	477.4	600 (+10%/-10%)					
	ENC	520						
PROC. REF: EM 73-10-04, LMM 73-10-04PROC. REF: EM 73-10-04, LMM 73-10-04								PKG:2
73-CA/7 ^S NO. 1 ENGINE - REMOVE, DISCARD AND REPLACE THE FUEL FILTER ELEMENT Service ATA:73								
	MOS	19-Mar-25						REPLACE
	HRS	477.4	600 (+10%/-10%)					
	ENC	520						
PROC. REF: EM 73-10-06, EM 73-10-06, LMM 73-10-06, LMM 73-10-06PROC. REF: EM 73-10-06, EM 73-10-06, LMM 73-10-06, LMM 73-10-06								PKG:3
73-CA/9 ^S NO. 1 ENGINE - DO A LEAK TEST AND A FUNCTIONAL TEST OF THE FUEL MANIFOLD ADAPTERS/NOZZLE ASSEMBLIES Service ATA:73								
	MOS	19-Mar-25						
	HRS	477.4	600 (+10%/-10%)					
	ENC	520						
PROC. REF: EM 73-10-05, LMM 73-10-05PROC. REF: EM 73-10-05, LMM 73-10-05								PKG:3
PC12A73200100 ELECTRONIC ENGINE CONTROL UNIT Component ATA:73								
PN:968.20.13.041	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:WDA143809	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-73-20-03-00A-920A-APROC. REF: AMM 12-C-73-20-03-00A-920A-A								
PC12A73300100 FUEL FLOW TRANSMITTER, MT042 Component ATA:73								
PN:975.35.12.108	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:00179	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-73-30-01-00A-920A-APROC. REF: AMM 12-C-73-30-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
PT6EA731001		NO. 1 ENGINE - OIL-TO-FUEL HEATER						Component	ATA:73
PN:3124177-01	MOS/MSC	25-Feb-23	H/T	TSN 0					
SN:WA65343	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 73-10-04, EM 73-10-04, LMM 73-10-04, LMM 73-10-04PROC. REF: EM 73-10-04, EM 73-10-04, LMM 73-10-04, LMM 73-10-04									
PT6EA731002		NO. 1 ENGINE - FLOW DIVIDER						Component	ATA:73
PN:3133739-01	MOS/MSC	25-Feb-23	H/T	TSN 0					
SN:22DAA0023	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 73-10-08, EM 73-10-08, LMM 73-10-08, LMM 73-10-08PROC. REF: EM 73-10-08, EM 73-10-08, LMM 73-10-08, LMM 73-10-08									
PT6EA732001		NO. 1 ENGINE - FUEL CONTROL UNIT						Component	ATA:73
PN:3126985-04	MOS/MSC	25-Feb-23	H/T	TSN 0					
SN:WDA144991	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 73-20-01, EM 73-20-01, LMM 73-20-01, LMM 73-20-01PROC. REF: EM 73-20-01, EM 73-20-01, LMM 73-20-01, LMM 73-20-01									
PT6EA73CA10		NO. 1 ENGINE - FUEL FLOW TRANSMITTER, MT042						Component	ATA:73
PN:TFF1573-20	MOS/MSC	25-Feb-23	O/C	TSN 0					
SN:00179	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: AMM 12-C-73-30-01-00A-920A-APROC. REF: AMM 12-C-73-30-01-00A-920A-A									
PT6EA73CA20		NO. 1 ENGINE - ELECTRONIC ENGINE CONTROL (EEC)						Component	ATA:73
PN:3126984-05	MOS/MSC	25-Feb-23	H/T	TSN 0					
SN:WDA143809	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 73-20-04, EM 73-20-04, LMM 73-20-04, LMM 73-20-04, AMM 12-C-73-20-03-00A-920A-APROC. REF: EM 73-20-04, EM 73-20-04, LMM 73-20-04, LMM 73-20-04, AMM 12-C-73-20-03-00A-920A-A									
ATA 74 - IGNITION									
74-00/562 ^S		IGNITION SYSTEM (MSN 2001 AND UP) - OPERATIONAL TEST						Service	ATA:74
	MOS	23-Jul-25	12 (+10%/-10%)						
	HRS	512.5	600 (+10%/-10%)						
	AFL	542							

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
PROC. REF: AMM 12-C-74-00-00-00A-903A-APROC. REF: AMM 12-C-74-00-00-00A-903A-A								
74-CA/1^S NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE IGNITION EXCITER Service ATA:74								
	MOS	19-Mar-25	12 (+30d/-30d)					
	HRS	477.4	600 (+10%/-10%)					
	ENC	520						
PROC. REF: EM 74-10-01, LMM 74-10-01PROC. REF: EM 74-10-01, LMM 74-10-01								
74-CA/2^S NO. 1 ENGINE - DO A DETAILED INSPECTION OF SPARK IGNITER Service ATA:74								
	MOS	19-Mar-25						
	HRS	477.4	600 (+10%/-10%)					
	ENC	520						
PROC. REF: EM 74-20-02, LMM 74-20-02PROC. REF: EM 74-20-02, LMM 74-20-02								
74-CA/3^S NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE IGNITION CABLES Service ATA:74								
	MOS	19-Mar-25	12 (+30d/-30d)					
	HRS	477.4	600 (+10%/-10%)					
	ENC	520						
PROC. REF: EM 74-20-01, LMM 74-20-01PROC. REF: EM 74-20-01, LMM 74-20-01								
74-CA/6 NO. 1 ENGINE - OVERHAUL IGNITION EXCITER Service ATA:74								
PN:3043937-10	MOS	25-Feb-23						OVERHAUL
SN:221958	HRS	0	5000 (+500)		(5000) 5000	5500	4456.8 (+500)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA741001 NO. 1 ENGINE - IGNITION EXCITER Component ATA:74								
PN:3043937-10	MOS/MSC	25-Feb-23	H/T	TSN 0				
SN:221958	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 74-10-01, EM 74-10-01, LMM 74-10-01, LMM 74-10-01PROC. REF: EM 74-10-01, EM 74-10-01, LMM 74-10-01, LMM 74-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
PT6EA74CA11	NO. 1 ENGINE - REPLACE 4 O'CLOCK IGNITER							Service	ATA:74
PN:PN	MOS	25-Feb-23							
SN:UNKNOWN	HRS	0	1200 (+100)		(1200) 1200	1300	656.8 (+100)		
	ENC	0							
PROC. REF: EM 74-20-02, EM 74-20-02PROC. REF: EM 74-20-02, EM 74-20-02									
<hr/>									
PT6EA74CA21	NO. 1 ENGINE - REPLACE 9 O'CLOCK IGNITER							Service	ATA:74
PN:PN	MOS	25-Feb-23							
SN:UNKNOWN	HRS	0	1200 (+100)		(1200) 1200	1300	656.8 (+100)		
	ENC	0							
PROC. REF: EM 74-20-02, EM 74-20-02PROC. REF: EM 74-20-02, EM 74-20-02									
<hr/>									
ATA 75 - AIR									
75-CA/1	NO. 1 ENGINE - OVERHAUL COMPRESSOR BLEED VALVE							Service	ATA:75
PN:3136596	MOS	25-Feb-23						OVERHAUL	
SN:AHX5000469	HRS	0	5000 (+500)		(5000) 5000	5500	4456.8 (+500)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
PT6EA753001	NO. 1 ENGINE - COMPRESSOR BLEED VALVE							Component	ATA:75
PN:3136596	MOS/MSC	25-Feb-23	H/T	TSN 0					
SN:AHX5000469	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EM 75-30-02, EM 75-30-02, LMM 75-30-02, LMM 75-30-02PROC. REF: EM 75-30-02, EM 75-30-02, LMM 75-30-02, LMM 75-30-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
76-00/563 ^S	COCKPIT CONTROL QUADRANT (MSN 2001 AND UP) - EXAMINE							Service	ATA:76
	MOS	19-Mar-25	12 (+10%/-10%)						
	HRS	477.4	600 (+10%/-10%)						
	AFL	520							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A76100100 THROTTLE QUADRANT, A135 Component ATA:76									
PN:944.30.19.607	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:291	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-76-10-00-00A-920A-APROC. REF: AMM 12-C-76-10-00-00A-920A-A									
ATA 77 - ENGINE INDICATING									
77-CA/1 ^S	NO. 1 ENGINE - MAKE SURE THAT THE ENGINE TRIM PARAMETERS ITT TRIM VALUE DISPLAYED IN THE COCKPIT MATCHES WITH THE ENGINE DATA PLATE IF NECESSARY, CORRECT							Service	ATA:77
	MOS	19-Mar-25	12 (+30d/-30d)						
	HRS	477.4	600 (+10%/-10%)						
	ENC	520							
PROC. REF: EM 77-40-01, LMM 77-40-01PROC. REF: EM 77-40-01, LMM 77-40-01									
77-CA/2 ^S	NO. 1 ENGINE - MAKE SURE THAT NO EEC FAULT IS PRESENT. IF FAULT PRESENT, FOLLOW THE NECESSARY MAINTENANCE TASK TO RETRIEVE THE FAULT CODES AND SPOTLIGHT FOR FAULT ISOLATION.							Service	ATA:77
	MOS	19-Mar-25	12 (+30d/-30d)						
	HRS	477.4	600 (+10%/-10%)						
	ENC	520							
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00									
PC12A77400100 DATA COLLECTION TRANSMISSION UNIT Component ATA:77									
PN:968.20.12.971	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:PES500464	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-77-41-00-00A-920A-APROC. REF: AMM 12-C-77-41-00-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
PC12A77400200 DATA COLLECTION AND TRANSMISSION UNIT (DCTU)-ENGINE ELECTRONIC CONTROL UNIT (EEC) HARNESS								Component ATA:77
PN:968.20.12.962	MOS/MSC	28-Feb-23	O/C	TSN 0				
SN:PES00206	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-77-41-01-01A-920A-APROC. REF: AMM 12-C-77-41-01-01A-920A-A								
PT6EA77CA10 NO. 1 ENGINE - DATA COLLECTION TRANSMISSION UNIT								
Component ATA:77								
PN:968.20.13.049	MOS/MSC	22-Mar-24	O/C	TSN 1				
SN:PES500615	HRS	291		TSN 0				
	ENC			TSN 0				
PROC. REF: EM 77-40-01, EM 77-40-01, LMM 77-40-01, LMM 77-40-01, AMM 12-C-77-41-00-00A-920A-APROC. REF: EM 77-40-01, EM 77-40-01, LMM 77-40-01, LMM 77-40-01, AMM 12-C-77-41-00-00A-920A-A								
PT6EA77CA11 NO. 1 ENGINE - DCTU-EEC HARNESS								
Component ATA:77								
PN:3129052-02	MOS/MSC	25-Feb-23	O/C	TSN 0				
SN:PES00206	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 73-20-03, EM 73-20-03, LMM 73-20-03, LMM 73-20-03, AMM 12-C-77-41-01-01A-920A-APROC. REF: EM 73-20-03, EM 73-20-03, LMM 73-20-03, LMM 73-20-03, AMM 12-C-77-41-01-01A-920A-A								
ATA 78 - EXHAUST								
78-00/564 ^S EXHAUST STUBS (MSN 2001 AND UP) - EXAMINE								Service ATA:78
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	600 (+10%/-10%)					
	AFL	520						
PKG:2								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 79 - OIL								
79-20/289 ^S ENGINE OIL COOLER - EXAMINE. MAKE SURE OUTLET DOOR HAS FULL AND FREE MOVEMENT								Service ATA:79
	MOS	19-Mar-25	12 (+10%/-10%)					
	HRS	477.4	1200 (+10%/-10%)					
	AFL	520						
PKG:3								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-20/43	OVERHAUL OIL COOLER							Service	ATA:79
PN:968.32.14.102	MOS	28-Feb-23						OVERHAUL	
SN:T2262	HRS	0	5000 (+10%/-10%)		5000	5500	4456.8 (+500)		
	AFL	0							
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A									
79-CA/1	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE ENGINE OIL QUANTITY							Service	ATA:79
	MOS/MSC	19-Mar-25	A/R						
	HRS	477.4							
	ENC	520							
PROC. REF: EM 79-00-00, LMM 79-00-00PROC. REF: EM 79-00-00, LMM 79-00-00									
79-CA/2	NO. 1 ENGINE - DO A CHECK OF THE OIL LEVEL FILLER CAP AND INDICATOR TO MAKE SURE THAT THE FILLER CAP IS CORRECTLY INSTALLED AND LOCKED							Service	ATA:79
	MOS/MSC	19-Mar-25	A/R						
	HRS	477.4							
	ENC	520							
PROC. REF: EM 79-30-06, LMM 79-30-06PROC. REF: EM 79-30-06, LMM 79-30-06									
79-CA/3 ^S	NO. 1 ENGINE - REMOVE, DISCARD AND REPLACE THE OIL FILTER ELEMENT							Service	ATA:79
	MOS	19-Mar-25						REPLACE	
	HRS	477.4	600 (+10%/-10%)						
	ENC	520							
PROC. REF: EM 79-20-01, EM 79-20-01, LMM 79-20-01, LMM 79-20-01PROC. REF: EM 79-20-01, EM 79-20-01, LMM 79-20-01, LMM 79-20-01									
79-CA/4	NO. 1 ENGINE - P&WC'S OIL ANALYSIS TECHNOLOGY							Service	ATA:79
	MOS	19-Mar-25	12		19-Mar-26		43 d		
	HRS	477.4	300		(777.4) 777.4		234.2		
	ENC	520							
PROC. REF: EM 79-00-00, LMM 79-00-00PROC. REF: EM 79-00-00, LMM 79-00-00									

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-CA/5 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE RGB CHIP DETECTOR FOR DEBRIS							Service	ATA:79
	MOS	19-Mar-25	12 (+30d/-30d)						
	HRS	477.4	600 (+10%/-10%)						
	ENC	520							
PKG:2									
PROC. REF: EM 79-30-01, LMM 79-30-01PROC. REF: EM 79-30-01, LMM 79-30-01									
79-CA/6 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE AGB CHIP DETECTOR FOR DEBRIS							Service	ATA:79
	MOS	19-Mar-25	12 (+30d/-30d)						
	HRS	477.4	600 (+10%/-10%)						
	ENC	520							
PKG:2									
PROC. REF: EM 79-30-03, LMM 79-30-03PROC. REF: EM 79-30-03, LMM 79-30-03									
79-CA/7 ^S	NO. 1 ENGINE - EXAMINE THE OIL FILTER AND SECONDARY SCREEN COARSE HAT - TYPE SCREEN ATTACHED TO THE INNER END OF THE FILTER							Service	ATA:79
	MOS	19-Mar-25	12 (+30d/-30d)						
	HRS	477.4	600 (+10%/-10%)						
	ENC	520							
PKG:2									
PROC. REF: EM 79-20-01, LMM 79-20-01PROC. REF: EM 79-20-01, LMM 79-20-01									
PC12A79200100	OIL COOLER							Component	ATA:79
PN:968.32.14.102	MOS/MSC	28-Feb-23	H/T	TSN 0					
SN:T2262	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A									
PC12A79200200	THERMAL ACTUATOR							Component	ATA:79
PN:978.73.01.002	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:2581	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2243 RegNo: N882RR HRS: 543.2 AFL: 551 As Of: 04-Feb-2026

04-Feb-2026 01:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
PC12A79300100	PRESSURE SWITCH							Component	ATA:79
PN:973.81.14.305	MOS/MSC	28-Feb-23	O/C	TSN 0					
SN:2252	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-79-30-04-00A-920A-APROC. REF: AMM 12-B-79-30-04-00A-920A-A									
PT6EA79CA10	NO. 1 ENGINE - OIL COOLER							Component	ATA:79
PN:8180-2	MOS/MSC	25-Feb-23	O/C	TSN 0					
SN:T2262	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A									
PT6EA79CA20	NO. 1 ENGINE - THERMAL ACTUATOR							Component	ATA:79
PN:3703-6	MOS/MSC	25-Feb-23	O/C	TSN 0					
SN:2581	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A									
PT6EA79CA30	NO. 1 ENGINE - PRESSURE SWITCH							Component	ATA:79
PN:8598	MOS/MSC	25-Feb-23	O/C	TSN 0					
SN:2252	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: AMM 12-B-79-30-04-00A-920A-APROC. REF: AMM 12-B-79-30-04-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task